

---

# Contents

---

|  |          |
|--|----------|
| <i>Acknowledgements</i>  | xiv      |
| <i>Preface to the third edition</i>  | xv       |
| <i>Preface to the second edition</i>   | xvii     |
| <i>Preface to the first edition</i>  | xviii    |
| <br>   |          |
| <b>1 Introduction to structural design: the meaning, the purpose and the limits of structural design – general</b> | <b>1</b> |
| 1.1 <i>Introduction</i>  | 1        |
| 1.2 <i>Phases of structural design</i>   | 1        |
| 1.2.1 Basic considerations concerning the structural design process  | 2        |
| 1.3 <i>The meanings of structural design</i>   | 4        |
| 1.4 <i>Can structural design be taught?</i>  | 4        |
| 1.5 <i>Databases and expert systems in structural design</i>   | 5        |
| 1.6 <i>The importance of the computer modelling process</i>  | 7        |
| <br>   |          |
| <b>2 Steel structures – structural engineering</b>   | <b>9</b> |
| 2.1 <i>Need for and use of structures</i>  | 9        |
| 2.2 <i>Structural materials – types and uses</i>   | 10       |
| 2.3 <i>Types of structures</i>   | 11       |
| 2.3.1 General types of structures  | 11       |
| 2.3.2 Steel structures   | 13       |
| 2.4 <i>Foundations</i>   | 13       |
| 2.5 <i>Structural engineering</i>  | 15       |
| 2.5.1 Scope of structural engineering  | 15       |
| 2.5.2 Structural designer's work   | 17       |
| 2.6 <i>Conceptual design, innovation and planning</i>  | 17       |
| 2.7 <i>Comparative design and optimization</i>   | 19       |
| 2.7.1 General considerations   | 19       |

- 2.7.2 Aims and factors considered in design comparison 20
- 2.7.3 Specific basis of comparisons for common structures 21
- 2.8 *Load paths, structural idealization and modelling* 24
  - 2.8.1 Load paths 24
  - 2.8.2 Structural idealization 25
  - 2.8.3 Modelling 26
- 2.9 *Drawings, specifications and quantities* 28
  - 2.9.1 Steelwork drawings 28
  - 2.9.2 Specification 28
  - 2.9.3 Quantities 29
- 2.10 *Fabrication* 30
- 2.11 *Transport and erection* 30

### 3 Structural steel design

32

- 3.1 *Design theories* 32
  - 3.1.1 Development of design 32
  - 3.1.2 Design from experience 32
  - 3.1.3 Elastic theory 32
  - 3.1.4 Plastic theory 35
  - 3.1.5 Limit state theory and design codes 35
- 3.2 *Limit states and design basis* 36
- 3.3 *Loads, actions and partial safety factors* 37
  - 3.3.1 Loads 38
  - 3.3.2 Partial factors for loads/partial safety factors and design loads 38
- 3.4 *Structural steels – partial safety factors for materials* 39
- 3.5 *Design methods from codes – ultimate limit state* 40
  - 3.5.1 Design methods from BS 5950 40
  - 3.5.2 Analysis of structures – EC3 42
  - 3.5.3 Member and joint design 42
- 3.6 *Stability limit state* 44
- 3.7 *Design for accidental damage* 44
  - 3.7.1 Progressive collapse and robustness 44
  - 3.7.2 Building Regulations 1991 44
  - 3.7.3 BS 5950 Requirements for structural integrity 45

---

|       |   |    |
|-------|---|----|
| 3.8   | <i>Serviceability limit states</i>                      | 46 |
| 3.8.1 | Deflection limits                                       | 46 |
| 3.8.2 | Vibration   | 47 |
| 3.9   | <i>Design considerations</i>                            | 47 |
| 3.9.1 | Fatigue   | 47 |
| 3.9.2 | Brittle fracture  | 48 |
| 3.9.3 | Corrosion protection                                    | 50 |
| 3.9.4 | Fire protection   | 51 |
| 4     | <b>Preliminary design</b>                               | 55 |
| 4.1   | <i>General considerations</i>                           | 55 |
| 4.2   | <i>Need for and scope of preliminary design methods</i> | 55 |
| 4.3   | <i>Design concept, modelling and load estimation</i>    | 56 |
| 4.3.1 | Design concept  | 56 |
| 4.3.2 | Modelling   | 56 |
| 4.3.3 | Load estimation   | 56 |
| 4.4   | <i>Analysis</i>   | 57 |
| 4.4.1 | Statically determinate structures                       | 57 |
| 4.4.2 | Statically indeterminate structures                     | 59 |
| 4.5   | <i>Element design</i>                                   | 65 |
| 4.5.1 | General comments  | 65 |
| 4.5.2 | Ties and struts   | 65 |
| 4.5.3 | Beams and girders                                       | 66 |
| 4.5.4 | Beam-columns  | 69 |
| 4.5.5 | Members in portal frames                                | 70 |
| 4.6   | <i>Examples</i>   | 71 |
| 4.6.1 | Ribbed dome structure                                   | 71 |
| 4.6.2 | Two-pinned portal – plastic design                      | 72 |
| 5     | <b>Single-storey, one-way-spanning buildings</b>        | 76 |
| 5.1   | <i>Types of structures</i>                              | 76 |
| 5.2   | <i>Pinned-base portal – plastic design</i>              | 77 |
| 5.2.1 | Specification and framing plans                         | 77 |
| 5.2.2 | Dead and imposed loads                                  | 78 |
| 5.2.3 | Wind loads  | 79 |
| 5.2.4 | Design load cases                                       | 83 |
| 5.2.5 | Plastic analysis and design                             | 84 |
| 5.2.6 | Dead and wind loads                                     | 87 |
| 5.2.7 | Plastic design – checks                                 | 87 |

|        |   |            |
|--------|---|------------|
| 5.2.8  | Rafter under wind uplift  | 96         |
| 5.2.9  | Portal joints   | 97         |
| 5.2.10 | Serviceability check  | 100        |
| 5.3    | <i>Built-up tapered member portal</i>   | 102        |
| 5.3.1  | General comments  | 102        |
| 5.3.2  | Design process  | 102        |
| 5.4    | <i>Two-pinned arch</i>  | 103        |
| 5.4.1  | General considerations  | 103        |
| 5.4.2  | Specification   | 103        |
| 5.4.3  | Loading   | 104        |
| 5.4.4  | Analysis  | 106        |
| 5.4.5  | Design  | 107        |
| 5.4.6  | Construction  | 109        |
| 5.4.7  | Lattice arch  | 109        |
| 6      | <b>Single-storey, one-way-spanning pinned-base portal-plastic design to EC3</b> | <b>115</b> |
| 6.1    | <i>Type of structure</i>  | 115        |
| 6.2    | <i>Sway stability</i>   | 115        |
| 6.2.1  | For dead and imposed load   | 115        |
| 6.3    | <i>Arching stability check-rafter, snap through</i>                             | 116        |
| 6.4    | <i>Check the column</i>   | 116        |
| 6.4.1  | Section classification  | 117        |
| 6.4.2  | Moment of resistance  | 118        |
| 6.4.3  | Column buckling between intermediate restraints                                 | 119        |
| 6.4.4  | Column buckling between torsional restraints                                    | 120        |
| 6.5    | <i>Stability of the rafter</i>  | 122        |
| 6.5.1  | Section classification  | 122        |
| 6.5.2  | Moment of resistance  | 123        |
| 6.5.3  | Rafter-check buckling between intermediate restraints                           | 124        |
| 6.5.4  | Rafter check buckling between torsional restraints (stays)                      | 126        |
| 7      | <b>Multistorey buildings</b>  | <b>129</b> |
| 7.1    | <i>Outline of designs covered</i>   | 129        |
| 7.1.1  | Aims of study   | 129        |
| 7.1.2  | Design to BS 5950   | 129        |

- 7.2 *Building and loads* 129
  - 7.2.1 Specification 129
  - 7.2.2 Loads 130
  - 7.2.3 Materials 131
- 7.3 *Simple design centre frame* 131
  - 7.3.1 Slabs 131
  - 7.3.2 Roof beam 131
  - 7.3.3 Floor beam 133
  - 7.3.4 Outer column – upper length 7–10–13 133
  - 7.3.5 Outer column – lower length 1–4–7 135
  - 7.3.6 Centre column – upper length 8–11–14 135
  - 7.3.7 Centre column – lower length 2–5–8 136
  - 7.3.8 Joint design 137
  - 7.3.9 Baseplate – centre column 137
- 7.4 *Braced rigid elastic design* 138
  - 7.4.1 Computer analysis 138
  - 7.4.2 Beam design 138
  - 7.4.3 Column design 142
  - 7.4.4 Joint design 145
- 7.5 *Braced rigid plastic design* 148
  - 7.5.1 Design procedure 148
  - 7.5.2 Design loads and moments 148
  - 7.5.3 Frame design 150
- 7.6 *Semirigid design* 158
  - 7.6.1 Code requirements 158
  - 7.6.2 Joint types and performance 159
  - 7.6.3 Frame analysis 161
  - 7.6.4 Frame design 164
- 7.7 *Summary of designs* 173

## 8 Multistorey buildings, simple design to EC3

174

- 8.1 *Outline of design covered* 174
  - 8.1.1 Aims of study 174
  - 8.1.2 Design to EC3 174
- 8.2 *Simple design centre frame* 175
  - 8.2.1 Roof beam fully laterally restraints 175
  - 8.2.2 Floor beam – full lateral restraints 179
- 8.3 *Braced rigid elastic design/floor beam 10–11–12* 180
  - 8.3.1 Check buckling resistance of beam  
 $M_{b,Rd} > M_{sd}$  180

- 8.4 *Column – upper length 7–10–3 Figure 5.3, design and checking using EC3* 182
  - 8.4.1 Check resistance of cross-sections, bending and axial force 182
  - 8.4.2 Resistance of member: combined bending and axial compression 183
- 8.5 *Outer column – lower length 1–4–7 Figure 5.3* 185
  - 8.5.1 Check column below 1st floor at joint 4 185
- 8.6 *Base plate* 187
  - 8.6.1 Check bearing pressure and strength  
 $N_{sd}/A_{ef} \leq f_i$  187
  - 8.6.2 Check resisting moment  $m_{sd} < m_{Rd}$  188
- 8.7 *Joint design* 189
  - 8.7.1 Check positioning for holes for bolts 189
  - 8.7.2 Check shear resistance of bolt Group 190
  - 8.7.3 Check bearing resistance 190
  - 8.7.4 Shear resistance of leg of cleat 191

## 9 Floor systems

192

- 9.1 *Functions of floor systems* 192
- 9.2 *Layouts and framing systems* 192
- 9.3 *Types of floor construction* 194
- 9.4 *Composite floor slabs* 194
  - 9.4.1 General comments 194
  - 9.4.2 Design procedure 196
- 9.5 *Composite beam design* 197
  - 9.5.1 Design basis 197
  - 9.5.2 Effective section 197
  - 9.5.3 Plastic moment capacity 198
  - 9.5.4 Construction 198
  - 9.5.5 Continuous beam analysis 198
  - 9.5.6 Design of members 200
  - 9.5.7 Shear connectors 200
  - 9.5.8 Longitudinal shear 201
  - 9.5.9 Deflection 202
- 9.6 *Simply supported composite beam* 203
  - 9.6.1 Specification 203
  - 9.6.2 Moment capacity 203
  - 9.6.3 Shear 204
  - 9.6.4 Shear connectors 204



|           |   |            |
|-----------|---|------------|
| 9.6.5     | Longitudinal shear                                      | 205        |
| 9.6.6     | Deflection  | 205        |
| 9.7       | <i>Continuous composite beam</i>                        | 206        |
| 9.7.1     | Specification   | 206        |
| 9.7.2     | Floor loads   | 207        |
| 9.7.3     | Elastic analysis and redistribution                     | 208        |
| 9.7.4     | Section design checks                                   | 212        |
| 9.7.5     | Shear connectors  | 216        |
| 9.7.6     | Longitudinal shear                                      | 218        |
| 9.7.7     | Deflection  | 220        |
| <b>10</b> | <b>Design of simply supported composite beam to EC4</b> | <b>222</b> |
| 10.1      | <i>Design data</i>                                      | 223        |
| 10.2      | <i>Initial selection of beam size</i>                   | 223        |
| 10.2.1    | Construction stage design                               | 224        |
| 10.2.2    | Composite stage design                                  | 224        |
| 10.3      | <i>Plastic analysis of composite section</i>            | 224        |
| 10.3.1    | Compressive resistance of slab, $R_c$                   | 224        |
| 10.3.2    | Compressive resistance of steel section, $R_s$          | 225        |
| 10.3.3    | Moment resistance of the composite beam = $M_{pl,Rd}$   | 225        |
| 10.3.4    | Shear resistance  | 225        |
| 10.4      | <i>Check for serviceability limit states</i>            | 228        |
| 10.4.1    | Deflection for non-composite stage                      | 228        |
| 10.4.2    | Deflection for composite stage, $\delta_c$              | 228        |
| 10.4.3    | Total deflection  | 229        |
| 10.5      | <i>Check transverse reinforcement</i>                   | 229        |
| 10.6      | <i>Check shear per unit length, <math>v</math></i>      | 230        |
| 10.7      | <i>Check vibration</i>                                  | 230        |
| <b>11</b> | <b>Tall buildings</b>                                   | <b>231</b> |
| 11.1      | <i>General considerations</i>                           | 231        |
| 11.2      | <i>Structural design considerations</i>                 | 232        |
| 11.3      | <i>Structural systems</i>                               | 233        |
| 11.3.1    | All-steel braced structure                              | 233        |
| 11.3.2    | Rigid frame and mixed systems                           | 234        |
| 11.3.3    | All-steel outrigger and belt truss system               | 236        |
| 11.3.4    | Composite structures                                    | 236        |
| 11.3.5    | Suspended structures                                    | 240        |
| 11.3.6    | Tube structures   | 240        |
| 11.3.7    | SWMB structures   | 242        |

- 11.4 *Construction details* 242
  - 11.4.1 Roofs and floors 243
  - 11.4.2 Walls 244
  - 11.4.3 Steel members 244
- 11.5 *Multistorey building—preliminary design* 245
  - 11.5.1 Specification 245
  - 11.5.2 Dead and imposed loads 245
  - 11.5.3 Beam loads and design 248
  - 11.5.4 Design of perimeter column PC1 251
  - 11.5.5 Braced core wall—vertical loads 255
  - 11.5.6 Wind loads 257
  - 11.5.7 Stability, foundations and bracing 261

## 12 Wide-span buildings

263

- 12.1 *Types and characteristics* 263
- 12.2 *Tie-stayed roof—preliminary design* 266
  - 12.2.1 Specification 266
  - 12.2.2 Preliminary design 266
  - 12.2.3 Stability and wind load 274
- 12.3 *Space decks* 277
  - 12.3.1 Two-way spanning roofs 277
  - 12.3.2 Space decks 277
  - 12.3.3 Space deck analyses and design 279
- 12.4 *Preliminary design for a space deck* 280
  - 12.4.1 Specification 280
  - 12.4.2 Arrangement of space deck 280
  - 12.4.3 Approximate analysis and design 280
  - 12.4.4 Computer analysis 283
  - 12.4.5 Computer results 286
  - 12.4.6 Member design 286
- 12.5 *Framed domes* 288
  - 12.5.1 Types 288
  - 12.5.2 Dome construction 290
  - 12.5.3 Loading 291
  - 12.5.4 Analysis 291
  - 12.5.5 Stability 292
- 12.6 *Schwedler dome* 293
  - 12.6.1 Specification 293
  - 12.6.2 Loading for statical analysis 293
  - 12.6.3 Statical analysis 295



|           |   |            |
|-----------|---|------------|
| 12.6.4    | Member design   | 299        |
| 12.6.5    | Membrane analysis   | 300        |
| 12.7      | <i>Retractable roof stadium</i>                                     | 301        |
| 12.7.1    | Introduction  | 301        |
| 12.7.2    | Proposed structure  | 302        |
| 12.7.3    | Preliminary section sizes   | 302        |
| 12.7.4    | Problems in design and operation                                    | 305        |
| <b>13</b> | <b>Sustainable steel buildings and energy saving</b>                | <b>306</b> |
| 13.1      | <i>Sustainable steel buildings</i>                                  | 306        |
| 13.2      | <i>Energy saving and thermal insulation</i>                         | 307        |
| 13.3      | <i>The U-value</i>  | 309        |
| 13.4      | <i>Resistances of surfaces</i>                                      | 310        |
| 13.5      | <i>Resistances of air spaces</i>                                    | 310        |
| 13.6      | <i>Example calculation</i>  | 310        |
| 13.7      | <i>Some maximum U-values</i>  | 311        |
| 13.7.1    | Example calculation 1   | 311        |
| 13.7.2    | Example calculation 2   | 311        |
| 13.7.3    | Example calculation 3   | 312        |
| 13.7.4    | Example calculation 4   | 312        |
| 13.7.5    | Example calculation 5   | 312        |
| 13.7.6    | Example calculation 6   | 313        |
| 13.8      | <i>Thermal conductivities of commonly used insulating materials</i> | 314        |
| 13.9      | <i>Some typical k-values (W/m K)</i>                                | 314        |
| 13.10     | <i>Thermal insulation</i>   | 318        |
| 13.11     | <i>Acoustic insulation</i>  | 318        |
|           | <i>Bibliography</i>   | 319        |
|           | <i>Index</i>  | 325        |