

Contents

Preface to the English edition..... VIII

Notes for the User XXI

1 Introduction to the Recommendations and their Application Principles..... 1

1.1 National and International Regulations..... 1

1.2 Types of Analysis and Limit States using the Partial Safety Factor Approach 2

1.2.1 New Standards Generation and Transitional Regulations 2

1.2.2 Effects and Resistances 3

1.2.3 Limit States 3

1.2.4 Applying EBGEO in Conjunction with DIN EN 1997-1..... 5

1.3 Examples of Reinforced Earth Structures..... 7

1.4 General Definitions 8

2 Demands on Materials..... 9

2.1 Soil 9

2.1.1 Ground Investigation 9

2.1.2 Fill Soil..... 9

2.1.2.1 Soil Mechanics Demands 9

2.1.2.1.1 Predominantly Statically Loaded Structures 9

2.1.2.1.2 Predominantly Dynamically Loaded Structures 10

2.1.2.2 Soil Chemistry Demands..... 10

2.1.2.3 Execution 10

2.1.3 Back-fill and Cover-fill Soils 10

2.2 Geosynthetics 11

2.2.1 General Recommendations 11

2.2.2 Raw Materials 11

2.2.3 Product Properties and Demands 11

2.2.4 Testing and Reduction Factors 12

2.2.4.1 General Recommendations 12

2.2.4.2 Product Identification (DIN EN ISO 10320)..... 13

2.2.4.3 Mass Per Unit Area (DIN EN ISO 9864) 13

2.2.4.4 Short-term Load-Extension Behaviour..... 13

2.2.4.4.1 Tensile Strength and Strain (DIN EN ISO 10319) 13

2.2.4.4.2 Axial Stiffness..... 17

2.2.4.4.3 Uniaxial and Biaxial Reinforcement 18

2.2.4.4.4 Serviceability Limit State/Strain Behaviour..... 18

2.2.4.5 Long-term Load-Extension Behaviour (Creep Rupture, Creep)..... 18

2.2.4.5.1 General Recommendations 18

2.2.4.5.2	Determining Reduction Factor A_1 from Creep Testing	19
2.2.4.5.3	Reduction Factor A_1 for Creep Failure Behaviour	20
2.2.4.5.4	Identifying Long-term Strain Behaviour by Evaluating Isochrones	21
2.2.4.6	Resistance to Mechanical Damage During Installation	24
2.2.4.6.1	General Recommendations	24
2.2.4.6.2	Reduction Factor A_2 for Damage to Geosynthetics During Transportation, Installation and Compaction	24
2.2.4.6.3	In-situ Testing	25
2.2.4.6.4	Laboratory Testing (DIN EN ISO 10722)	26
2.2.4.7	Joins and Connections	26
2.2.4.7.1	General Recommendations	26
2.2.4.7.2	Reduction Factor A_3 for Junctions, Joins, Seams and Connections to Other Structural Elements	26
2.2.4.7.3	Determining the Reduction Factor A_3 by Testing	26
2.2.4.8	Chemical Resistance	27
2.2.4.8.1	Reduction Factor A_4 for Environmental Chemical Impacts	27
2.2.4.8.2	Determining Chemical Resistance by Testing	27
2.2.4.9	Additional Environmental Impacts	28
2.2.4.9.1	Microbiological Resistance	28
2.2.4.9.2	Biological Resistance and Vandalism	28
2.2.4.9.3	Weathering Resistance (UV Resistance)	28
2.2.4.10	Effects of Predominantly Dynamic Actions	29
2.2.4.10.1	Reduction Factor A_5 for Predominantly Dynamic Actions	29
2.2.4.10.2	Determining the Reduction Factor A_5 for Predominantly Dynamic Actions by Testing	29
2.2.4.11	Friction and Composite Behaviour	29
2.2.4.11.1	General Recommendations	29
2.2.4.11.2	Determining Composite Coefficients by Testing	31
2.3	Bibliography	32
3	Analysis Principles	35
3.1	General Principles	35
3.2	Allocation of Geosynthetic-reinforced Structures to Geotechnical Categories	37
3.3	Design Resistances	38
3.3.1	Structural Resistance of Geosynthetics	38
3.3.2	Determining Reduction Factors	39
3.3.3	Pull-out Resistance of Geosynthetics	39
3.3.3.1	Characteristic Pull-out Resistance of Geosynthetics	39
3.3.3.2	GEO Pull-out Resistance Design Values	39
3.3.3.3	STR Pull-out Resistance Design Value	40
3.3.4	Axial Stiffness of Geosynthetics in the Serviceability Limit State	40
3.4	Partial Safety Factors – Supplementary Regulations to DIN 1054	40

4	Embankments on Soft Soils	43
4.1	General Recommendations	43
4.2	Analysing Global Failure	44
4.2.1	General Recommendations	44
4.2.2	Failure Mechanisms	45
4.2.2.1	Failure on Circular Slip Planes	45
4.2.2.2	Defined Slip Plane in Soft Soil	45
4.2.2.3	Slip Plane Between Geosynthetics and Fill Soil or Between Geosynthetics and Soft Soil	45
4.2.2.4	Adopting Reinforcement Wrap-around	45
4.2.3	Actions	49
4.2.4	Resistances	49
4.2.4.1	Design Value of the Friction Resistance on Top of the Geosynthetics $R_{O,d}$	49
4.2.4.2	Design Value of the Shear Resistance on the Bottom of the Geosynthetics $R_{U,d}$	49
4.2.4.3	Design Value of the Pull-out Resistance $R_{A,d}$	50
4.2.4.4	Design Resistance of the Geosynthetic Reinforcement $R_{B,d}$	50
4.2.4.5	Design Value of the Friction Resistance on Top of the Geosynthetic $R_{3,d}$	50
4.3	Analysing the Stability of the Ground against 'Squeezing Out'	51
4.4	Analysing Bearing Capacity	52
4.5	Engineering Notes	53
4.6	Bibliography	53
4.7	Example Embankment on Soft Soil	53
4.7.1	Failure on Circular Slip Planes	54
4.7.1.1	Initial Stability	55
4.7.1.2	Final Stability	56
4.7.2	Defined Slip Plane in Soft Soil	57
4.7.2.1	Initial Stability	57
4.7.2.2	Final Stability	60
4.7.3	Slip Plane Between Geosynthetics and Fill Soil or Between Geosynthetics and Soft Soil taking the Reinforcement Wrap-around into Consideration	60
4.7.3.1	General Recommendations	60
4.7.3.2	Initial Stability	60
4.7.3.3	Final Stability	62
4.7.4	Analysing the Stability of the Ground against 'Squeezing Out'	63
4.7.5	Analysing Bearing Capacity	64
4.7.6	Selecting the Geosynthetics	64
4.7.6.1	Analysing Reinforcement Failure	64
4.7.6.2	Analysing Reinforcement Pull-out	66

5	Reinforced Foundation Pads	71
5.1	Definitions	71
5.2	Application and Modus Operandi	71
5.3	Design and Engineering Notes	71
5.3.1	Construction Principle	71
5.3.2	Reinforcement Configuration	72
5.3.3	Reinforcement Lengths	72
5.3.4	Foundation Pad Dimensions	72
5.3.5	Building Materials	73
5.4	Actions and Resistances	73
5.5	Analysing the Reinforced Foundation Pad	73
5.5.1	General Recommendations	73
5.5.2	Effects	73
5.6	Analysis and Design	74
5.6.1	Analysing Bearing Capacity	74
5.6.1.1	Analysing Sliding Safety (STR)	74
5.6.1.2	Analysing Bearing Capacity (STR)	74
5.6.1.3	Analysing Global Stability (GEO)	79
5.6.1.4	Analysing Reinforcement Failure (STR)	79
5.6.1.5	Analysing Reinforcement Pull-out Resistance (STR)	79
5.6.2	Serviceability Limit State Analysis	80
5.7	Notes on Execution	81
5.8	Bibliography	81
5.9	Example of a Reinforced Foundation Pad below a Strip Foundation	81
5.9.1	Geometry, Loads and Soil Mechanics Parameters	81
5.9.2	Analysing Bearing Capacity	83
5.9.2.1	Design without Foundation Pad	83
5.9.2.2	Design with Foundation Pad – Foundation Pad Geometry	85
5.9.2.3	Analysing Bearing Capacity of the Unreinforced Foundation Pad	86
5.9.2.4	Design with Reinforced Foundation Pad	87
5.9.3	Analysing Sliding Stability	89
5.9.4	Serviceability Limit State Analysis	89
6	Transport Routes	91
6.1	General Recommendations	91
6.2	Trafficked Areas with Non-stabilised Pavement and Large Allowable Deformations	92
6.2.1	Applications	92
6.2.2	Design Concept	92
6.3	Trafficked Areas in Railways Engineering	94
6.4	Installation and Emplacement Notes	95
6.5	Bibliography	95

7	Retaining Structures	97
7.1	Definitions	97
7.2	Design Notes	98
7.2.1	Demands and Boundary Conditions	98
7.2.2	Geometry	98
7.3	Analysis Principles	98
7.3.1	General Principles	98
7.3.2	Slip Planes and Failure Mechanisms	99
7.3.3	Analysis Overview	100
7.4	Analyses in the Ultimate Limit State (ULS)	103
7.4.1	General Recommendations	103
7.4.2	Actions and Effects	104
7.4.3	Resistances	104
7.4.4	Analysing General Failure/Slope Failure (GEO)	105
7.4.5	Analysing Bearing Capacity (STR)	105
7.4.6	Analysing Sliding Safety (STR)	105
7.4.7	Position of Bearing Pressure Resultant	106
7.4.8	Special Regulations	107
7.5	Serviceability Limit State (SLS) Analyses	107
7.5.1	General Recommendations	107
7.5.2	Analysing the Position of the Bearing Pressure Resultant	109
7.5.3	Displacements in the Base Plane	109
7.5.4	Ground Settlement v_U	109
7.5.5	Intrinsic Settlement of Fill Soil v_E	110
7.5.6	Horizontal Displacements of the Slope Front v_{Hi}	110
7.5.7	Shear Deformation in the Retaining Structure v_S	112
7.5.8	Vertical Displacements at the Surface v_O	112
7.5.9	Numerical Methods	112
7.6	Facing Analyses	112
7.7	Bibliography	116
7.8	Retaining Structure Design Example	118
7.8.1	Geometry, Soil Properties and Load Assumptions	118
7.8.2	Determining the Characteristic Actions	119
7.8.3	Analysis in the Ultimate Limit State (ULS)	119
7.8.3.1	Analysing Sliding Safety	119
7.8.3.2	Position of Bearing Pressure Resultant	121
7.8.3.3	Analysing Bearing Capacity	122
7.8.3.4	Analysing General Failure	123
7.8.2.5	Analysing Facing for Partially Deformable Facing Elements	129
7.8.4	Serviceability Limit State (SLS) Analysis	129
7.8.4.1	Analysing the Position of the Bearing Pressure Resultant	130
7.8.4.2	Displacements in the Base Plane	130
7.8.4.3	Settlements	130

8	Landfill Engineering – Reinforcement of Surface-parallel Stratified Systems	131
8.1	General Recommendations	131
8.2	Design and Engineering Notes	132
8.3	Analyses	133
8.3.1	Principles	133
8.3.2	Analysing the Stability of the Inclined Liner System.	134
8.3.2.1	Actions and Effects.	136
8.3.2.2	Resistances.	138
8.3.3	Structural Resistance of Reinforcement	139
8.3.4	Anchorage	140
8.4	Bibliography	141
8.5	Example of Landfill Capping using Geosynthetic Reinforcement	142
8.5.1	Geometry, Soil Mechanics Parameters, Geosynthetic Properties and Data for a Selected Construction Vehicle	142
8.5.1.1	Geometry of the Liner System in the Slope	142
8.5.1.2	Characteristic Soil Mechanics Input Values.	142
8.5.1.3	Geosynthetics	142
8.5.1.4	Data for a Selected Tracked Vehicle	143
8.5.1.5	Construction State Definition	143
8.5.2	Stability Analysis	143
8.5.3	Analysing Reinforcement Failure	146
8.5.4	Designing the Anchor Trench.	146
8.5.4.1	Anchor Trench Geometry	146
8.5.4.2	Friction Resistance Input Values	147
8.5.4.3	Safety Against Failure of the Anchor Trench.	147
8.5.4.4	Analysing Failure of the Top of the Embankment	149
9	Reinforced Earth Structures over Point or Linear Bearing Elements.	151
9.1	Definitions	151
9.2	Applications and Modus Operandi	153
9.2.1	Applications.	153
9.2.2	Modus Operandi	154
9.3	Design and Engineering Recommendations.	155
9.4	Actions and Resistances	157
9.5	Point and Linear Bearing Elements	158
9.6	Analysing the Reinforced Earth Structure	158
9.6.1	General Recommendations	158
9.6.2	Effect Situations	159
9.6.3	Characteristic Effects	160
9.6.3.1	Principles	160
9.6.3.2	Stress $\sigma_{z_{0,k}}$ between the Bearing Elements.	160

9.6.3.3	Stress $\sigma_{zs,k}$ on the Bearing Elements	164
9.6.3.4	Spreading Forces for Inclined Surface of Reinforced Earth Structure	165
9.6.3.5	Effects on the Geosynthetic Reinforcement	165
9.6.4	Analysing Effect on the Geosynthetic Reinforcement using Numerical Methods	173
9.6.5	Analysing Effects on Geosynthetic Reinforcement for Dynamic Actions	174
9.7	Analyses and Design	174
9.7.1	Analysing Bearing Capacity	174
9.7.1.1	General Recommendations	174
9.7.1.2	Analysing the Geosynthetic Reinforcement	174
9.7.1.3	Analysing Bearing Elements	175
9.7.1.4	Analysing Overall Stability	176
9.7.2	Serviceability Limit State Analysis	176
9.7.2.1	General Recommendations	176
9.7.2.2	Deformations in the Reinforced Earth Structure	176
9.7.2.3	Deformation of Bearing Elements	177
9.7.2.4	Analysing Overall Deformations	177
9.8	Notes on Execution	177
9.8.1	Enabling Works	177
9.8.2	Point and Linear Bearing Elements	177
9.8.3	Reinforced Earth Structures	178
9.9	Bibliography	178
9.10	Design Example: Reinforced Earth Structures over Point or Linear Bearing Elements	180
9.10.1	Geometry, Loads, Soil Mechanics Parameters, Reinforcement and Effect Situation Parameters	180
9.10.2	Effect Situation 1: Construction State ($t_1 = 10$ h)	183
9.10.2.1	Load Redistribution in the Reinforced Earth Structure	183
9.10.2.2	Characteristic Effects in the Geosynthetic Reinforcement	185
9.10.3	Effect Situation 2: Construction State ($t_2 = 500$ h)	189
9.10.3.1	Load Redistribution in the Reinforced Earth Structure	189
9.10.3.2	Characteristic Effects in the Geosynthetic Reinforcement	191
9.10.4	Effect Situation 3: Final State ($t_3 = 1,000,000$ h)	193
9.10.4.1	Load Redistribution in the Reinforced Earth Structure	193
9.10.4.2	Characteristic Effects in the Geosynthetic Reinforcement	194
9.10.5	Special Case: Loss of Subgrade Reaction ($t_4 = 1,000,000$ h)	196
9.10.5.1	Load Redistribution in the Base Course	196
9.10.5.2	Characteristic Effects in the Geosynthetic Reinforcement	196
9.10.6	Design Values of Effects in the Geosynthetic Reinforcement. ...	198
9.10.7	Design Values of Resistances	199
9.10.8	Analysing Bearing Capacity	200

10	Foundation Systems using Geosynthetic-encased Columns ..	201
10.1	Definitions	201
10.2	Modus Operandi and Applications.....	203
10.2.1	Modus Operandi	203
10.2.2	Applications.....	204
10.3	Manufacturing Methods.....	206
10.3.1	General Recommendations	206
10.3.2	Excavation Method.....	206
10.3.3	Displacement Methods.....	207
10.3.4	Method Selection	207
10.4	Design Recommendations and Engineering Notes.....	209
10.5	Building Materials	210
10.6	Notes on Analysis and Design	210
10.6.1	General Recommendations	210
10.6.2	Actions and Resistances	211
10.6.3	Designing the Horizontal Geosynthetic Reinforcement.....	211
10.6.4	Column Design	212
10.6.4.1	Analysis Model	212
10.6.4.2	Analysis Methods	214
10.6.4.3	Analysing the Transfer of Circumferential Tensile Forces	217
10.6.5	Analysing Overall Stability.....	218
10.6.6	Serviceability Limit State Analysis	219
10.6.6.1	Determining Settlement.....	219
10.6.6.2	Cyclic-dynamic Actions.....	219
10.6.6.3	Overall Deformations.....	220
10.7	Inspection Criteria, Tolerances and Quality Assurance	220
10.8	Bibliography	222
10.9	Worked Example: Geotextile-encased Columns	222
10.9.1	Input data	222
10.9.2	Analysis	223
10.9.2.1	Determining Primary Stresses	223
10.9.2.2	Assuming the Load Redistribution Factor E	224
10.9.2.3	Determining the Stiffness Parameter.....	224
10.9.2.4	Deformation at the Column Edge	224
10.9.2.5	Determining Settlement.....	225
10.9.2.6	Analysing Circumferential Tensile Force.....	225
11	Overbridging Systems in Areas Prone to Subsidence.....	227
11.1	General Recommendations	227
11.2	Design.....	228
11.2.1	Principles and Definitions.....	228
11.2.2	Design Notes	231
11.2.2.1	Explanatory Report.....	231
11.2.2.2	Determining the Width of the Stabilised Area.....	232

11.2.3	Ground and Materials.....	235
11.2.3.1	Excavation Level	235
11.2.3.2	Composite base course Materials.....	235
11.2.3.3	Geosynthetic Reinforcement.....	235
11.2.3.4	Bridging Zone Materials	235
11.2.3.5	Subgrade.....	235
11.2.4	Load Assumptions and Load Cases.....	235
11.2.5	Allowable Deformations	236
11.2.6	Structural Models	236
11.3	Analyses	239
11.3.1	Analysis Principles.....	239
11.3.2	Design.....	242
11.3.2.1	Determining the Tensile Stress Design Values using the B.G.E. Method	242
11.3.2.2	Determining the Design Value of the Tensile Stress Based on the R.A.F.A.E.L. Method [8].....	247
11.3.2.3	Special Methods	249
11.3.2.4	Determining the Required Short-term Tensile Strength.....	250
11.3.2.5	Analysing Anchorage Lengths	250
11.3.2.6	Analysing Overlap Lengths.....	251
11.3.3	Safety Theory Analysis	252
11.4	Applying the Observational Method	253
11.5	Notes on Execution.....	254
11.6	Bibliography	255
11.7	Worked Analysis Example 1.....	256
11.7.1	Specifications	256
11.7.2	Allowable Reinforcement Sag and Strain.....	257
11.7.3	Preselecting the Geosynthetics	257
11.7.4	Determining the Actions	258
11.7.4.1	Normal Stresses.....	258
11.7.4.2	Load Component Factors	258
11.7.4.3	Design Values of Horizontal Tensile Forces	258
11.7.4.4	Design Values of Actions.....	259
11.7.5	Determining the Design Values of the Resistances in the Machine and Cross Machine Directions	259
11.7.5.1	Adopted Reinforcement.....	259
11.7.5.2	Design Value of the Tensile Strength, Criterion 1: Reinforcement Creep Failure	259
11.7.5.3	Design Value of the Tensile Strength, Criterion 2: Reinforcement Creep Strain	260
11.7.5.4	Governing Design Value of the Tensile Strength of the Reinforcement	260
11.7.6	Analysing Adequate Tensile Strength	260
11.7.7	Analysing Anchorages	260
11.7.7.1	Specifications	260

11.7.7.2	Required Reinforcement Anchorage Lengths in Machine Direction Outside of the Sinkhole-prone Area	260
11.7.7.3	Required Reinforcement Anchorage Lengths in Cross Machine Direction Outside of the Sinkhole-prone Area.	261
11.7.7.4	Required Reinforcement Anchorage Lengths in Cross Machine Direction Inside of the Sinkhole-prone Area	261
11.7.8	Overlap Analysis.	261
11.7.8.1	Required Overlap Length in Machine Direction	261
11.7.8.2	Required Overlap Width in Cross Machine Direction	261
11.8	Worked Analysis Example 2.	261
11.8.1	Specifications	261
11.8.2	Allowable Reinforcement Sag and Strain.	262
11.8.3	Determining the Actions	262
11.8.3.1	Normal Stresses.	262
11.8.3.2	Design Value of the Actions on the Geosynthetic Reinforcement	263
11.8.4	Determining the Design Values of the Resistances in the Machine Direction	263
11.8.4.1	Adopted Reinforcement.	263
11.8.4.2	Analysing Extreme Anisotropy	263
11.8.4.3	Design Value of the Tensile Strength, Criterion 1: Reinforcement Creep Failure	264
11.8.4.4	Design Value of the Tensile Strength, Criterion 2: Reinforcement Creep Strain	264
11.8.4.5	Governing Design Value of the Tensile Strength of the Reinforcement	264
11.8.4.5	Analysing Adequate Tensile Strength	264
11.8.6	Analysing Anchorages	264
11.8.6.1	Required Reinforcement Anchorage Lengths in Machine Direction Outside of the Sinkhole-prone Area	265
11.8.6.2	Required Reinforcement Anchorage Length in Cross Machine Direction	265
11.8.7	Overlap Analysis.	265
11.8.7.1	Overlap Length in Machine Direction.	265
11.8.7.2	Overlap Length in Cross Machine Direction	265
12	Dynamic Actions on Geosynthetic-reinforced Systems	267
12.1	General Recommendations	267
12.2	Dynamic Actions.	267
12.3	Dynamic Effects	269
12.4	Resistances.	269
12.5	Dynamic Design Cases	269
12.6	Dynamic Actions.	272
12.6.1	Dynamic Actions – Live Loads	272
12.6.1.1	Adopting Live Loads	272

12.6.1.2	Allocation to Dynamic Design Cases – Live Loads	274
12.6.1.3	Design Recommendations	275
12.6.2	Dynamic Actions – Explosions, Impact, Avalanches	276
12.6.3	Dynamic Actions – Seismic Loads	277
12.7	Determining the Dynamic Effects on the Geosynthetics	278
12.7.1	Dynamic Design Case 1	278
12.7.2	Dynamic Design Case 2	278
12.7.3	Dynamic Design Case 3	278
12.8	Determining the Resistances for Dynamic Actions	279
12.8.1	Pull-out Resistance of Reinforcement	279
12.8.1.1	Dynamic Design Case 1	279
12.8.1.2	Dynamic Design Case 2	279
12.8.1.3	Dynamic Design Case 3	280
12.8.2	Structural Resistance of Reinforcement	280
12.8.2.1	Dynamic Design Case 1	280
12.8.2.2	Dynamic Design Case 2	280
12.8.2.3	Dynamic Design Case 3	280
12.9	Demands on Building Materials under Dynamic Loads	281
12.9.1	Fill Soil	281
12.9.1.1	Grain Sizes	281
12.9.1.2	Grain Shape, Grain Strength	281
12.9.1.3	Fill Soil Friction Coefficient	282
12.9.1.4	Relative Compaction	282
12.9.2	Geosynthetics	282
12.9.2.1	Determining Fatigue Behaviour	282
12.9.2.2	Determining Damage	284
12.9.2.3	Determining the Geosynthetic/Fill Soil Composite Coefficient	284
12.10	Bibliography	285
12.11	Diagrams	288
13	Figures	307
14	Tables	313
	Advertising List	315