

CONTENTS

Transient Behavior of Electrorheological Fluids in Shear Flow <i>D. Kittipoomwong, D. J. Klingenberg and J. F. Morris</i>	1
The Influences of the Material and Geometrical Properties of Sliding Plate on ER Effect of Gel-Structured ERF <i>S. Saito, Y. Kakinuma, T. Aoyama, K. Tanaka and H. Anzai</i>	8
Viscoelastic Behavior of Conductive Polymer Based ER Dispersions Under Small Deformations <i>A. Krztoń-Maziopa, M. Osuchowski and J. Płocharski</i>	14
The Physical Mechanism to Reduce Viscosity of Liquid Suspensions <i>R. Tao</i>	21
Dynamic Light Scattering Study of Reverse Micellar Solutions for the Synthesis of Magnetic Nanoparticles <i>O. A. Graeve and K. Sinha</i>	29
Relaxation Dynamics of Magnetic Particle Chains <i>M. Belovs and A. Cebers</i>	36
Electrorheological and Dielectric Properties of Urea/SiO ₂ Nanocomposite Suspensions Modified by N, N-Dimethylformamide <i>T. Belza, V. Pavlinek, I. Kuritka, P. Saha and O. Quadrat</i>	44
Viscoelastic Properties of Silicone-Based Magnetorheological Elastomers <i>H. Böse</i>	51
The Static Yield Stress of Ferrofluid-Based Magnetorheological Suspensions <i>Y. B. Yang, L. Li, G. Chen and W. H. Li</i>	58
Alternative View for Yield Stress of ER/MR Materials <i>F. E. Filisko</i>	66
Polar Molecule Type Electrorheological Fluids <i>K. Lu, R. Shen, X. Wang, G. Sun, W. Wen and J. Liu</i>	72

The Dynamic Behavior of Magnet Encompassed with Magnetic Fluid in Alternating Magnetic Fields	
<i>S. Sudo, T. Yano, T. Kashiwagi and H. Honma</i>	80
A New MR Fluid-Elastomer (MRF-E) Vibration Isolator	
<i>D. York, X. Wang and F. Gordaninejad</i>	87
A New Mason Number for Magnetorheology	
<i>D. J. Klingenberg, J. C. Ulicny and M. A. Golden</i>	94
High Performance Magnetorheological Fluids Tailored for a 700 nm Automotive 4-Wheel-Drive Clutch	
<i>C. Kieburg, G. Oetter, R. Lochtmann, C. Gabriel, H. M. Laun, J. Pfister, G. Schober and H. Steinwender</i>	101
Yield Stress in Ferrofluids?	
<i>H. Shahnazian and S. Odenbach</i>	108
The Effect of Dwell Time on the Rheological Behavior of MR Fluids	
<i>M. Ahmadian and F. D. Goncalves</i>	114
Preparation and Magnetorheological Characterization of Polymer Coated-Carbonyl Iron Suspensions	
<i>H. J. Choi, B. J. Park, J. L. You and M. S. Cho</i>	121
Simulation of Motion of MR-Particles in Rough Micro Tubes Controlled by Non-Uniform Magnetic Field	
<i>S. Ozcan, C. Evrensel and M. A. Pinsky</i>	128
The Methods for Measuring Shear Stress of Polar Molecule Dominated ER Fluids	
<i>R. Shen, X. Wang, Y. Lu, G. Sun, W. Wen and K. Lu</i>	135
Nanostructured and Surface Polymerized Magnetorheological Fluids	
<i>B. Hu, A. Fuchs, F. Gordaninejad and C. Evrensel</i>	140
Nonlinear Alternating Current Responses in Electrorheological Fluids: Dynamic Effects	
<i>K. W. Yu, W. J. Tian and J. P. Huang</i>	147
Investigation of Magnetereheological Properties of a Mixture of Carbonyl Iron Powders Suspended in Ionic Liquid	
<i>G. Dodbiba, H. S. Park, K. Okaya and T. Fujita</i>	157

Investigating the Time Dependence of the MR Effect <i>F. D. Goncalves and J. D. Carlson</i>	165
Effects of Body Forces on the Structure and Rheology of ER and MR Fluids <i>D. J. Klingenberg, J. C. Ulicny and A. L. Smith</i>	173
Characterization of Rheological Properties of Novel Magnetorheological Fluids <i>S. Mantripragada, X. Wang, F. Gordaninejad, B. Hu and A. Fuchs</i>	180
Phosphate Coating on the Surface of Carbonyl Iron Powder and Its Effect in Magnetorheological Suspensions <i>A. J. F. Bombard, M. Knobel and M. R. Alcântara</i>	187
Monitoring Interparticle Distance in Magnetorheological Composites <i>G. Bossis, E. Coquelle, C. Noël, F. Giulieri and A. M. Chaze</i>	195
Study of Utilizable Magnetorheological Elastomers <i>X. L. Gong, L. Chen and J. F. Li</i>	202
Increasing Electrorheological Response of Particles: The Effect of Conductive Polymer <i>A. Lengálová, V. Pavlínek, Q. Cheng and P. Sáva</i>	210
Flow of Field Controllable Fluids with Suspended Ferrous Particles in Micro Tubes Under Magnetic Field <i>S. Ozcan, C. A. Evrensel, M. A. Pinsky and A. Fuchs</i>	217
Electrosensitive Lubricants <i>E. V. Korobko, Z. A. Novikova, N. A. Bedzik, V. L. Basinuk, A. V. Ivahnik and V. A. Mansurov</i>	224
Formation of Polarized Contact Layers and the Giant Electrorheological Effect <i>X. Huang, W. Wen, P. Sheng and S. Yang</i>	231
Progress Update of Magnetorheological Finishing (MRF [®]) Technology Development <i>A. B. Shorey, M. Tricard, W. Kordonski and D. Kolczynski</i>	240
Properties of Ultrasonic Propagation in Functional Fluids Under Magnetic Fields <i>M. Motozawa, T. Sawada and Y. Matsumoto</i>	248

Basic Study on the Micro Polishing of Metal Mold Using Electro-Rheological Gel <i>N. Nakamura, Y. Kakinuma, T. Aoyama, K. Tanaka and H. Anzai</i>	256
High Versus Low Field Viscometric Characterization of Bidisperse MR Fluids <i>G. T. Ngatu and N. M. Wereley</i>	263
Study on Characteristics of an Electrorheological Fluid Coupling <i>Y. Meng, Y. Tian and H. Ji</i>	270
The Modified Electrodes for the Application of Polar Molecule Dominated Electrorheological (PM-ER) Fluids <i>X. Wang, R. Shen, G. Sun, W. Wen and K. Lu</i>	280
Dynamic Behavior of Field-Responsive Particulate Suspensions <i>H. See, C. Joung and C. Ekwebelam</i>	285
Influence of Composition and Microstructure on Electrorheological Property of M-Doped (M = Na, Zr) Nano-Sized TiO ₂ Particle Materials <i>Y.-L. Shang, Y.-L. Jia, J.-R. Li and M.-X. Li</i>	292
Yield Stress Predictions for Magnetorheological Fluids from a Kinetic Theory Based Particle Pair Model <i>C. Ciocanel, G. Lipscomb and N. G. Naganathan</i>	299
Electrorheological Behavior of Nanometric Powders Suspensions <i>E. Zero, I. Wielgus and J. Plocharski</i>	306
Poly(Ethylene Glycol)-Coated Carbonyl Iron Particles: Preparation and Magnetorheological Behavior <i>J. G. Guan and L. C. Li</i>	313
Self-Assembly Morphologies and Electrorheological Properties of Polyaniline-Poly(Ethylene Glycol)-Polyaniline Triblock Copolymers <i>H.-R. Ma, J.-G. Guan and R.-Z. Yuan</i>	320
On the Control of a MR Torque Transfer Device <i>M. H. Elahinia, C. Ciocanel, K. Molyet and N. Naganathan</i>	326
Development of Self-Sensing Magnetorheological Dampers for Structural Vibration Control <i>S. W. Or, Y. F. Duan, Y. Q. Ni and T. K. Chan</i>	333

Magnetorheological (MR) Jet™ Finishing Technology <i>W. Kordonski and A. Shorey</i>	340
Fuzzy Finite-Element Analysis of Magnetorheological Dampers <i>S. A. Ghazavi and N. Yasrebi</i>	347
Qualitative Analysis of Magneto-Rheological Tuned Vibration Absorbers: Experimental Approach <i>J.-H. Koo and M. Ahmadian</i>	354
Analysis and Development of a Magnetorheological Fluid-Based Transparent Haptic System <i>F. Ahmadkhanlou, G. N. Washington and S. E. Bechtel</i>	361
Magnetorheological-Fluid Damper with Integral Step-and-Repeat Actuator <i>E. H. Anderson, M. F. Cash, M. E. Evert and S. C. Pendleton</i>	368
Magnetorheological Isolators Using Multiple Fluid Modes <i>M. Brigley, Y.-T. Choi and N. M. Wereley</i>	375
Force Feedback Control of a Medical Haptic Master Using an Electrorheological Fluid <i>Y. M. Han, P. S. Kang, K. G. Sung and S. B. Choi</i>	382
MR Fluid Technology – Commercial Status in 2006 <i>J. D. Carlson</i>	389
Comparison of ERF Clutch Designs <i>D. J. Ellam, W. A. Bullough and S. M. Chen</i>	396
Analysis and Validation of Semi-Active MR Recoil Damper <i>J.-H. Yoo, J.-W. Park and N. M. Wereley</i>	403
Magneto-Rheological Fluid Damper for a <u>Front-Loading Washing Machine</u> : Design, Fabrication and Characterization <i>G. Aydar, C. A. Evrensel, F. Gordaninejad and A. Fuchs</i>	410
Application of ERG with One-Sided Pattern Electrodes to a Micro Alignment and Fixture Device <i>Y. Kakinuma, T. Aoyama and H. Anzai</i>	417
Isokinetic Exercise Machine Using ER Brake and Its Velocity Control at High-Speed Training <i>T. Kikuchi, J. Furusho and K. Oda</i>	424

Optimal Control of a Half-Car Vehicle Model with a Variable Damping Semi-Active Suspension <i>Y. Ercan</i>	431
Hydro-Mechanical Analysis of a Magnetorheological Bypass Damper <i>S. R. Hong, G. Wang, W. Hu, N. M. Wereley and S. B. Choi</i>	438
Nondimensional Analysis of Shear-Mode Type Rotary Drum Dampers Using Magnetorheological Fluids <i>N. M. Wereley, Y.-T. Choi and S.-B. Choi</i>	445
Full-Scale Magneto-Rheological Fluid Dampers for Heavy Vehicle Rollover <i>H. Sahin, Y. Liu, X. Wang, F. Gordaninejad, C. Evrensel and A. Fuchs</i>	452
Characteristics of a Tuned Liquid Damper Using a Magnetic Fluid <i>K. Ohno, M. Shimoda, T. Sawada and S. Horie</i>	459
Semi-Active Control of Suspension System Using a Serial Multielectrode Electrorheological Damper <i>W. H. Kuo, T. N. Wu, J. Guo, M. H. Chiang, Y. N. Chen and Y. P. Wang</i>	467
Magnetorheological Fluid Fan Drive for Trucks <i>A. L. Smith, J. C. Ulicny and L. C. Kennedy</i>	479
<u>Fuzzy-Sliding Mode Control of Semi-Active Suspension Systems with MR Dampers</u> <i>L. Zheng, Y. N. Li and A. Baz</i>	487
Field Test on Vibration Control of Vehicle Suspension System Featuring ER Shock Absorbers <i>S. B. Choi, Y. M. Han, H. J. Song, J. W. Sohn and H. J. Choi</i>	496
Examination of Throughflow in a Radial ERF Clutch <i>S. M. Chen, W. A. Bullough and D. J. Ellam</i>	504
Investigation of Dissipativity for Semiactive Control of the Base Isolated Benchmark Building with MR Dampers <i>B. Erkus and E. A. Johnson</i>	512
A Study on Time-Delay of an ER Fluid's Response which Effects on Control Performance of Servo-Systems <i>K. I. Koyanagi</i>	519

Development of 2-DOF MR Joysticks for Virtual Reality Applications <i>W. H. Li, B. Liu, P. B. Kosasih and X. Z. Zhang</i>	527
Research and Development of the Intelligent Prosthetic Ankle Joint with a MR Linear Brake <i>C. Li, J. Furusho, S. Morimoto, M. Tokuda and Y. Hashimoto</i>	534
Analysis of the Structural Characteristics and Magnetic Field Intensity of MR Damper <i>W. K. Lan, L. Zheng, Y. N. Li, S. S. Li and A. Baz</i>	541
Two-Layered Magnetic Fluid Sloshing in a Rectangular Container <i>S. Yoshida, A. Benvenuti, K. Tomita and T. Sawada</i>	551
Development of Normally Closed Type of Magnetorheological Clutch and Its Application to Safe Torque Control System of Human-Collaborative Robot <i>T. Saito and H. Ikeda</i>	557
A Magnetorheological Damper with Bifold Valves for Shock and Vibration Mitigation <i>M. Mao, W. Hu, Y.-T. Choi and N. M. Wereley</i>	563
Squeeze-Flow Mode Magnetorheological Fluid Mount <i>C. Ciocanel, T. Nguyen, M. Elahinia and N. G. Naganathan</i>	570
A Magnetoelectric Relative Displacement Self-Sensing Magnetorheological Damper <i>D. H. Wang and D. K. Lai</i>	577
Vibration Suppression of Rotating Flexible Beams Using ER Fluids: Experimental Work <i>K. Wei, G. Meng and S. Zhou</i>	584
Microfluidic Manipulation in Lab-Chips Using Electrorheological Fluid <i>X. Z. Niu, L. Y. Liu, W. J. Wen and P. Sheng</i>	591
MR Damper Generating Response-Dependent Frictional Force for Controlling Building Structures Excited by Seismic Load <i>S. H. Lee, K. W. Min, K. J. Youn, L. Chung, S. B. Choi, K. G. Sung and H. G. Lee</i>	596
Fuzzy Logic Control for Magnetorheological Damper <i>C. A. M. Pinheiro, J. J. Lima, A. J. F. Bombard, J. C. Dias and J. B. Machado</i>	603

Experimental Studies on Magnetorheological Model Suspensions <i>A.-M. Trendler and H. Böse</i>	610
<u>Fuzzy Moving Sliding Mode Control</u> of Vehicle Suspension Featuring ER Shock Absorber <i>J. W. Cho, Y. S. Paeng, S. B. Choi and K. S. Kim</i>	617
Cole-Cole Analysis on Dielectric Spectra of Electrorheological Suspensions <i>H. J. Choi, C. H. Hong and M. S. Jhon</i>	624
Magnetorheology of Carbonyl-Iron Suspension with Iron/MCM-41 Additive <i>F. F. Fang, B. J. Park, H. J. Choi and W. S. Ahn</i>	631
<u>Speed Control</u> of DC Motor Using Electrorheological Brake System <i>S. B. Choi, J. Y. Yook, M. K. Choi and Q. H. Nguyen</i>	638
Magnetorheological Bypass Damper Exploiting Flow Through a Porous Channel <i>E. Cook, W. Hu and N. M. Wereley</i>	645
Adaptive Tuned Vibration Absorber Based on Magnetorheological Elastomer <i>H. X. Deng and X. L. Gong</i>	652
ER Effect of Low Molecular Liquid Crystal on One-Sided Patterned Electrodes <i>T. Kikuchi, A. Inoue, J. Furusho and R. Kawamuki</i>	659
Design of the High-Performance MR Brake and Its Characteristics <i>T. Kikuchi, J. Furusho, Y. Yamaguchi and S. Kimura</i>	667
The Influence of Magnetic Field on the Speed of Filling the Cylindrical Capillaries with Magnetorheological Fluid <i>E. V. Korobko and N. A. Zhuravski</i>	674
Control Responses of Commercial Magnetorheological Damper for Passenger Vehicles <i>H. G. Lee, K. G. Sung, S. B. Choi, K. W. Min and S. H. Lee</i>	681
Response Control of a Real-Scaled Five-Story Structure Using Magneto-Rheological Damper <i>S. H. Lee, E. C. Park, K. J. Youn, K. W. Min, L. Chung, S. B. Choi, K. G. Sung and H. G. Lee</i>	689

Performance Evaluation of MR Damper in Building Structures Considering
Dynamic Soil-Structure Interaction

*S.-K. Lee, J.-H. Park, S.-H. Lee, K. W. Min, L. Chung, B.-W. Moon,
K.-S. Kang and S.-B. Choi*

696

Discrete-Time Fuzzy Sliding Mode Control of Vehicle Suspension System
Featuring Electrorheological Damper

K. H. Lim, S. B. Choi, Y. S. Lee and M. S. Han

704

Sedimentation Rate Measurement of Magnetorheological Fluids with Partial
Substitution of Microparticles with Nanoparticles

G. Ngatu, N. Wereley, N. Nersessian and B. Woods

712

Preparation and Magnetorheological Characterization of CI/PVB Core/Shell
Particle Suspend MR Fluids

J. L. You, B. J. Park, H. J. Choi, S. B. Choi and M. S. Jhon

719

Preparation and Electrorheological Characteristics of PANI/MWNT
Nanocomposite

J. Y. Lim, S. T. Kim, B. J. Park and H. J. Choi

726

Vibration Control of Engine Mount Using ER Fluid and Piezoelectric Actuator

H. J. Song, S. B. Choi, Y. S. Jeon and N. M. Wereley

733

Optimum Design of One-Sided Patterned Electrodes for Gel-Structured ER
Fluids by Means of a Numerical Analysis

H. Watanabe, Y. Kakinuma, T. Aoyama and H. Anzai

741

Frontal Crash Mitigation Using MR Impact Damper for Controllable Bumper

D. Woo, S. B. Choi, Y. T. Choi and N. M. Wereley

748

Manufacture of Bulk Magnetorheological Elastomers Using Vacuum Assisted
Resin Transfer Molding

B. K. S. Woods, N. Wereley, R. Hoffmaster and N. Nersessian

756

Squeeze Flow of Electrorheological Fluids Under Constant Volume

E. C. McIntyre and F. E. Filisko

763

Analysis of Condensed Species from Electric Arc Deposition

A. M. Knapp and F. E. Filisko

769

Performance Testing and Hysteresis Modeling of a Position-Feedback
MR Actuator

B. Liu, W. H. Li, P. B. Kosasih and X. Z. Zhang

779

Influence of Particle Shape on the Properties of Magnetorheological Fluids <i>R. C. Bell, E. D. Miller, J. O. Karli, A. N. Vavreck and D. T. Zimmerman</i>	786
Experimental Validation of a Signum Function Based Damper Controller for MR Fluid Dampers <i>D. H. Wang, G. Yuan and W. H. Liao</i>	793
The Effect of Polypyrrole Loading on the Electrorheological Properties of Polypyrrole/SBA-15 Suspensions <i>Q. Cheng, V. Pavlinek, T. Belza, A. Lengalova, Y. He and C. Li</i>	800
Effects of Excitation Characteristics on the Equivalent Linear System of a Building Structure with MR Dampers <i>J.-H. Park, S.-K. Lee, S.-H. Lee, K.-W. Min, B.-W. Moon and S.-B. Choi</i>	808
Electrostructured Sensitivity of Inorganic and Natural Fillers for ERF <i>E. V. Korobko, N. A. Bedzik, L. S. Eschenko and G. M. Zhuk</i>	815