

# Contents

|                  |                                                 |     |
|------------------|-------------------------------------------------|-----|
| <b>CHAPTER 1</b> | <b>BASIC CONCEPTS</b>                           | 1   |
| 1.1              | Mechanisms                                      | 1   |
| 1.2              | The Rigid Body in Kinematics—The Link           | 2   |
| 1.3              | Rigid Body Displacement                         | 2   |
| 1.4              | Kinematic Connections—The Kinematic Pair        | 3   |
| 1.5              | Relative Motion—The Kinematic Chain             | 3   |
| 1.6              | Kinematic Inversion                             | 3   |
| 1.7              | Transmission of Motion                          | 6   |
| <br>             |                                                 |     |
| <b>CHAPTER 2</b> | <b>VECTOR METHODS IN PLANE KINEMATICS</b>       | 8   |
| 2.1              | Introduction                                    | 8   |
| 2.2              | Complex Polar Vector Notation                   | 8   |
|                  | Differentiation of complex polar vectors        | 9   |
| 2.3              | Kinematic Analysis Using Complex Polar Notation | 9   |
|                  | The four-bar linkage                            | 9   |
|                  | Velocity analysis of the four-bar linkage       | 11  |
|                  | Acceleration analysis of the four-bar linkage   | 12  |
|                  |                                                 | vii |

|     |                                                           |    |
|-----|-----------------------------------------------------------|----|
| 2.4 | Cartesian Vector Notation                                 | 14 |
|     | The scalar product of two vectors—the dot product         | 14 |
|     | The vector product—the cross product                      | 15 |
|     | Differentiation of vectors                                | 16 |
| 2.5 | Kinematic Analysis of Plane Mechanisms                    |    |
|     | Using Cartesian Vector Notation                           | 17 |
|     | The four-bar linkage                                      | 17 |
|     | Position Analysis                                         | 17 |
|     | Velocity analysis                                         | 17 |
|     | Acceleration analysis                                     | 18 |
|     | The oscillating slider mechanism                          | 19 |
|     | Position analysis                                         | 19 |
|     | Velocity analysis                                         | 21 |
|     | Acceleration analysis                                     | 21 |
| 2.6 | A General Method for Computer-Aided                       |    |
|     | Kinematic Analysis of Plane Mechanisms                    | 21 |
|     | Rigid body motion                                         | 22 |
|     | The two-link dyad                                         | 23 |
|     | The oscillating slider                                    | 25 |
|     | The rotating guide                                        | 27 |
|     | Rigid body motion subroutines GEOM                        |    |
|     | DISP, POS, VEL, ACC, and MOTION                           | 29 |
|     | Two-link dyad subroutines CRANK2, PDYAD, VDYAD, and ADYAD | 32 |
|     | Input-output subroutines RDACC and WRACC                  | 34 |
|     | Oscillating slider subroutines POSC, VOSC, and AOSC       | 36 |
|     | Rotating guide subroutines PGUIDE, VGUIDE, and AGUIDE     | 40 |

|                                                                                                          |    |
|----------------------------------------------------------------------------------------------------------|----|
| Appendix A The Coriolis Component—<br>Acceleration of a Point Relative to a Rotating<br>Reference System | 42 |
|----------------------------------------------------------------------------------------------------------|----|

|                                                                                             |           |
|---------------------------------------------------------------------------------------------|-----------|
| <b>CHAPTER 3 MATRIX METHODS IN KINEMATICS</b>                                               | <b>45</b> |
| 3.1 Introduction                                                                            | 45        |
| 3.2 Rigid Body Rotation Matrices                                                            | 45        |
| Rotation about Cartesian axes                                                               | 45        |
| 3.3 Spatial Rotation Matrices                                                               | 47        |
| 3.4 Rigid Body Displacement Matrices                                                        | 51        |
| 3.5 Applications of the Plane Rotation Matrix                                               | 53        |
| Example 3-1 Displacement of an arbitrary<br>point moving with a rigid<br>body               | 53        |
| Example 3-2 The finite rotation pole                                                        | 54        |
| 3.6 The Screw Matrix                                                                        | 55        |
| 3.7 Numerical Displacement Matrices by<br>Direct Matrix Inversion                           | 56        |
| Reduction of the number of points<br>required for the Matrix Inversion<br>Method            | 57        |
| 3.8 The Inverse Displacement Matrix                                                         | 58        |
| 3.9 Derivation of Screw Motion Parameters<br>from Numerical Displacement Matrix<br>Elements | 59        |
| 3.10 Coordinate Transformations                                                             | 61        |
| Vector and point transformations                                                            | 61        |
| Successive coordinate transformations                                                       | 62        |
| 3.11 Hartenberg-Denavit Notation                                                            | 62        |
| 3.12 Differential Rotation Matrices                                                         | 65        |
| 3.13 Differential Displacement Matrices                                                     | 69        |

|                  |                                                                                                 |           |
|------------------|-------------------------------------------------------------------------------------------------|-----------|
| <b>CHAPTER 4</b> | <b>KINEMATIC ANALYSIS OF SPATIAL MECHANISMS</b>                                                 | <b>70</b> |
| 4.1              | Relative Spatial Motion                                                                         | 70        |
| 4.2              | Relative Displacement                                                                           | 71        |
| 4.3              | Relative Velocity                                                                               | 72        |
| 4.4              | Relative Acceleration                                                                           | 73        |
| 4.5              | Plane Kinematic Analysis Using Relative Joint Rotation Angles                                   | 74        |
|                  | Displacement analysis of the four-bar linkage                                                   | 74        |
|                  | Relative velocity analysis                                                                      | 76        |
|                  | Relative acceleration analysis                                                                  | 77        |
| 4.6              | Kinematic Analysis of Spatial Mechanisms in Closed Form                                         | 79        |
|                  | The RSSR mechanism                                                                              | 79        |
|                  | Velocity analysis                                                                               | 79        |
|                  | Acceleration analysis                                                                           | 80        |
|                  | Example 4-1 Kinematic analysis of the RSSR spatial function generation mechanism in closed form | 80        |
|                  | The RRSS mechanism                                                                              | 83        |
|                  | Example 4-2 Kinematic analysis of the RRSS path generation mechanism in closed form             | 86        |
|                  | The RCCC mechanism                                                                              | 89        |
|                  | Example 4-3 Acceleration analysis of the RCCC mechanism                                         | 94        |
| 4.7              | Spatial Kinematic Analysis by Numerical Solution of the Constraint Equations                    | 94        |
|                  | The RRSS path generation mechanism                                                              | 95        |

|             |                                                                                                        |    |
|-------------|--------------------------------------------------------------------------------------------------------|----|
| Example 4-4 | The RRSC path generation<br>mechanism—iterative solution<br>of the nonlinear constraint<br>Equations   | 98 |
| Example 4-5 | Displacement analysis of the<br>RCCC mechanism by<br>numerical solution of the<br>constraint equations | 99 |

## **CHAPTER 5 MOBILITY ANALYSIS OF MECHANISMS** 103

|     |                                                                               |     |
|-----|-------------------------------------------------------------------------------|-----|
| 5.1 | Introduction                                                                  | 103 |
| 5.2 | Constraint Analysis                                                           | 103 |
|     | Degrees of freedom                                                            | 103 |
|     | Maverick mechanisms                                                           | 109 |
| 5.3 | Number Synthesis of Plane Linkages                                            | 111 |
| 5.4 | Range of Motion Analysis                                                      | 112 |
|     | Motion classification for the plane four-bar<br>linkage—the Grashof criterion | 112 |
|     | Displacement analysis of spatial<br>mechanisms                                | 113 |
| 5.5 | Mobility Analysis                                                             | 114 |
|     | Mobility of the plane four-bar linkage                                        | 114 |
|     | Mobility of the RSSR mechanism                                                | 117 |
|     | Mobility of the RRSS mechanism                                                | 121 |
|     | Mobility of the RSRC mechanism                                                | 123 |

## **CHAPTER 6 RIGID BODY GUIDANCE** 128

|     |                                      |     |
|-----|--------------------------------------|-----|
| 6.1 | Introduction                         | 128 |
| 6.2 | Plane Rigid Body Guidance Mechanisms | 129 |



|     |                                                                                                         |     |
|-----|---------------------------------------------------------------------------------------------------------|-----|
|     | The constant-length equations—two joint cranks                                                          | 129 |
|     | The constant slope equations—plane sliders                                                              | 130 |
| 6.3 | Three-Position Crank Synthesis                                                                          | 131 |
| 6.4 | Three-Position Slider Synthesis                                                                         | 134 |
| 6.5 | Input Crank Motion Parameters                                                                           | 136 |
| 6.6 | Example Problems : Three-Position Synthesis                                                             | 137 |
|     | Example 6-1 Crank synthesis—three finitely separated positions of a moving plane                        | 137 |
|     | Example 6-2 Slider synthesis—finite displacements                                                       | 138 |
|     | Example 6-3 Slider synthesis with $\theta_{12} = 0.0$                                                   | 138 |
|     | Example 6-4 Slider that moves in a specified direction                                                  | 139 |
|     | Example 6-5 Crank synthesis—velocity specified in first position plus displacement to a second position | 139 |
|     | Example 6-6 Crank synthesis—velocity and acceleration specified in one position                         | 143 |
| 6.7 | Four-Position Synthesis—Crank Constraint                                                                | 143 |
|     | The Newton-Raphson method                                                                               | 143 |
|     | Crank constraint equations—four-position plane rigid body guidance                                      | 144 |
|     | Example 6-7 Center and circle point curves                                                              | 146 |
| 6.8 | Four-Position Synthesis—Slider Constraint                                                               | 146 |

|                  |                                                                                   |     |
|------------------|-----------------------------------------------------------------------------------|-----|
| 6.9              | Four-Position Combined Finite-Differential Synthesis                              | 146 |
|                  | Example 6-8 Combined displacement-velocity-acceleration rigid body guidance       | 147 |
| 6.10             | Spherical Rigid Body Guidance                                                     |     |
|                  | Mechanisms                                                                        | 148 |
|                  | Spherical displacement matrices by direct numerical inversion                     | 148 |
|                  | Design equations for spherical rigid body guidance                                | 149 |
|                  | Example 6-9 Synthesis of a spherical rigid body guidance mechanism                | 150 |
|                  | Three-position spherical rigid body guidance                                      | 151 |
| 6.11             | General Spatial Rigid Body Guidance                                               | 152 |
|                  | The sphere-sphere (S-S) link                                                      | 152 |
|                  | The revolute-sphere (R-S) link                                                    | 154 |
|                  | The revolute-revolute (R-R) link                                                  | 155 |
|                  | The revolute-cylindrical (R-C) link                                               | 157 |
|                  | The cylindrical-cylindrical (C-C) link                                            | 158 |
|                  | Example 6-10 Three-position rigid body guidance using R-R, S-S, C-S, or R-C links | 159 |
| Appendix A       | Derivation of Eq. 6.21                                                            | 162 |
| <b>CHAPTER 7</b> | <b>FUNCTION GENERATION</b>                                                        | 164 |
| 7.1              | Introduction                                                                      | 164 |
| 7.2              | Problem Formulation—Specification of Precision Points                             | 164 |

|     |                                                                                         |     |
|-----|-----------------------------------------------------------------------------------------|-----|
| 7.3 | Chebyshev Spacing of Precision Points                                                   | 166 |
| 7.4 | Scale Factors for Input and Output Motion                                               | 167 |
| 7.5 | Three-Position Function Generator Mechanisms                                            | 167 |
|     | The four-bar linkage function generator                                                 | 167 |
|     | Example 7-1 The three-position four-bar function generator                              | 169 |
|     | The slider-crank function generator                                                     | 169 |
|     | Example 7-2 The three-position slider-crank function generator                          | 170 |
|     | The double-slider function generator                                                    | 172 |
|     | Example 7-3 The three-position double-slider function generator                         | 173 |
| 7.6 | Function Generators with Combined Finite and Differential Motion Specifications         | 173 |
|     | The plane four-bar function generator                                                   | 173 |
|     | Example 7-4 Velocity-acceleration synthesis of a plane four-bar generator               | 174 |
|     | The slider-crank function generator                                                     | 175 |
|     | Example 7-5 Velocity-acceleration synthesis of a plane slider-crank function generator  | 175 |
|     | The double-slider function generator                                                    | 176 |
|     | Example 7-6 Velocity-acceleration synthesis of a plane double-slider function generator | 177 |
| 7.7 | Four-Position Plane Function Generators                                                 | 177 |



|      |                                                                                                                                   |     |
|------|-----------------------------------------------------------------------------------------------------------------------------------|-----|
|      | The four-bar linkage function generator                                                                                           | 177 |
|      | Example 7-7 The crossed linkage four-bar<br>function generator                                                                    | 179 |
| 7.8  | The Spherical Four-Bar Function<br>Generator                                                                                      | 179 |
| 7.9  | The RSSR Spatial Four-Bar Function<br>Generator                                                                                   | 181 |
|      | Example 7-8 Synthesis of an RSSR<br>function generator with<br>specified plane of<br>rotation for both input and<br>output cranks | 183 |
|      | Example 7-9 Design of an RSSR function<br>generator with six<br>precision points                                                  | 185 |
| 7.10 | The RSSR Function Generator with<br>Specified Velocity and Acceleration                                                           | 187 |
|      | Example 7-10 Synthesis of the RSSR<br>function generator with<br>specified velocity and<br>acceleration                           | 188 |

## **CHAPTER 8 PATH GENERATION** 190

|     |                                                                                             |     |
|-----|---------------------------------------------------------------------------------------------|-----|
| 8.1 | Introduction                                                                                | 190 |
| 8.2 | The Plane Four-Bar Path Generation<br>Linkage                                               | 190 |
|     | Example 8-1 Design of a plane four-bar<br>path generator with five<br>path precision points | 193 |

|             |                                                                                         |     |
|-------------|-----------------------------------------------------------------------------------------|-----|
| Example 8-2 | Design of a plane four-bar path generator with specified length for both guiding cranks | 193 |
| 8.3         | The Spherical Four-Bar Path Generator                                                   | 195 |
| Example 8-3 | Design of a spherical path generation mechanism with four path precision points         | 197 |
| 8.4         | Displacement Matrices for Spatial Path Generation Mechanisms                            | 200 |
| 8.5         | The RRSS Path Generation Mechanism                                                      | 201 |
| 8.6         | The RSSR-SS Path Generation Mechanism                                                   | 202 |
| 8.7         | Displacement Analysis—Path Generation Mechanisms                                        | 204 |
| Example 8-4 | Displacement analysis of a plane four-bar path generation mechanism                     | 204 |

|                  |                                                                   |            |
|------------------|-------------------------------------------------------------------|------------|
| <b>CHAPTER 9</b> | <b>OPTIMAL SYNTHESIS OF MECHANISMS</b>                            | <b>206</b> |
| 9.1              | Introduction                                                      | 206        |
| 9.2              | Minimization of the Integrated Error                              | 206        |
|                  | Design versus precision points                                    | 206        |
| 9.3              | Optimal Kinematic Synthesis as a Problem in Nonlinear Programming | 207        |
| 9.4              | The Objective Function                                            | 207        |
| 9.5              | Inequality Constraints                                            | 208        |
| 9.6              | Equality Constraints                                              | 209        |
| 9.7              | Geometrical Representation of the Nonlinear Programming Problem   | 209        |

|      |                                                                                                                |     |
|------|----------------------------------------------------------------------------------------------------------------|-----|
| 9.8  | Unconstrained Minimization                                                                                     | 211 |
|      | Mathematical properties of a minimum                                                                           | 211 |
|      | Local versus global minima                                                                                     | 211 |
|      | Approximation of functions                                                                                     | 211 |
|      | The search for a minimum                                                                                       | 212 |
|      | Conjugate directions                                                                                           | 213 |
|      | Nonderivative search for a minimum                                                                             | 214 |
| 9.9  | Powell's Nonderivative Direct Search                                                                           |     |
|      | Method                                                                                                         | 215 |
| 9.10 | The Method of Least Squares                                                                                    | 216 |
| 9.11 | Powell's Nonderivative Least Squares                                                                           |     |
|      | Method                                                                                                         | 217 |
|      | Numerical approximation of the partial derivatives                                                             | 218 |
| 9.12 | Constrained Minimization—Penalty                                                                               |     |
|      | Functions                                                                                                      | 219 |
|      | The interior penalty function                                                                                  | 219 |
|      | The exterior penalty function                                                                                  | 220 |
|      | Equality constraints                                                                                           | 221 |
|      | Scaling                                                                                                        | 221 |
| 9.13 | Case Studies in Optimal Design of                                                                              |     |
|      | Mechanisms                                                                                                     | 221 |
|      | Example 9-1 Optimal synthesis of a plane four-bar function generator                                           | 221 |
|      | Example 9-2 Optimal synthesis of a plane four-bar linkage for combined path generation and rigid body guidance | 223 |
|      | Example 9-3 The auto window glass guidance mechanism                                                           | 226 |
|      | Example 9-4 The RRSS path generation                                                                           |     |

|             |                                                                                                                |     |
|-------------|----------------------------------------------------------------------------------------------------------------|-----|
|             | mechanism (least squares solution)                                                                             | 229 |
| Example 9-5 | The RRSS path generation mechanism (direct search solution)                                                    | 231 |
| Example 9-6 | Optimal synthesis of the plane four-bar function generation mechanism with inequality and equality constraints | 234 |
| Appendix A  | Proof of Convergence for Conjugate Directions Search                                                           | 236 |
| Appendix B  | Generation of Conjugate Directions in the Powell Search Method                                                 | 237 |

|                   |                                                                                            |     |
|-------------------|--------------------------------------------------------------------------------------------|-----|
| <b>CHAPTER 10</b> | <b>DIFFERENTIAL GEOMETRY OF MOTION</b>                                                     | 238 |
| 10.1              | Introduction                                                                               | 238 |
| 10.2              | Instantaneous Screw Parameters                                                             | 238 |
| 10.3              | Geometry of Screw Axis Surfaces                                                            | 240 |
|                   | Instant pitch—a unique geometrical property of rigid body motion                           | 241 |
|                   | Geometric properties of screw axis surfaces                                                | 241 |
|                   | Instantaneous screw calculus                                                               | 242 |
| Example 10-1      | Instantaneous screw motion parameters for the coupler of a spatial double-slider mechanism | 244 |
| 10.4              | Differential Displacement Matrices in Terms of Geometrical Parameters                      | 248 |

|      |                                                                                                                |     |
|------|----------------------------------------------------------------------------------------------------------------|-----|
|      | The Phi matrix                                                                                                 | 248 |
|      | The plane phi matrices                                                                                         | 250 |
|      | Canonical coordinate systems                                                                                   | 251 |
| 10.5 | Plane Path Curvature                                                                                           | 251 |
|      | The velocity pole, $\mathbf{p}_0$                                                                              | 251 |
|      | Pole velocity, $\dot{\mathbf{p}}_0$                                                                            | 252 |
|      | The acceleration pole                                                                                          | 252 |
|      | The inflection circle—zero normal<br>acceleration                                                              | 253 |
|      | The zero tangential acceleration circle                                                                        | 255 |
|      | The cubic of stationary curvature                                                                              | 256 |
|      | Geometric analysis of plane mechanisms                                                                         | 257 |
|      | Example 10-2 The rolling cylinder                                                                              | 258 |
|      | Example 10-3 The double-slider<br>mechanism                                                                    | 260 |
|      | Example 10-4 The four-bar linkage                                                                              | 262 |
|      | Example 10-5 Higher-order kinematic<br>synthesis from the<br>instantaneous invariants<br>of the coupler motion | 265 |
| 10.6 | Higher-Order Path Curvature in Spatial<br>Coupler Curves                                                       | 268 |
|      | Parametric equations                                                                                           | 268 |
|      | Geometric properties of spatial curves                                                                         | 269 |
|      | Path curvature                                                                                                 | 269 |
|      | Example 10-6 Path curvature analysis—<br>the RRSS mechanism                                                    | 270 |

## **CHAPTER 11 DYNAMICS OF MECHANISMS** 276

|      |                                        |     |
|------|----------------------------------------|-----|
| 11.1 | Introduction                           | 276 |
| 11.2 | Dynamics of the Plane Four-Bar Linkage | 276 |



|              |                                               |     |
|--------------|-----------------------------------------------|-----|
| Example 11-1 | Dynamic analysis of a plane four-bar linkage  | 279 |
| Example 11-2 | The oscillating slider mechanism              | 280 |
| 11.3         | Dynamic Balancing of the Four-Bar Linkage     | 283 |
| Example 11-3 | Dynamic balancing of a four-bar linkage       | 287 |
| 11.4         | The Inverse Dynamics Problem                  | 289 |
|              | Reduced mass or inertia                       | 289 |
|              | Reduced force or torque                       | 290 |
|              | The work-energy method                        | 290 |
|              | The nonlinear differential equation of motion | 291 |
|              | The predictor-corrector equations             | 292 |
| Example 11-4 | The inverse dynamics problem                  | 293 |
| 11.5         | Dynamics of Spatial Mechanisms                | 294 |
|              | Coordinate transformations                    | 294 |
|              | Vector transformations                        | 294 |
| Example 11-5 | Coordinate transformations                    | 295 |
|              | Matrix transformations                        | 296 |
| 11.6         | The Dynamical Equations of Motion             | 297 |
|              | Euler's equations                             | 298 |
|              | Equations of motion in matrix form            | 299 |
| Example 11-6 | Dynamics of a rotating system                 | 300 |

## **CHAPTER 12 COMPUTER PROGRAMS** 305

|      |              |     |
|------|--------------|-----|
| 12.1 | Introduction | 305 |
|------|--------------|-----|

|              |                                                                                                                        |     |
|--------------|------------------------------------------------------------------------------------------------------------------------|-----|
| 12.2         | LINKPAC, a Subroutine Package Useful<br>in Plane Kinematics and Mechanisms                                             | 305 |
| Example 12-1 | Acceleration analysis of the<br>offset slider-crank<br>mechanism                                                       | 306 |
| Example 12-2 | Acceleration and dynamic<br>force analysis for the<br>plane four-bar linkage                                           | 308 |
| 12.3         | DESIGN—Solution of Sets of Simultaneous<br>Nonlinear Algebraic Equations by the<br>Newton-Raphson Method               | 312 |
| Example 12-3 | Use of program DESIGN                                                                                                  | 313 |
| Example 12-4 | Center and circle points<br>for four-position rigid<br>body guidance                                                   | 315 |
| Example 12-5 | Displacement analysis of<br>the RRSC mechanism<br>using SPAPAC sub-<br>routines in YCOMP                               | 317 |
| Example 12-6 | Spatial three-position<br>guidance                                                                                     | 320 |
| 12.4         | PCON—Constrained Minimization Using<br>Powell's Direct Search Conjugate<br>Directions Method and the SUMT<br>Procedure | 326 |
| Example 12-7 | The Rosenbrock test<br>function with added<br>inequality constraints                                                   | 328 |
| Example 12-8 | Optimal synthesis of a<br>combined path<br>generation and plane                                                        |     |

|      |                                                                                                              |     |
|------|--------------------------------------------------------------------------------------------------------------|-----|
|      | rigid body guidance<br>mechanism (Example<br>9-2)                                                            | 330 |
| 12.5 | LSTCON—Constrained Minimization<br>Using Powell's Least Squares Method                                       | 335 |
|      | Example 12-9 Solution of three nonlinear<br>algebraic equations with<br>constraints                          | 335 |
| 12.6 | NONLIN—Solution of Simultaneous<br>Nonlinear Algebraic Equations with<br>Random Number Initial Guesses       | 338 |
|      | Example 12-10 Solution of a set of non-<br>linear algebraic<br>equations with random<br>initial guesses      | 338 |
| 12.7 | SIMEQ, a program in BASIC Language<br>for the Solution of Simultaneous<br>Nonlinear and Linear Equations     | 340 |
| 12.8 | PRCR2, a Predictor-Corrector Method<br>for the Solution of a Second-Order<br>Nonlinear Differential Equation | 341 |
|      | Example 12-11 Function DERIV2 for the<br>Inverse Dynamics<br>Problem, Example 11.4                           | 341 |

## APPENDICES

|          |   |         |     |
|----------|---|---------|-----|
| Appendix | 1 | LINKPAC | 347 |
| Appendix | 2 | SPAPAC  | 362 |
| Appendix | 3 | DESIGN  | 371 |
| Appendix | 4 | NONLIN  | 377 |

|            |   |        |     |
|------------|---|--------|-----|
| Appendix   | 5 | PCON   | 381 |
| Appendix   | 6 | LSTCON | 394 |
| Appendix   | 7 | SIMEQ  | 406 |
| Appendix   | 8 | PRCR2  | 408 |
| References |   |        | 413 |
| Problems   |   |        | 417 |
| Index      |   |        | 431 |