


Table of Contents



| | |
|---------|-----|
| Preface | xvi |
|---------|-----|

| | |
|--------------|-------|
| Introduction | xviii |
|--------------|-------|

Module 1: Getting Started with EON Studio 1

| | |
|---|---|
| Lesson 1.1: Introduction to Interactive 3D Environments | 2 |
|---|---|

| | |
|---|--|
| Visualization and Simulation, 2 | |
| <i>Disciplines and Definitions</i> , 3 | |
| <i>Simulations and Games</i> , 4 | |
| <i>Models</i> , 5 | |
| <i>Why Simulate?</i> , 5 | |
| Serious Games in the Real World, 5 | |
| <i>Classifications and Subsets of Serious Games</i> , 6 | |
| <i>Examples of Serious Games</i> , 8 | |
| What Does EON Bring to Simulation?, 10 | |
| <i>EON Software</i> , 10 | |
| <i>EON Display Systems</i> , 14 | |
| <i>EON Plug-Ins</i> , 16 | |
| Navigating in EON Studio, 16 | |
| <i>Navigating with a Game Controller</i> , 19 | |
| EON Development Workflow, 20 | |
| Simulation Creation Overview, 20 | |

| | |
|----------------------------------|----|
| Lesson 1.2: EON Studio Workspace | 24 |
|----------------------------------|----|

| | |
|---|--|
| EON Studio Terms, 24 | |
| <i>Basic Explanation of Nodes</i> , 25 | |
| <i>Basic Explanation of Prototypes</i> , 25 | |
| Main EON Studio Windows, 26 | |
| <i>Basic Window Types</i> , 27 | |
| <i>Simulation Tree Window</i> , 28 | |
| <i>Components Window</i> , 30 | |
| <i>Placing Nodes and Prototypes in the Simulation Tree</i> , 31 | |
| <i>Routes Window</i> , 34 | |

| | |
|---|--|
| Other EON Studio Child Windows, 40 | |
| <i>Property Bar</i> , 40 | |
| <i>Log Window</i> , 42 | |
| <i>Find Window</i> , 44 | |
| <i>Butterfly Window</i> , 48 | |
| Toolbars, 51 | |
| <i>Toolbar</i> , 51 | |
| <i>EON Zoom Extents Bar</i> , 52 | |
| <i>EONSelectionTools Bar</i> , 52 | |
| <i>VisualNodesTools Bar</i> , 53 | |
| <i>Status Bar</i> , 53 | |
| Returning to the Default Layout, 53 | |
| Getting Help, 53 | |
| <i>Context-Sensitive Help (F1 Key)</i> , 53 | |
| <i>Help Topics</i> , 54 | |

| | |
|---|-----------|
| Lesson 1.3: Introducing EON Nodes and Basic Prototypes | 55 |
|---|-----------|

| | |
|--------------------------------------|--|
| Data Types, 56 | |
| Fields, 57 | |
| <i>Viewing Node Fields</i> , 57 | |
| <i>Viewing Field Properties</i> , 58 | |
| <i>Setting Field Values</i> , 59 | |
| <i>Property Bar Settings</i> , 63 | |
| Nodes, 65 | |
| <i>Node Libraries</i> , 67 | |
| <i>Node Functions</i> , 70 | |
| Commonly Used Nodes, 74 | |
| <i>2DText</i> , 74 | |
| <i>2DImage</i> , 74 | |
| <i>ClickSensor</i> , 74 | |
| <i>Converter</i> , 75 | |
| <i>Counter</i> , 75 | |
| <i>DirectSound</i> , 75 | |
| <i>Frame</i> , 75 | |
| <i>Group</i> , 75 | |
| <i>KeyboardSensor</i> , 75 | |
| <i>KeyFrame</i> , 75 | |
| <i>Latch</i> , 76 | |
| <i>Light</i> , 76 | |
| <i>Material2</i> , 76 | |
| <i>Mesh2</i> , 76 | |
| <i>MovieTexture</i> , 77 | |
| <i>Place</i> , 77 | |
| <i>PopupMenu</i> , 77 | |
| <i>Rotate</i> , 78 | |
| <i>SceneModifier</i> , 78 | |
| <i>Script</i> , 78 | |
| <i>SphereSensor</i> , 78 | |
| <i>TextBox</i> , 78 | |
| <i>Texture2</i> , 78 | |

| | |
|--|--|
| <i>TimeSensor</i> , 79 | |
| <i>ToolTip</i> , 79 | |
| <i>Viewport</i> , 79 | |
| <i>Walk</i> , 79 | |
| <i>WalkAbout</i> , 79 | |
| General Guidelines for Using Nodes, 80 | |
| <i>Copying and Moving Nodes</i> , 80 | |
| <i>Rename Nodes</i> , 81 | |
| <i>Changing Node Properties</i> , 81 | |
| Adding Prototypes to EON, 84 | |
| <i>Definition and Instances</i> , 86 | |
| <i>Adding Prototypes to the Scene</i> , 87 | |
| Commonly Used Prototypes, 90 | |
| <i>Camera Functions Prototypes</i> , 90 | |
| <i>ObjectNav Prototypes</i> , 91 | |
| <i>OrbitNav Prototypes</i> , 92 | |
| <i>Useful Functions Prototypes</i> , 93 | |
| <i>Top Most-Used Prototypes</i> , 94 | |
| Module 1: Simulation, 96 | |

Module 2: Fundamentals of EON 99

| | |
|---|------------|
| Lesson 2.1: Fundamentals of Developing Interactive 3D Environments | 100 |
| Workflow for Creating EON Applications, 101 | |
| <i>Before Importing to EON</i> , 101 | |
| <i>In EON Studio</i> , 101 | |
| <i>Distributing EON Applications</i> , 102 | |
| Interactive Media Storyboarding and Project Planning, 102 | |
| <i>Thumbnail Storyboard</i> , 103 | |
| <i>Graphic Storyboard</i> , 104 | |
| External Resources, 105 | |
| <i>Models</i> , 105 | |
| <i>Materials and Textures</i> , 106 | |
| <i>Audio and Video Files</i> , 106 | |
| <i>Pros and Cons of External Resources</i> , 111 | |
| <i>Raptor</i> , 112 | |
| Rendering, 112 | |
| Establishing the Virtual World, 113 | |
| <i>Visibility Determination</i> , 114 | |
| <i>Level of Detail</i> , 114 | |
| <i>Hidden Surface Removal</i> , 116 | |
| <i>Rasterization</i> , 116 | |
| The Coordinate System, 117 | |
| <i>Positioning 3D Objects in the Simulation Scene</i> , 119 | |
| <i>Translation</i> , 119 | |
| <i>Rotation</i> , 119 | |
| <i>Using the KeyMove Node to Place Objects</i> , 120 | |

| | |
|---|------------|
| Lesson 2.2: Organizing, Running, and Saving an EON Application | 125 |
| Simulation Tree and Node Hierarchy Relationships, 125 | |
| <i>Using the Frame Node</i> , 128 | |
| <i>Using the Group Node for Organization</i> , 130 | |
| Accessing and Changing Node Properties, 132 | |
| Connecting Nodes Using the Routes Window, 133 | |
| <i>Receiving External Data via inEvent Nodes</i> , 133 | |
| <i>Sending Internal Data via outEvent Nodes</i> , 135 | |
| <i>Receiving and Sending Events</i> , 136 | |
| Saving EON Project Files, 137 | |
| <i>EON File Formats</i> , 137 | |
| <i>Internal and External Resources</i> , 139 | |
| Viewing the EON Application in Real Time, 140 | |
| <i>EON Studio</i> , 140 | |
| <i>EON Viewer</i> , 140 | |
| Configuration Setting for Rendering Engine, 140 | |
| <i>Driver Options</i> , 141 | |
| <i>Rendering Quality Options</i> , 143 | |
| <i>CPU Time</i> , 144 | |
| Module 2: Simulation , 146 | |

| | |
|--|------------|
| Module 3: Importing into EON | 157 |
| Lesson 3.1: Model Export Considerations | 158 |
| Grouping, Hierarchy, and Naming, 159 | |
| Pivot Points, 161 | |
| Geometry Optimization, 164 | |
| Camera Views and Animations, 167 | |
| <i>Camera Positions</i> , 167 | |
| <i>Animations</i> , 167 | |
| Lights, 170 | |

| | |
|---|------------|
| Lesson 3.2: Import and Place 3D Objects | 172 |
| Procedures for Importing 3D Objects into EON, 173 | |
| <i>Importing Compatible 3D Object File Formats</i> , 173 | |
| <i>Using File Format Importer</i> , 174 | |
| <i>EON Raptor</i> , 179 | |
| <i>VRML</i> , 179 | |
| <i>Importing Noncompatible 3D Object File Formats</i> , 181 | |
| Positioning Prototypes, 181 | |
| <i>MoveRotateArrows3D Prototype vs. DragManager and DragSelector Prototypes</i> , 181 | |
| <i>Mover Prototype</i> , 183 | |
| <i>StickyMover Prototype</i> , 183 | |
| <i>QuickPos Prototype</i> , 183 | |
| DegreeOfFreedom Node, 183 | |

Improving Performance and Appearance, 190

Module 3: Simulation, 192

Module 4: Object Properties 195

Lesson 4.1: Object Fundamentals 196

Texture and Materials Basics, 196

Texture Mapping, 197

Texture Projection, 198

Meshes and Materials in EON, 202

Composition of a Shape, 202

Meshes in EON, 202

Materials in EON, 203

Resources Node in EON, 203

Making the Resource Visible, 203

Lesson 4.2: Visual Nodes Library 205

Introduction to the Visual Nodes Library, 205

Resource Database, 207

Materials, 207

Textures, 208

TextureResourceGroup, 209

Meshes, 212

MeshResourceGroup, 213

Light Map Rendering, 215

Light Types, 216

Ambient Light, 216

Diffuse Light, 216

Specular Light, 216

Emissive Light, 217

Lesson 4.3: 3D Edit Tools 223

Zoom Extents Tool, 223

Selection Tools, 224

Shape Selection, 225

Geometry Selection, 225

Material Selection, 225

Texture Selection, 226

Reverse Selection, 226

Visual Nodes Tools, 228

Convert 3.1 Visual Nodes, 228

Merge Shapes with the Same Material, 228

Display Info of a Node, 230

Make Texture Compression/Resize Permanent, 230

Remove Duplicated Resources, 230

Face Fixing Tool, 232

Paint Material Tool, 232

Module 4: Simulation, 234

Module 5: Object Appearance, Behavior, and Interactivity 237

Lesson 5.1: Modify Object Appearance 238

Adding Light, 238
 Light Modes, 239
 Light Node Parameters, 239
 Default Light Nodes, 242
Adding Textures, 243
 Texture2 Node Properties, 244
Material2 Node, 244
Object Appearance, 244
Scaling: Changing the Size of Objects, 244
Shape Node, 245
Transparency, 245
Modifying Render Settings, 246
 Driver, 247
 Rendering Quality, 248

Lesson 5.2: Add Behavior and Interactivity to Simulations 250

Adding Motion, 250
Scene Navigation Using the Camera, 251
 Object Navigation Model, 251
 Walk Navigation Model, 251
Methods of Movement, 251
 OrbitNav Prototype, 251
 Walk Node, 251
 Joystick Node, 254
 WalkAbout Node, 255
 KeyMove Node, 255
 SuperMan Prototype, 256
Object Movement in 3D Space, 256
 Movement Along a Predefined Path, 257
 Sensor Nodes, 264
 Interactive Movement, 267
Handling Collisions, 267
 Base Nodes Overview, 267
 Collision Geometry Types, 268
 Collision Response, 270
Module 5: Simulation, 272

Module 6: EON Views and User Interfaces 275

Lesson 6.1: Viewports and Cameras 276

Understanding Viewports in EON, 276
 EON Viewport Elements, 277
 EON Viewport Properties, 279

| | |
|---|--|
| Understanding Cameras in EON, 282 | |
| <i>Creating Camera Views in EON</i> , 282 | |
| <i>Collision on a Camera</i> , 284 | |

Lesson 6.2: User Interfaces 287

| | |
|--|--|
| Understanding GUI, 287 | |
| <i>Usability</i> , 288 | |
| <i>User Interfaces</i> , 288 | |
| <i>Exploring Interfaces in EON</i> , 289 | |
| GUI Controls and Buttons Prototypes, 293 | |
| <i>GUIControls Nodes</i> , 294 | |
| <i>Buttons Prototypes</i> , 295 | |
| Creating an Interface in EON, 297 | |
| Adding Interactivity to the Interface, 300 | |
| Add Buttons to the Interface, 303 | |
| Module 6: Simulation, 307 | |

Module 7: Add Media 311

Lesson 7.1: Fundamentals of Media 312

| | |
|--|--|
| Media in the Real World, 312 | |
| Media Nodes in EON, 314 | |
| Fundamentals of Sound, 314 | |
| <i>Sound from Science Class</i> , 314 | |
| <i>Sound Attenuation</i> , 315 | |
| <i>Orientation of Sound</i> , 315 | |
| <i>Stereo Sound</i> , 316 | |
| 3D Sound in EON, 316 | |
| <i>Microsoft's DirectSound® Component of DirectX</i> , 316 | |
| <i>DirectSound Node</i> , 316 | |
| <i>Volume of Sound</i> , 317 | |
| Fundamentals of Video, 321 | |
| <i>File Types</i> , 321 | |
| <i>Microsoft DirectShow</i> , 322 | |
| Quality vs. File Size, 323 | |

Lesson 7.2: Adding Sound to a Simulation 325

| | |
|--|--|
| Sound in a Simulation, 325 | |
| DirectSound Node, 326 | |
| <i>DirectSound Node Properties</i> , 326 | |
| <i>DirectSound Node Fields</i> , 328 | |
| <i>Media File Storage</i> , 328 | |
| Sound Node, 334 | |
| <i>Sound Node Properties</i> , 334 | |
| Creating Realistic Sound, 338 | |
| SimultaneousSound Prototype, 341 | |

SmoothOperator Prototype, 343

Event Properties, 345

Using Keys, 345

Lesson 7.3: Adding Video to a Simulation

348

Video in a Simulation, 348

MovieTexture Node, 349

MovieTexture Node Properties, 349

MovieTexture Node in Context, 354

Many Ways to Use the MovieTexture Node, 356

TVChannelSwitcher Prototype, 357

Setting Up a TVChannelSwitcher Prototype, 357

Fields, 358

Module 7: Simulation, 360

Module 8: EON Prototypes

363

Lesson 8.1: Fundamentals of Prototypes

364

What Are Prototypes?, 364

Why Use Prototypes?, 365

What Is an EON Prototype?, 365

Prototype Definition vs. Prototype Instance, 366

Prototype Library Files, 367

Object vs. Functional Prototypes, 368

Parts of a Prototype, 369

Local Prototypes Window, 370

Open Source Development, 370

Dynamic Prototypes, 371

How Prototypes Work in EON, 371

What Happens in a Prototype When You Run the Simulation?, 373

Simulation Startup, 373

Simulation Runtime, 373

Simulation Shutdown, 373

Lesson 8.2: Using EON-Supplied Prototypes

376

Introduction to the EON-Supplied Prototypes, 376

How Are Prototypes Different from Nodes?, 376

Most Versatile Prototypes, 377

Most Frequently Used Prototypes, 377

Derivative Prototypes, 378

Prototype Libraries, 378

Selecting a Prototype Library, 379

Using Selected Prototypes, 380

General Tips for Using EON-Supplied Prototypes, 396

Copying Node References to SFNode Fields, 396

Some Prototypes Automatically Find Node References, 397

| |
|--|
| <i>Prototypes Provide a Convenient Way to Send Events</i> , 397 |
| <i>IsActive and IsNotActive Fields</i> , 398 |
| Placing Prototypes in the Simulation Tree , 399 |
| <i>How Can You Tell That a Node Is a Prototype Instance?</i> , 399 |
| <i>Inserting Additional Prototype Instances</i> , 400 |
| <i>ClickSensors Can Reside Inside Prototypes</i> , 400 |
| <i>Some Prototypes Need Other Prototypes</i> , 400 |
| Common Fields Used by Prototypes , 400 |
| <i>DisableWhenMoving Field</i> , 400 |
| <i>Refresh Field</i> , 401 |
| <i>MouseButton Values Fields</i> , 401 |
| Getting Help to Set Up and Use Prototypes , 401 |
| Using 3D View Prototypes , 403 |
| Using 2D View Prototypes , 419 |

Lesson 8.3: Developing EON Prototypes **435**

| |
|--|
| Creating Prototypes , 435 |
| <i>Creation Methods</i> , 436 |
| <i>Start Prototype Creation with a Frame</i> , 436 |
| <i>Naming a New Prototype</i> , 436 |
| <i>Preserving Routes and Node References</i> , 436 |
| <i>Resolve Resource References</i> , 437 |
| <i>Nested Prototypes</i> , 440 |
| Adding or Inserting Prototype Instances , 440 |
| Editing Prototypes , 441 |
| Customizing Prototypes , 442 |
| Editing Prototype Definitions , 442 |
| <i>Editing the Subtree</i> , 442 |
| <i>Editing the General Properties</i> , 444 |
| <i>Editing the Exported Fields</i> , 447 |
| Deleting Prototypes , 450 |
| <i>Instance Counter</i> , 450 |
| <i>Deleting a Prototype Instance</i> , 450 |
| Working with Prototype Libraries , 451 |
| <i>Creating a Prototype Library</i> , 451 |
| <i>Storing Prototypes</i> , 452 |
| <i>EOP File Format</i> , 453 |
| <i>Adding Prototypes to a Library</i> , 453 |
| <i>Removing Prototypes from a Library</i> , 453 |
| <i>Moving Prototypes</i> , 453 |
| <i>Deleting Prototype Libraries</i> , 454 |
| <i>EDP File Format</i> , 454 |
| Prototype Development Example , 454 |
| Prototype Optimization Example , 467 |
| Scripting for Prototypes , 468 |
| Rearranging the Sequence of Exported Fields , 469 |
| Using Prototypes to Create or Delete Nodes , 471 |
| Module 8: Simulation , 472 |

Module 9: Scripting and Dynamic Load 477**Lesson 9.1: Fundamentals of Scripting 478**

What Is Scripting?, 478
Why Use Scripting?, 479
Programming Concepts, 481
 Scripting vs. Programming, 481
 Object-Oriented Programming, 482
How Scripting Works in EON, 483
 Script Node, 483
 Scripting Languages, 484
 EON Extensions to the Scripting Language, 484
 What Are Fields?, 485
 Event-Driven Simulations, 486
 What Can a Script Do?, 486
 What Cannot Be Done with Script?, 486
Creating Fields for the Script Node, 487
 SFNode and MFNode Data Types in a Script Node, 488
Event Handlers, 490
 Creating Event Handlers for User-Defined Fields, 491
Designing Scripts, 498
Using the Script Editor, 503
 Opening the Script Editor, 503
 Editing in the Script Editor, 503
Scripting Basics—JScript, 510
 Statements, 510
 Variables, 511
 Operators, 513
 Intrinsic Objects, Methods, and Properties, 514
 User-Defined Objects, Methods, and Properties, 514
 User-Defined Functions, 515
Accessing EON Field Values, 515
 Single Field (SF) Type Fields, 516
 Multiple Field (MF) Type Fields, 517

Lesson 9.2: Using Scripts 519

Program Flow in EON, 519
 Stages of Program Flow, 520
 Program Flow Example, 522
 Calling a Function vs. Triggering a Function, 523
 How to Make Global Variables and Functions, 523
 Program Flow with Script and a Frame Node, 524
 The eventsProcessed Event, 525
Copy and Delete Nodes, 528
Including External Script Files, 533
 Keeping Included Scripts External, 534
 Working with the Includes Field, 534
Using Script and the PopupUnlimited Prototype, 535
Accessing Text Files, 549

How to Move Nodes, 561

Recursive Functions, 562

ActiveX Controls, 562

Accessing Databases, 564

Additional Functions, 564

Lesson 9.3: Dynamic Load Applications

566

Introduction to EON Dynamic Load, 566

Advantages of Using EON Dynamic Load, 567

Configurable EON Applications, 567

Running an EON Dynamic Load Application, 568

Understanding Web-Based Dynamic Load Applications, 571

Authoring Time, 571

Runtime, 571

Setting the PrototypebaseUrl Property, 571

EON Studio, 572

EON Viewer, 573

Web Pages, 573

Creating a Dynamic Load Application, 574

DynamicPrototype Node, 574

Nodes That Have the Download Field, 576

Adding Download Bars to Your Application, 579

Configurable EON Dynamic Load Applications, 583

Licenses for EON Dynamic Load, 583

EON Server License, 584

Dynamic Load Stand Alone License, 584

Licensed EDZ Application, 584

Choosing the Correct Type of License, 585

Module 9: Simulation, 586

Module 10: Working with Advanced Nodes and Prototypes

589

Lesson 10.1: Creating User-Driven Simulations

590

Creating User-Driven Simulations, 590

Logic Control Nodes, 591

And, Or, XOR, and Not Nodes, 595

Flow Nodes, 599

Flow Node Basics, 600

Using the Flow Nodes, 602

Lesson 10.2: Data Manipulation

610

Data Manipulation in EON, 610

Converters, 611

Adapter Prototype, 611

GroupGUINodes Prototype, 611

Addition, Subtraction, Multiplication, and Division Nodes, 615

BooleanSplitter Prototype, 615

| |
|---|
| <i>BooleanToIntegerConverter</i> Prototype, 615 |
| <i>Colors</i> Prototype, 615 |
| <i>Constant Node</i> , 616 |
| <i>Convert3DPosToScreenPos</i> Prototype, 616 |
| <i>Converter Node</i> , 618 |
| <i>HexColor</i> Prototype, 618 |
| <i>MousePos3D</i> Prototype, 618 |
| <i>MouseToBoxPosition</i> Prototype, 619 |
| <i>MouseToTextBoxPos</i> Prototype, 619 |
| <i>Opposites</i> Prototype, 619 |
| <i>RouteSwitch Node</i> , 619 |
| Module 10: Simulation, 628 |

Module 11: Running Simulations on End User Computers

633

Lesson 11.1: Building Distribution Files

634

| |
|--|
| Introduction to Simulation Distribution, 634 |
| <i>Distribution File Format</i> , 635 |
| <i>Why Should You Create Distribution Files?</i> , 635 |
| Creating a Distribution File, 636 |
| Optimization Features, 637 |
| <i>Polygon Reduction</i> , 638 |
| <i>Geometry Compression</i> , 639 |
| <i>Texture Compression and Conversion</i> , 641 |
| Distribution Prototype Files, 642 |
| External Resource Files, 646 |
| Resource Streaming and Loading, 647 |
| <i>Example of Streaming</i> , 647 |
| <i>Deciding to Use Streaming</i> , 647 |
| <i>Streaming vs. Dynamic Load</i> , 648 |
| Sharing and Protecting Resources, 648 |
| <i>Protecting Resources from Unauthorized Use</i> , 648 |
| <i>Controlling Access to External Resource Files</i> , 649 |

Lesson 11.2: Web Publishing and Runtime Installation

656

| |
|--|
| Using the EON Web Publisher Wizard, 656 |
| <i>Step 1: Select a Template</i> , 657 |
| <i>Step 2: Select Events</i> , 658 |
| <i>Step 3: Configure Background</i> , 659 |
| <i>Step 4: Web Page Configuration</i> , 660 |
| <i>Step 5: Where Do You Want to Store Your New Site?</i> , 660 |
| <i>Step 6: Summary</i> , 662 |
| Running EON Simulations on End User Computers, 666 |
| <i>Two Installation Programs</i> , 667 |
| <i>EON Applications on the Internet</i> , 667 |
| <i>CD/DVD Distribution</i> , 668 |
| <i>What Is EonX?</i> , 668 |
| <i>What Is an ActiveX Control?</i> , 669 |

| | |
|---|------------|
| <i>Where Does the EON Viewer Setup Program Place Its Files?</i> , 669 | |
| <i>System Requirements</i> , 669 | |
| <i>When Does a User Need an EON License?</i> , 670 | |
| <i>Uninstalling EON Runtime Software</i> , 670 | |
| EON Dependency Walker, 670 | |
| Module 11: Simulation, 672 | |
| <hr/> | |
| Appendix A: EON Prototypes | 675 |
| <hr/> | |
| Appendix B: EON Scripting Reference | 687 |
| <hr/> | |
| EON Base Object, 688 | |
| <i>Using the Find Method</i> , 693 | |
| <i>Using the FindNode Method</i> , 693 | |
| <i>Using the MessageBox Method</i> , 694 | |
| <i>Using the SetScriptTimeout Method</i> , 695 | |
| <i>Using the Trace Method</i> , 696 | |
| <i>Using the TransformOrientation Method</i> , 697 | |
| <i>Using the TransformPosition Method</i> , 697 | |
| EON Node Object, 697 | |
| <i>Using the GetparentNode Method</i> , 700 | |
| <i>Using the GetField Method</i> , 700 | |
| EON Field Object, 701 | |
| <i>Field Types</i> , 702 | |
| <i>Data Types</i> , 702 | |
| <i>Using the GetName Method</i> , 704 | |
| <i>Using the GetType Method</i> , 704 | |
| <i>Using the GetMFCCount Method</i> , 704 | |
| <i>Using the SetMFCCount Method</i> , 705 | |
| <i>Using the GetMFEElement Method</i> , 705 | |
| <i>Using the SetMFEElement Method</i> , 706 | |
| <i>Using the AddMFEElement Method</i> , 706 | |
| <i>Using the RemoveMFEElement Method</i> , 707 | |
| <i>Using the Value Property</i> , 708 | |
| Summary, 709 | |
| <hr/> | |
| Glossary | 710 |
| <hr/> | |
| Index | 719 |