

CONTENTS

FOREWORD	6
1 Scope	8
2 Normative references	9
3 Terms and definitions	9
4 Service conditions	12
4.1 Normal service conditions	12
4.2 Unusual service conditions	13
5 Quality requirements and tests	13
5.1 General	13
5.2 Test conditions	13
6 Classification of tests	13
6.1 General	13
6.2 Routine tests	13
6.3 Type tests	14
6.4 Acceptance tests	14
6.5 Endurance test (special test)	14
7 Capacitance measurement (routine test)	14
7.1 Measuring procedure	14
7.2 Capacitance tolerances	15
8 Measurement of the tangent of the loss angle ($\tan \delta$) of the capacitor (routine test)	15
8.1 Measuring procedure	15
8.2 Loss requirements	16
8.3 Losses in external fuses	16
9 Voltage test between terminals (routine test)	16
9.1 General	16
9.2 AC test	16
9.3 DC test	16
10 AC voltage test between terminals and container (routine test)	16
11 Test of internal discharge device (routine test)	17
12 Sealing test (routine test)	17
13 Thermal stability test (type test)	17
13.1 General	17
13.2 Measuring procedure	17
14 Measurement of the tangent of the loss angle ($\tan \delta$) of the capacitor at elevated temperature (type test)	18
14.1 Measuring procedure	18
14.2 Requirements	18
15 Voltage tests between terminals and container (type tests)	19
15.1 AC voltage test between terminals and container	19
15.2 Lightning impulse test between terminals and container	19
16 Overvoltage test (type test)	20
16.1 General	20
16.2 Conditioning of the sample before the test	20
16.3 Test procedure	20

16.4	Acceptance criteria	21
16.5	Validity of test	21
16.5.1	General	21
16.5.2	Element design	21
16.5.3	Test unit design	21
16.5.4	Waveform of overvoltage	21
17	Short-circuit discharge test (type test)	22
18	Insulation levels	22
18.1	Standard insulation values	22
18.2	General requirements	23
18.2.1	General	23
18.2.2	Adjacent insulating components and equipment	23
18.2.3	Capacitors insulated from ground	23
18.2.4	Capacitors with neutral connected to ground	23
18.3	Test between terminals and container of capacitor units	24
18.4	Capacitors in single-phase systems	24
19	Overloads – Maximum permissible voltage	27
19.1	Long duration voltages	27
19.2	Switching overvoltages	27
20	Overloads – Maximum permissible current	27
21	Safety requirements for discharge devices	28
22	Safety requirements for container connections	28
23	Safety requirements for protection of the environment	28
24	Other safety requirements	28
25	Markings of the capacitor unit	29
25.1	Rating plate	29
25.2	Standardized connection symbols	29
25.3	Warning plate	29
26	Markings of the capacitor bank	30
26.1	Instruction sheet or rating plate	30
26.2	Warning plate	30
27	Guide for installation and operation	30
27.1	General	30
27.2	Choice of the rated voltage	30
27.3	Operating temperature	31
27.3.1	General	31
27.3.2	Installation	31
27.3.3	High ambient air temperature	32
27.4	Special service conditions	32
27.5	Overvoltages	32
27.5.1	General	32
27.5.2	Restriking of switches	33
27.5.3	Lightning	33
27.5.4	Motor self-excitation	33
27.5.5	Star-delta starting	33
27.5.6	Capacitor unit selection	33
27.6	Overload currents	33

27.6.1	Continuous overcurrents	33
27.6.2	Transient overcurrents	34
27.7	Switching and protective devices	34
27.7.1	Withstand requirements	34
27.7.2	Restrike-free circuit-breakers	35
27.7.3	Relay settings	35
27.8	Choice of insulation levels	36
27.8.1	General	36
27.8.2	Altitudes exceeding 1 000 m	36
27.8.3	Influence of the capacitor itself	36
27.8.4	Overhead ground wires	38
27.9	Choice of creepage distances and air clearance	38
27.9.1	Creepage distance	38
27.9.2	Air clearances	39
27.10	Capacitors connected to systems with audio-frequency remote control	41
Annex A (normative)	Precautions to be taken to avoid pollution of the environment by polychlorinated biphenyls	42
Annex B (normative)	Additional definitions, requirements and tests for power filter capacitors	43
Annex C (normative)	Test requirements and application guide for external fuses and units to be externally fused	45
C.1	General	45
C.2	Terms and definitions	45
C.3	Performance requirements	45
C.4	Tests	45
C.4.1	Tests on fuses	45
C.4.2	Type tests on capacitor containers	45
C.5	Guide for coordination of fuse protection	46
C.5.1	General	46
C.5.2	Protection sequence	46
C.6	Choice of fuses	46
C.6.1	General	46
C.6.2	Non current-limiting fuses	47
C.6.3	Current-limiting fuses	47
C.7	Information needed by the user of the fuses	47
Annex D (informative)	Formulae for capacitors and installations	48
D.1	Computation of the output of three-phase capacitors from three single-phase capacitance measurements	48
D.2	Resonant frequency	48
D.3	Voltage increase	48
D.4	Inrush transient current	49
D.4.1	Switching in of single capacitor bank	49
D.4.2	Switching on of a bank in parallel with energized bank(s)	49
D.5	Discharge resistance in single-phase unit	49
D.6	Discharge time to 10 % of rated voltage	49
Annex E (informative)	Capacitor bank fusing and unit arrangement	51
E.1	General	51
E.2	Internally fused capacitor bank	51
E.3	Externally fused capacitor bank	51

E.4 Fuseless capacitor bank	51
Bibliography.....	54
Figure 1 – Time and amplitude limits for an overvoltage period	22
Figure 2 – Bank isolated from ground	37
Figure 3 – Bank isolated from ground (containers connected to ground)	37
Figure 4 – Bank connected to ground.....	38
Figure 5 – Air clearance versus AC withstand	41
Figure E.1 – Typical connections between capacitor units.....	52
Figure E.2 – Typical connections between elements within a capacitor unit	53
Table 1 – Letter symbols for upper limit of temperature range	12
Table 2 – Ambient air temperature for the thermal stability test.....	18
Table 3 – Standard insulation levels for range I ($1\text{ kV} < U_m < 245\text{ kV}$)	25
Table 4 – Standard insulation levels for range II ($U_m > 245\text{ kV}$)	26
Table 5 – Admissible voltage levels in service	27
Table 6 – Insulation requirements	36
Table 7 – Specific creepage distances	38
Table 8 – Correlation between standard lightning impulse withstand voltages and minimum air clearances (Table A.1 from IEC 60071-2:1996).....	40