

---

# Table of contents

---

|  |           |
|--|-----------|
| <i>Preface</i>   | xi        |
| <i>About the authors</i>   | xiii      |
| <i>Acknowledgements</i>  | xv        |
| <i>List of symbols</i>   | xvii      |
| <i>Introduction</i>  | xxvii     |
| <b>1 Construction methods of embankments on soft soils</b>                                 | <b>1</b>  |
| 1.1 Replacement of soft soils and displacement fills                                       | 1         |
| 1.1.1 Replacement of soft soils  | 1         |
| 1.1.2 Displacement fills   | 3         |
| 1.2 Conventional embankment with temporary surcharge                                       | 5         |
| 1.3 Embankments built in stages, embankments with lateral berms and reinforced embankments | 6         |
| 1.4 Embankment on vertical drains  | 6         |
| 1.5 Lightweight fills  | 7         |
| 1.6 Embankments on pile-like elements  | 9         |
| 1.7 Construction methodologies for harbor works  | 9         |
| 1.8 Final remarks  | 12        |
| <b>2 Site investigation</b>  | <b>15</b> |
| 2.1 Preliminary investigations   | 15        |
| 2.1.1 Borings  | 15        |
| 2.1.2 Characterization   | 17        |
| 2.2 Complementary investigations   | 18        |
| 2.2.1 <i>In situ</i> tests   | 19        |
| 2.2.2 Laboratory tests   | 19        |
| 2.3 Vane tests   | 21        |
| 2.3.1 Equipment and procedures   | 21        |
| 2.3.2 Undrained strength   | 21        |
| 2.3.3 Clay sensitivity   | 22        |
| 2.3.4 Stress history   | 24        |
| 2.3.5 Clay anisotropy  | 24        |
| 2.3.6 Test correction  | 25        |
| 2.4 Piezocene test   | 26        |
| 2.4.1 Equipment and procedures   | 26        |
| 2.4.2 Correction of cone resistance  | 26        |

---

|          |  |           |
|----------|--|-----------|
| 2.4.3    | Preliminary soil classification  | 27        |
| 2.4.4    | Undrained strength ( $S_u$ )   | 27        |
| 2.4.5    | Stress history   | 29        |
| 2.4.6    | Coefficient of consolidation   | 31        |
| 2.5      | T-bar test   | 33        |
| 2.6      | Soil sampling for laboratory tests   | 33        |
| 2.7      | Oedometer consolidation tests  | 34        |
| 2.7.1    | Other consolidation tests  | 35        |
| 2.7.2    | Sample quality   | 35        |
| 2.8      | Triaxial tests   | 38        |
| 2.9      | Final remarks  | 38        |
| <b>3</b> | <b>Geotechnical properties of very soft soils: Rio de Janeiro soft clays</b> | <b>41</b> |
| 3.1      | Overall behavior of very soft soils: Cam clay models                         | 41        |
| 3.1.1    | Stress and strain variables  | 41        |
| 3.1.2    | Model parameters   | 42        |
| 3.1.3    | Yield conditions   | 45        |
| 3.2      | Index properties of some Rio de Janeiro clays                                | 47        |
| 3.3      | Compressibility and stress history   | 49        |
| 3.3.1    | Compressibility  | 49        |
| 3.3.2    | Overconsolidation ratio (OCR)  | 50        |
| 3.4      | Hydraulic conductivity and coefficient of consolidation                      | 50        |
| 3.5      | Soil strength  | 52        |
| 3.5.1    | Undrained strength – laboratory and <i>in situ</i> data                      | 52        |
| 3.5.2    | Effective strength parameters  | 54        |
| 3.6      | Deformation data   | 55        |
| 3.7      | Viscous behavior   | 56        |
| 3.7.1    | Strain rate during shearing  | 56        |
| 3.7.2    | Strain rate during constant loading oedometer tests                          | 56        |
| 3.8      | Field studies  | 58        |
| 3.8.1    | Embankment I   | 58        |
| 3.8.2    | Embankment II  | 59        |
| <b>4</b> | <b>Prediction of settlements and horizontal displacements</b>                | <b>63</b> |
| 4.1      | Types of settlements   | 63        |
| 4.1.1    | Immediate settlement   | 64        |
| 4.1.2    | Primary consolidation settlements  | 64        |
| 4.1.3    | Secondary compression settlement   | 72        |
| 4.2      | Staged embankment settlements  | 76        |
| 4.3      | Prediction of horizontal displacements                                       | 79        |
| 4.4      | Final remarks  | 82        |
| <b>5</b> | <b>Acceleration of settlements: use of vertical drains and surcharge</b>     | <b>83</b> |
| 5.1      | Embankments on vertical drains   | 83        |
| 5.2      | Vertical drains  | 84        |
| 5.2.1    | Theoretical solutions  | 84        |
| 5.2.2    | Consolidation with purely radial drainage                                    | 85        |
| 5.2.3    | Diameter of influence and equivalent diameter of PVDs                        | 86        |

|          |   |            |
|----------|---|------------|
| 5.2.4    | Consolidation with combined radial and vertical drainage                    | 87         |
| 5.2.5    | Influence of smear in PVD performance                                       | 88         |
| 5.2.6    | Influence of mandrel size on soil disturbance                               | 88         |
| 5.2.7    | Parameters for consideration of disturbance (smear)                         | 89         |
| 5.2.8    | The effect of well resistance   | 91         |
| 5.2.9    | Specification of PVD  | 92         |
| 5.2.10   | Sequence for radial drainage calculations                                   | 92         |
| 5.3      | Design of the horizontal drainage blanket                                   | 93         |
| 5.4      | Use of temporary surcharge  | 95         |
| 5.4.1    | Use of surcharge with and without vertical drains                           | 96         |
| 5.4.2    | Vacuum preloading   | 97         |
| 5.4.3    | Use of surcharge to minimize secondary compression settlements              | 99         |
| 5.5      | Final remarks   | 100        |
| <b>6</b> | <b>Stability of unreinforced and reinforced embankments</b>                 | <b>103</b> |
| 6.1      | Design parameters   | 103        |
| 6.1.1    | Undrained strength of clay  | 103        |
| 6.1.2    | Embankment strength   | 104        |
| 6.1.3    | Geosynthetic reinforcement parameters                                       | 106        |
| 6.2      | Failure modes of embankments on soft soils                                  | 111        |
| 6.3      | Foundation failure: Critical height of embankment                           | 111        |
| 6.4      | Global stability analysis of unreinforced embankments                       | 112        |
| 6.4.1    | Circular failure surfaces   | 112        |
| 6.4.2    | Non-circular failure surfaces   | 113        |
| 6.5      | Reinforced embankments  | 115        |
| 6.5.1    | Effects of reinforcement  | 115        |
| 6.5.2    | Foundation failure  | 116        |
| 6.5.3    | Failure due to lateral sliding of embankment                                | 116        |
| 6.5.4    | Global failure  | 118        |
| 6.5.5    | Definition of tensile force in reinforcement                                | 118        |
| 6.6      | Stability analysis of stage constructed embankments                         | 120        |
| 6.6.1    | Conceptual aspects  | 120        |
| 6.6.2    | Undrained strength of the clay for staged construction                      | 120        |
| 6.6.3    | Illustration of stability analysis of staged construction                   | 122        |
| 6.6.4    | Considerations on the stability analysis for staged constructed embankments | 124        |
| 6.7      | Sequence for stability analysis of embankments on soft soils                | 124        |
| 6.7.1    | Unreinforced embankments  | 124        |
| 6.7.2    | Reinforced embankments  | 125        |
| 6.7.3    | Reinforced embankment built in stages                                       | 126        |
| 6.8      | Final remarks   | 126        |
| <b>7</b> | <b>Embankments on pile-like elements</b>                                    | <b>127</b> |
| 7.1      | Piled embankments with geosynthetic platform                                | 129        |
| 7.1.1    | The working platform settlement and overall embankment behavior             | 130        |

---

|               |  |            |
|---------------|--|------------|
| 7.1.2         | Arching effect on soils  | 131        |
| 7.1.3         | Defining the geometry of piled embankments                                   | 132        |
| 7.1.4         | Calculation of vertical stresses acting on the geosynthetic                  | 133        |
| 7.1.5         | Calculation of tensile force acting on the reinforcement                     | 134        |
| 7.1.6         | Case histories of piled embankments  | 135        |
| 7.2           | Embankments on traditional granular columns                                  | 137        |
| 7.2.1         | Traditional granular columns using the vibro-replacement method              | 137        |
| 7.2.2         | Design and analysis principles   | 138        |
| 7.2.3         | Settlement reduction factor (soil improvement factor)                        | 140        |
| 7.2.4         | Settlement computations  | 141        |
| 7.2.5         | Stability analysis   | 143        |
| 7.2.6         | General behavior of embankments on granular columns                          | 143        |
| 7.3           | Encased granular columns   | 148        |
| 7.3.1         | General description  | 148        |
| 7.3.2         | Execution methods  | 149        |
| 7.3.3         | Calculation methods  | 150        |
| 7.3.4         | Case histories for applications of embankments over encased granular columns | 153        |
| 7.4           | Final remarks  | 156        |
| <b>8</b>      | <b>Monitoring embankments on soft soils</b>                                  | <b>159</b> |
| 8.1           | Monitoring vertical displacements  | 159        |
| 8.1.1         | Settlement plates  | 159        |
| 8.1.2         | Depth extensometers  | 161        |
| 8.1.3         | Settlement Profiler  | 162        |
| 8.2           | Measurement of horizontal displacements                                      | 162        |
| 8.3           | Measurements of pore pressures   | 164        |
| 8.4           | Monitoring of the tensile forces in geosynthetic reinforcements              | 165        |
| 8.5           | Interpretation of monitoring results   | 166        |
| 8.5.1         | Asaoka's method (1978)   | 166        |
| 8.5.2         | Pore pressure analysis   | 167        |
| 8.5.3         | Discussion on obtaining $c_v$ and $c_h$ from monitoring data                 | 168        |
| 8.5.4         | Stability of embankment by horizontal displacements analysis                 | 170        |
| 8.5.5         | <i>In situ</i> compression curves  | 171        |
| 8.6           | New trends in geotechnical instrumentation                                   | 174        |
| 8.7           | Final remarks  | 174        |
| References    |  | 175        |
| Annex         |  | 193        |
| Subject index |  | 197        |