

# *Contents*

|                                                                       |             |
|-----------------------------------------------------------------------|-------------|
| <b>Preface</b>                                                        | <b>xvii</b> |
| <b>List of Contributors</b>                                           | <b>xxi</b>  |
| <br>                                                                  |             |
| <b>PART 1 COMPUTATIONAL PROCEDURES</b>                                | <b>1</b>    |
| <br>                                                                  |             |
| <b>1 Boundary element and coupled methods in geomechanics</b>         | <b>3</b>    |
| 1.1 Introduction                                                      | 3           |
| 1.2 The Boundary Element Method                                       | 3           |
| 1.2.1 Multiple regions                                                | 5           |
| 1.2.2 Modeling of joints and faults                                   | 7           |
| 1.2.3 Test example                                                    | 8           |
| 1.2.4 Practical applications                                          | 10          |
| 1.3 The Coupled Boundary Element/Finite Element Method                | 13          |
| 1.3.1 Unsymmetric coupling                                            | 15          |
| 1.3.2 Symmetric coupling                                              | 16          |
| 1.3.3 Test example                                                    | 16          |
| 1.3.4 Case study – analysis of CERN caverns                           | 17          |
| 1.4 Summary and outlook                                               | 20          |
| Acknowledgement                                                       | 20          |
| References                                                            | 20          |
| <br>                                                                  |             |
| <b>2 Computational strategies for standard soil plasticity models</b> | <b>23</b>   |
| 2.1 Introduction                                                      | 23          |
| 2.2 A note on stress and strain definitions                           | 24          |
| 2.3 Computational plasticity                                          | 25          |
| 2.3.1 Return-mapping via invariants with use of elastic secant moduli | 27          |
| 2.3.2 Tangential linearization                                        | 31          |
| 2.4 Modeling of clay                                                  | 32          |
| 2.4.1 Performance in laboratory tests                                 | 34          |
| 2.4.2 Analysis of a guided pipe-jacking                               | 36          |
| 2.5 Modeling of sand                                                  | 40          |

|               |                                                                                          |           |
|---------------|------------------------------------------------------------------------------------------|-----------|
| 2.5.1         | Performance in laboratory tests                                                          | 43        |
| 2.5.2         | Analysis of the Leaning Tower of Pisa                                                    | 45        |
| 2.6           | Conclusions                                                                              | 48        |
|               | Acknowledgements                                                                         | 48        |
|               | References                                                                               | 48        |
| <b>3</b>      | <b>An asynchronous parallel algorithm for consolidation problems</b>                     | <b>51</b> |
| 3.1           | Introduction                                                                             | 51        |
| 3.2           | Finite element formulation of the problem                                                | 52        |
| 3.3           | Parallel computing strategy                                                              | 53        |
| 3.4           | Consistency and stability of the method                                                  | 55        |
| 3.5           | Numerical examples                                                                       | 57        |
| 3.6           | Conclusion                                                                               | 62        |
|               | Acknowledgements                                                                         | 64        |
|               | References                                                                               | 64        |
| <b>4</b>      | <b>Estimation of material parameters with discontinuities for elliptic models</b>        | <b>65</b> |
| 4.1           | Introduction                                                                             | 65        |
| 4.2           | Formulation of the ROLS estimation problem                                               | 67        |
| 4.3           | Finite dimensional ROLS                                                                  | 72        |
| 4.4           | Estimation of the discontinuity                                                          | 75        |
| 4.5           | A numerical example                                                                      | 77        |
| 4.6           | Conclusions                                                                              | 85        |
|               | Appendix: Proof of the main results                                                      | 85        |
|               | References                                                                               | 87        |
| <b>PART 2</b> | <b>CONSTITUTIVE MODELING AND TESTING</b>                                                 | <b>89</b> |
| <b>5</b>      | <b>Constitutive and numerical modeling of liquefaction</b>                               | <b>91</b> |
| 5.1           | Introduction                                                                             | 91        |
| 5.2           | Mathematical framework for the dynamic behavior of saturated soil                        | 93        |
| 5.3           | Numerical (discrete) approximation procedure                                             | 95        |
| 5.4           | An adequate constitutive relationship for the material behavior                          | 96        |
| 5.4.1         | Introduction                                                                             | 96        |
| 5.4.2         | Generalized plasticity                                                                   | 98        |
| 5.4.3         | A simple model for sand liquefaction                                                     | 100       |
| 5.5           | Assessment of model performance                                                          | 106       |
| 5.6           | Parametric identification and analysis procedure                                         | 112       |
| 5.6.1         | General analysis procedure                                                               | 112       |
| 5.6.2         | Description of the precise method of determining each coefficient in the numerical model | 114       |
| 5.6.3         | Parameters identification for Pastor–Zienkiewicz mark III model                          | 116       |
| 5.7           | Validation of the numerical procedure                                                    | 116       |

|          |                                                                 |            |
|----------|-----------------------------------------------------------------|------------|
| 5.8      | Experimental set-up and results                                 | 117        |
| 5.8.1    | VELACS model no. 3                                              | 117        |
| 5.8.2    | VELACS model no. 11                                             | 120        |
| 5.9      | Discussion and conclusion                                       | 122        |
|          | References                                                      | 125        |
| <b>6</b> | <b>Viscoplasticity of geomaterials</b>                          | <b>129</b> |
| 6.1      | Introduction                                                    | 129        |
| 6.2      | Experimental foundation                                         | 130        |
| 6.3      | Compressibility/dilatancy boundary                              | 134        |
| 6.4      | Failure surface                                                 | 136        |
| 6.5      | Formulation of a viscoplastic constitutive equation             | 139        |
| 6.6      | Evolutionary damage in rocks                                    | 142        |
| 6.7      | Rectangular-like galleries                                      | 145        |
| 6.8      | Conclusions                                                     | 150        |
|          | References                                                      | 150        |
| <b>7</b> | <b>Gradient and Cosserat models: theory and computation</b>     | <b>155</b> |
| 7.1      | Introduction                                                    | 155        |
| 7.2      | Gradient and Cosserat continuum models                          | 156        |
| 7.3      | Interpretation                                                  | 159        |
| 7.4      | Cosserat and gradient elasticity                                | 161        |
| 7.5      | Laminated materials                                             | 162        |
| 7.6      | Cosserat plasticity                                             | 165        |
| 7.7      | An algorithm for Cosserat plasticity                            | 166        |
| 7.8      | Examples: shear layer and biaxial test                          | 171        |
| 7.9      | Conclusion                                                      | 176        |
|          | References                                                      | 176        |
| <b>8</b> | <b>Micromechanics of granular materials as structured media</b> | <b>179</b> |
| 8.1      | Introduction                                                    | 179        |
| 8.2      | Links between micro- and macro-variables                        | 180        |
| 8.2.1    | Micro-to-macro transformation                                   | 181        |
| 8.2.2    | Macro-to-micro hypothesis                                       | 181        |
| 8.3      | Contact law for two particle interaction                        | 183        |
| 8.4      | Stress-strain relationship of the particle assembly             | 184        |
| 8.5      | Elastic model                                                   | 185        |
| 8.5.1    | Linear elastic model                                            | 185        |
| 8.5.2    | Stress-dependent elastic model                                  | 187        |
| 8.6      | Visco-elastic and elasto-plastic models                         | 190        |
| 8.7      | Higher-order models                                             | 194        |
| 8.8      | Summary                                                         | 195        |
|          | References                                                      | 195        |

|           |                                                                                                       |            |
|-----------|-------------------------------------------------------------------------------------------------------|------------|
| <b>9</b>  | <b>Constitutive modeling for fluid-saturated porous solid by the asymptotic homogenization method</b> | <b>199</b> |
| 9.1       | Introduction                                                                                          | 199        |
| 9.2       | Formulation of the homogenization                                                                     | 200        |
| 9.2.1     | Problem setting                                                                                       | 200        |
| 9.2.2     | Asymptotic expansions with micro- and macroscopic scales                                              | 202        |
| 9.2.3     | Equations for the fluid phase                                                                         | 203        |
| 9.2.4     | Equations for the solid phase                                                                         | 205        |
| 9.2.5     | Continuity equation—mass conservation of the fluid                                                    | 206        |
| 9.2.6     | Micro- and macroscopic homogenized constitutive law                                                   | 206        |
| 9.3       | Numerical examples: micro- and macromechanical analyses                                               | 207        |
| 9.4       | Combination with Digital Image-Based Geometry Modeling Technique                                      | 211        |
| 9.5       | Conclusions                                                                                           | 213        |
|           | Acknowledgements                                                                                      | 214        |
|           | References                                                                                            | 214        |
| <b>10</b> | <b>Unified disturbed state concept and HiSS plasticity models</b>                                     | <b>217</b> |
| 10.1      | Introduction                                                                                          | 217        |
| 10.2      | Review                                                                                                | 218        |
| 10.3      | Disturbed State Concept                                                                               | 219        |
| 10.3.1    | Relative intact (RI) state of the material                                                            | 220        |
| 10.3.2    | Fully adjusted (FA) state of the material                                                             | 221        |
| 10.3.3    | Disturbance function                                                                                  | 222        |
| 10.3.4    | Strains                                                                                               | 223        |
| 10.3.5    | Stresses                                                                                              | 225        |
| 10.3.6    | Stress-strain relationship                                                                            | 226        |
| 10.3.7    | Finite element formulation                                                                            | 226        |
| 10.4      | Hierarchical single surface (HiSS) models                                                             | 227        |
| 10.4.1    | Introduction                                                                                          | 227        |
| 10.4.2    | General incremental stress-strain relationship                                                        | 228        |
| 10.4.3    | Yield function                                                                                        | 230        |
| 10.4.4    | Hardening function                                                                                    | 232        |
| 10.4.5    | Potential function                                                                                    | 233        |
| 10.4.6    | Nonvirgin loadings                                                                                    | 234        |
| 10.5      | Determination of material parameters                                                                  | 235        |
| 10.5.1    | The ultimate state constants, $\gamma$ and $\beta$                                                    | 235        |
| 10.5.2    | Phase change parameter, $n$                                                                           | 236        |
| 10.5.3    | Hardening parameters, $a_1$ and $\eta_1$                                                              | 236        |
| 10.5.4    | Disturbance function parameters, $D_u$ , $A$ and $Z$                                                  | 237        |
| 10.5.5    | Critical state parameters for FA                                                                      | 238        |
| 10.6      | Applications                                                                                          | 238        |
|           | Appendix A1: Derivation of $H^{VL}$                                                                   | 241        |
| <b>11</b> | <b>Laboratory testing for the validation of constitutive models</b>                                   | <b>247</b> |
| 11.1      | General review                                                                                        | 247        |
| 11.1.1    | Direct shear tests and devices                                                                        | 248        |

|            |                                                                                        |     |
|------------|----------------------------------------------------------------------------------------|-----|
| 11.1.2     | Simple shear tests and devices                                                         | 249 |
| 11.1.3     | Triaxial tests on solid circular cylinders                                             | 250 |
| 11.1.4     | Devices that can apply three different principal stresses to prismatic specimens       | 251 |
| 11.1.5     | Devices that can apply three different principal stresses to hollow circular cylinders | 253 |
| 11.1.6     | Summary and conclusions                                                                | 257 |
| 11.2       | The hollow cylinder test                                                               | 258 |
| 11.2.1     | Triaxial cells, loading systems and transducers                                        | 258 |
| 11.2.2     | Sample configuration and preparation                                                   | 258 |
| 11.2.3     | Stresses and strains                                                                   | 260 |
| 11.2.4     | Stress paths                                                                           | 261 |
| 11.3       | The true triaxial test with six rigid boundaries                                       | 262 |
| 11.3.1     | Stresses and strains                                                                   | 263 |
| 11.4       | Conclusions                                                                            | 263 |
| References |                                                                                        | 264 |

## **12 Nondestructive testing techniques for material characterization****267**

|                |                                           |     |
|----------------|-------------------------------------------|-----|
| 12.1           | Introduction                              | 267 |
| 12.2           | Review of some traditional NDT techniques | 268 |
| 12.2.1         | Visual inspection method                  | 268 |
| 12.2.2         | Liquid penetrant testing                  | 268 |
| 12.2.3         | Radiography                               | 268 |
| 12.2.4         | Magnetic resonance testing                | 269 |
| 12.2.5         | Eddy current technique                    | 270 |
| 12.2.6         | Thermal technique                         | 270 |
| 12.2.7         | Optical holography                        | 271 |
| 12.2.8         | Ultrasonic technique                      | 271 |
| 12.2.9         | Acoustic emission (AE) technique          | 274 |
| 12.2.10        | Acousto-ultrasonics                       | 275 |
| 12.2.11        | Moiré interferometry                      | 276 |
| 12.3           | Recent developments                       | 279 |
| 12.3.1         | Lamb wave technique                       | 279 |
| 12.3.2         | Acoustic microscopy                       | 287 |
| 12.3.3         | Ultrasonics for geologic materials        | 290 |
| 12.4           | Concluding remarks                        | 292 |
| Acknowledgment |                                           | 294 |
| References     |                                           | 294 |

## **PART 3 MODELING AND SIMULATION****299**

### **13 On the Mathematical Modeling of Certain Fundamental Elastostatic Contact Problems in Geomechanics****301**

|        |                                                |     |
|--------|------------------------------------------------|-----|
| 13.1   | Introduction                                   | 301 |
| 13.2   | The classical contact problem                  | 302 |
| 13.2.1 | Solution in terms of a complex-valued function | 304 |

|           |                                                                                                                                                  |            |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 13.2.2    | Solution in terms of Boussinesq's fundamental solutions for a halfspace region                                                                   | 306        |
| 13.2.3    | Solution based on the Hankel transform approach                                                                                                  | 309        |
| 13.3      | Extensions to the classical contact problem                                                                                                      | 312        |
| 13.3.1    | Interaction between a rigid indenter and a Mindlin force                                                                                         | 313        |
| 13.3.2    | Interaction between a rigid circular indenter and an external surface load                                                                       | 314        |
| 13.4      | The embedded indenter                                                                                                                            | 318        |
| 13.4.1    | The axial indentation of an infinite space                                                                                                       | 319        |
| 13.4.2    | Internal indentation of a halfspace                                                                                                              | 321        |
| 13.5      | Concluding Remarks                                                                                                                               | 325        |
|           | Acknowledgements                                                                                                                                 | 326        |
|           | References                                                                                                                                       | 326        |
| <b>14</b> | <b>Application of the theory of classical plasticity to the analysis of the stress distribution in wedges of a perfectly frictional material</b> | <b>329</b> |
| 14.1      | Introduction                                                                                                                                     | 329        |
| 14.2      | Elements of the theory of plasticity                                                                                                             | 330        |
| 14.2.1    | Failure                                                                                                                                          | 330        |
| 14.2.2    | Stress equations                                                                                                                                 | 331        |
| 14.2.3    | Plastic strain rates                                                                                                                             | 333        |
| 14.3      | Analysis of a granular wedge                                                                                                                     | 335        |
| 14.3.1    | Solution in the neighborhood of a branch point                                                                                                   | 339        |
| 14.3.2    | Solution in the neighborhood of a wall point                                                                                                     | 340        |
| 14.4      | A property of wedge fields                                                                                                                       | 341        |
| 14.5      | Bearing capacity of a footing on a trapezoidal embankment                                                                                        | 342        |
| 14.6      | Results                                                                                                                                          | 349        |
| 14.7      | Velocity field                                                                                                                                   | 350        |
| 14.8      | Extension field                                                                                                                                  | 352        |
| 14.9      | Conclusions                                                                                                                                      | 353        |
|           | Appendix: numerical calculations using characteristics                                                                                           | 354        |
|           | References                                                                                                                                       | 358        |
| <b>15</b> | <b>Limit analysis of foundation systems with offshore applications</b>                                                                           | <b>359</b> |
| 15.1      | Introduction                                                                                                                                     | 359        |
| 15.2      | Bearing capacity of foundation elements                                                                                                          | 361        |
| 15.2.1    | General                                                                                                                                          | 361        |
| 15.2.2    | Shallow foundations                                                                                                                              | 361        |
| 15.2.3    | Pile foundations                                                                                                                                 | 363        |
| 15.2.4    | Other approaches                                                                                                                                 | 365        |
| 15.3      | Generalized theory of limit analysis                                                                                                             | 366        |
| 15.4      | Conventional solution procedures                                                                                                                 | 368        |
| 15.4.1    | Three-dimensional finite element analysis                                                                                                        | 368        |
| 15.4.2    | Simplified individual foundation analysis                                                                                                        | 369        |
| 15.4.3    | Intermediate analysis approaches                                                                                                                 | 369        |
| 15.5      | Limit analysis solution procedures                                                                                                               | 369        |



|           |                                                                                   |            |
|-----------|-----------------------------------------------------------------------------------|------------|
| 15.6      | Implementation with examples                                                      | 373        |
| 15.6.1    | Shallow foundations                                                               | 373        |
| 15.6.2    | Pile foundations                                                                  | 377        |
| 15.7      | Applications to practical design and analysis                                     | 381        |
| 15.8      | Conclusions                                                                       | 383        |
|           | Appendix A                                                                        | 383        |
|           | Appendix B                                                                        | 385        |
|           | Appendix C                                                                        | 386        |
|           | References                                                                        | 387        |
| <b>16</b> | <b>Modeling of interfaces and joints</b>                                          | <b>389</b> |
| 16.1      | Introduction                                                                      | 389        |
| 16.2      | Review of interface models                                                        | 390        |
| 16.2.1    | Thin-layer element                                                                | 393        |
| 16.3      | Constitutive relationships for interfaces                                         | 395        |
| 16.3.1    | Ramberg–Osgood nonlinear elastic model                                            | 395        |
| 16.3.2    | Mohr–coulomb model                                                                | 398        |
| 16.3.3    | Hierarchical single surface (HiSS) model                                          | 399        |
| 16.4      | Back Predictions                                                                  | 403        |
| 16.4.1    | Back predictions with Ramberg–Osgood model                                        | 403        |
| 16.4.2    | Back predictions with Mohr–Coulomb model                                          | 403        |
| 16.4.3    | Back predictions with HiSS model                                                  | 404        |
| 16.5      | Applications                                                                      | 408        |
| 16.5.1    | Verification problems                                                             | 408        |
| 16.5.2    | Application to problems with field observations                                   | 413        |
| 16.6      | Summary and conclusions                                                           | 421        |
|           | References                                                                        | 422        |
| <b>17</b> | <b>Dynamic soil-structure interaction during seismic events</b>                   | <b>427</b> |
| 17.1      | Introduction                                                                      | 427        |
| 17.2      | State of practice                                                                 | 428        |
| 17.2.1    | Computer code SHAKE                                                               | 430        |
| 17.2.2    | Computer code LPILE                                                               | 431        |
| 17.2.3    | A current seismic code: ATC-32                                                    | 431        |
| 17.3      | State-of-the-art                                                                  | 432        |
| 17.3.1    | A fully coupled analysis: computer code DYSAC2                                    | 433        |
| 17.4      | Example problem and analyses                                                      | 435        |
| 17.4.1    | Free field analyses                                                               | 435        |
| 17.4.2    | Uncoupled analyses of the structure and the foundation                            | 445        |
| 17.4.3    | Fully coupled analysis using DYSAC2                                               | 447        |
| 17.5      | Conclusions and recommendations                                                   | 459        |
|           | References                                                                        | 464        |
| <b>18</b> | <b>Dynamics of rigid pavements including vehicle-pavement interaction effects</b> | <b>467</b> |
| 18.1      | Introduction                                                                      | 467        |
| 18.2      | Finite element model                                                              | 469        |

|           |                                                                                                    |            |
|-----------|----------------------------------------------------------------------------------------------------|------------|
| 18.2.1    | Dynamic interaction between pavement-moving vehicle/aircraft                                       | 471        |
| 18.2.2    | Solution scheme                                                                                    | 473        |
| 18.3      | Modeling of jointed pavements                                                                      | 476        |
| 18.3.1    | Contact element model for dowel joints                                                             | 478        |
| 18.3.2    | Modeling of longitudinal joints                                                                    | 480        |
| 18.3.3    | Solution scheme for contact algorithm                                                              | 480        |
| 18.4      | Verification                                                                                       | 481        |
| 18.5      | Application to pavement without joints                                                             | 481        |
| 18.6      | Application to jointed pavements                                                                   | 485        |
| 18.7      | Conclusions                                                                                        | 489        |
|           | Acknowledgements                                                                                   | 490        |
|           | References                                                                                         | 490        |
| <b>19</b> | <b>A Practical modeling technique for assessing potential contaminant impacts due to landfills</b> | <b>493</b> |
| 19.1      | Introduction                                                                                       | 493        |
| 19.2      | Finite layer theory                                                                                | 494        |
| 19.2.1    | 1-D conditions                                                                                     | 494        |
| 19.2.2    | 2-D conditions                                                                                     | 496        |
| 19.3      | Application of 1-D finite layer theory to examine the impact due to a hypothetical landfill        | 498        |
| 19.3.1    | Base case                                                                                          | 500        |
| 19.3.2    | Better than specified liner                                                                        | 500        |
| 19.3.3    | Predicted impacts: chloride                                                                        | 500        |
| 19.3.4    | Contaminant transport modeling: failure of primary leachate collection system (Case 2)             | 502        |
| 19.3.5    | Contaminant transport modeling: termination of operation of PLCS and HCL (Case 3)                  | 502        |
| 19.4      | Conclusions                                                                                        | 503        |
|           | Acknowledgement                                                                                    | 503        |
|           | References                                                                                         | 503        |
| <b>20</b> | <b>Finite element analysis of free surface seepage flows</b>                                       | <b>505</b> |
| 20.1      | Introduction                                                                                       | 505        |
| 20.2      | Governing equations and boundary conditions                                                        | 506        |
| 20.3      | Finite element formulation of the confined problem                                                 | 509        |
| 20.4      | Some variable mesh techniques for unconfined analysis                                              | 510        |
| 20.4.1    | Steady state case                                                                                  | 510        |
| 20.4.2    | Transient conditions                                                                               | 511        |
| 20.5      | 'Fixed' mesh approaches                                                                            | 514        |
| 20.5.1    | Variable permeability approach                                                                     | 514        |
| 20.5.2    | Residual flow procedure                                                                            | 515        |
| 20.6      | Some alternative solution approaches                                                               | 517        |
| 20.7      | Position of the seepage point in variable mesh analyses                                            | 519        |
| 20.8      | Concluding remarks                                                                                 | 522        |
|           | Acknowledgements                                                                                   | 523        |
|           | References                                                                                         | 523        |



|           |                                                                                  |            |
|-----------|----------------------------------------------------------------------------------|------------|
| <b>21</b> | <b>Simulating fully 3-D hydraulic fracturing</b>                                 | <b>525</b> |
| 21.1      | Introduction                                                                     | 525        |
| 21.2      | Background                                                                       | 526        |
| 21.3      | Model representation                                                             | 528        |
| 21.3.1    | Representational model of fracture propagation                                   | 528        |
| 21.3.2    | Solid modeling for crack growth simulations                                      | 529        |
| 21.3.3    | Computational topology as a framework for crack growth simulation                | 530        |
| 21.3.4    | Meshing, crack growth and model update functions                                 | 532        |
| 21.4      | The physics and mechanics of hydraulic fracturing                                | 533        |
| 21.4.1    | Elastic stress analysis                                                          | 533        |
| 21.4.2    | Fluid flow                                                                       | 533        |
| 21.5      | Finite element implementation of fluid flow coupled with the structural response | 537        |
| 21.5.1    | Finite element formulation of fluid flow equation                                | 537        |
| 21.5.2    | Element not adjacent to $\Gamma$                                                 | 538        |
| 21.5.3    | Element adjacent to $\Gamma$                                                     | 539        |
| 21.5.4    | Coupling with the structural response of the rock                                | 540        |
| 21.6      | Extensions to the model and formulation                                          | 541        |
| 21.6.1    | Introduction of leak-off                                                         | 542        |
| 21.7      | Solution procedure                                                               | 544        |
| 21.7.1    | Computing the solution for a particular model                                    | 544        |
| 21.7.2    | Special case for the first time stage                                            | 546        |
| 21.8      | Verification and validation                                                      | 547        |
| 21.8.1    | Modeling hydraulic fractures of simple geometries                                | 547        |
| 21.8.2    | Modeling experimental data                                                       | 549        |
| 21.9      | Conclusions                                                                      | 553        |
|           | Acknowledgements                                                                 | 554        |
|           | References                                                                       | 555        |
| <br>      |                                                                                  |            |
| <b>22</b> | <b>The Theory of anisotropic poroelasticity with applications</b>                | <b>559</b> |
| 22.1      | Introduction                                                                     | 559        |
| 22.2      | Theory of anisotropic poroelasticity                                             | 560        |
| 22.2.1    | Constitutive law                                                                 | 560        |
| 22.2.2    | Continuum mechanics coefficients                                                 | 560        |
| 22.2.3    | Micromechanical coefficients                                                     | 562        |
| 22.2.4    | Unjacketed hydrostatic test                                                      | 564        |
| 22.2.5    | Transverse isotropy                                                              | 564        |
| 22.2.6    | Governing equations                                                              | 566        |
| 22.3      | The Mandel problem                                                               | 567        |
| 22.3.1    | Problem definition                                                               | 567        |
| 22.3.2    | Field equations                                                                  | 569        |
| 22.3.3    | Solution                                                                         | 570        |
| 22.3.4    | Examples                                                                         | 571        |
| 22.4      | Borehole problem                                                                 | 574        |
| 22.4.1    | Problem description                                                              | 574        |
| 22.4.2    | Solution for problem I                                                           | 576        |

|           |                                                                                     |            |
|-----------|-------------------------------------------------------------------------------------|------------|
| 22.4.3    | Solution for problem II                                                             | 579        |
| 22.4.4    | Solution for problem III                                                            | 580        |
| 22.4.5    | Final solution                                                                      | 580        |
| 22.4.6    | Examples                                                                            | 580        |
| 22.5      | Cylinder problem                                                                    | 583        |
| 22.5.1    | Problem description                                                                 | 583        |
| 22.5.2    | Solution for asymmetric problem                                                     | 585        |
| 22.5.3    | Solution for axisymmetric problem                                                   | 586        |
| 22.5.4    | Examples                                                                            | 588        |
| 22.6      | Conclusion                                                                          | 591        |
|           | Acknowledgements                                                                    | 591        |
|           | References                                                                          | 591        |
| <b>23</b> | <b>Modeling fluid flow and rock deformation in fractured porous media</b>           | <b>595</b> |
| 23.1      | Introduction                                                                        | 595        |
| 23.2      | Assumptions                                                                         | 597        |
| 23.3      | Mathematical formulation                                                            | 599        |
| 23.3.1    | Single-porosity poroelasticity                                                      | 599        |
| 23.3.2    | Dual-porosity poroelasticity                                                        | 600        |
| 23.3.3    | Triple-porosity poroelasticity                                                      | 601        |
| 23.3.4    | Multi-porosity poroelasticity                                                       | 602        |
| 23.4      | Parametric analysis                                                                 | 602        |
| 23.4.1    | Single-porosity poroelasticity                                                      | 603        |
| 23.4.2    | Dual-porosity poroelasticity                                                        | 605        |
| 23.5      | Numerical schemes                                                                   | 610        |
| 23.5.1    | Steady state analysis                                                               | 610        |
| 23.5.2    | Transient analysis                                                                  | 612        |
| 23.6      | Applications                                                                        | 617        |
| 23.6.1    | Underground mining                                                                  | 617        |
| 23.6.2    | Tunnel stability                                                                    | 619        |
| 23.7      | Conclusions                                                                         | 622        |
|           | Acknowledgements                                                                    | 623        |
|           | References                                                                          | 623        |
| <b>24</b> | <b>Models for uncertainty and its propagation with applications to geomechanics</b> | <b>627</b> |
| 24.1      | Introduction                                                                        | 627        |
| 24.2      | Uncertainty in geomechanics                                                         | 629        |
| 24.2.1    | Characterizing uncertainty in geomechanics                                          | 630        |
| 24.3      | Review of probabilistic concepts                                                    | 634        |
| 24.3.1    | Mathematical characterization of random variables                                   | 635        |
| 24.4      | The stochastic finite element method                                                | 640        |
| 24.4.1    | Overview                                                                            | 640        |
| 24.4.2    | Connection to Monte Carlo simulation and hybrid implementations                     | 642        |
| 24.4.3    | Material nonlinearities                                                             | 646        |

|           |                                                |            |
|-----------|------------------------------------------------|------------|
| 24.5      | Decision support                               | 648        |
| 24.5.1    | Probabilistic characterization of the solution | 649        |
| 24.5.2    | Optimal sampling locations                     | 649        |
| 24.6      | Conclusions                                    | 650        |
|           | Acknowledgements                               | 651        |
|           | References                                     | 651        |
| <b>25</b> | <b>Natural slopes in slow movement</b>         | <b>653</b> |
| 25.1      | Introduction                                   | 653        |
| 25.2      | Landslide as a 3-D viscous flow                | 654        |
| 25.2.1    | Incompressible one-phase body                  | 654        |
| 25.2.2    | Compressible two-phase body                    | 662        |
| 25.2.3    | Comments on the viscous flow models            | 663        |
| 25.3      | Landslide as an elasto-viscoplastic 2-D body   | 663        |
| 25.3.1    | Overview                                       | 663        |
| 25.3.2    | General assumptions and constitutive laws      | 664        |
| 25.3.3    | Evaluation of material parameters              | 665        |
| 25.3.4    | Numerical model                                | 666        |
| 25.3.5    | Case studies                                   | 668        |
| 25.3.6    | Comments on the elasto-viscoplastic model      | 669        |
| 25.4      | Prediction with neural networks                | 669        |
| 25.4.1    | Main idea                                      | 669        |
| 25.4.2    | Configuration of the neural network            | 670        |
| 25.4.3    | Training and prediction                        | 671        |
| 25.4.5    | Comments on neural network models              | 673        |
| 25.5      | Concluding remarks                             | 673        |
|           | Acknowledgements                               | 674        |
|           | References                                     | 674        |
| <b>26</b> | <b>Reliability and stability of slopes</b>     | <b>677</b> |
| 26.1      | Introduction                                   | 677        |
| 26.2      | Reliability theory                             | 678        |
| 26.3      | Uncertainty in the parameters                  | 680        |
| 26.4      | Computational procedures                       | 681        |
| 26.5      | An example using the culmann method            | 682        |
| 26.5.1    | Monte Carlo simulation                         | 683        |
| 26.5.2    | First order second moment                      | 684        |
| 26.5.3    | Hasofer-Lind                                   | 684        |
| 26.5.4    | Point estimate method                          | 685        |
| 26.5.5    | Summary of numerical results                   | 685        |
| 26.5.6    | An exact case                                  | 686        |
| 26.6      | Application to earthquake hazard               | 686        |
| 26.7      | Conclusions                                    | 687        |
|           | References                                     | 687        |