

Contents

1. Introduction.....	13
2. Brascamp–Lieb inequalities in a geometric context	17
2.1. Motivation and formulation of the inequality	17
2.2. The proof	19
2.3. Consequences of the Brascamp–Lieb inequality	23
2.4. Notes and comments	26
3. Borell and Prékopa–Leindler type inequalities. Ball’s bodies	27
3.1. Brunn–Minkowski inequality	27
3.2. Functional version of the Brunn–Minkowski inequality	29
3.3. Functional version of the Blaschke–Santaló inequality	33
3.4. Borell and Ball functional inequalities.....	35
3.5. Consequences in convex geometry	37
3.6. Notes and comments	43
4. Concentration of measure. Dvoretzky’s Theorem.....	45
4.1. Isoperimetric problem	45
4.2. Concentration inequalities.....	47
4.3. Dvoretzky’s Theorem	53
4.4. Comparison of moments of a norm of a Gaussian vector	57
4.5. Notes and comments	59
5. Reverse Hölder inequalities and volumes of sections of convex bodies.....	60
5.1. Berwald’s inequality and its extensions.....	60
5.2. Some concentration inequalities.....	68
5.3. Kahane–Khinchin type inequalities	69
5.4. Notes and comments	70
6. Concentration of mass of a log-concave measure	72
6.1. The result	72
6.2. Z_p -bodies associated with a measure.....	73
6.3. The final step.....	79
6.4. Notes, comments and further reading.....	80
References	82

Contents

1. General plan	91
2. Short introduction	93
2.1. Main definitions and facts	93
2.2. Steiner symmetrization	95
2.3. Brunn–Minkowski inequality	97
3. Duality and volume, the first look	102
3.1. $\mathbb{R}^2$ case	104
3.2. Unconditional case	106
3.3. Local minimum	109
4. Zonoids and zonotopes	121
4.1. Mahler conjecture: case of zonoids	123
5. Radon and Cosine transforms	126
6. Local and equatorial characterizations of zonoids	132
6.1. A motivating example	133
6.2. Local equatorial characterization	135
6.3. Local characterization	138
7. What information can uniquely determine a convex body?	141
7.1. Questions of Bonnensen and Klee	143
8. Isomorphic version of the Mahler conjecture	149
9. Part I. Main Idea: application of the Paley–Wiener Theorem	152
10. Part II. Adjustment of the main idea to the Bergman space $A^2(T_K)$	154
10.1. Rothaus–Korányi–Hsin formula for the reproducing kernel in T_K	154
10.2. Estimates related to the Bergman kernel in the tube domain	154
11. Part III. Auxiliary construction	157
11.1. Construction of the plurisubharmonic ϕ on T_K	157
11.2. Construction of the Mexican-hat function g supported on $K_{\mathbb{C}}$	158
12. Part IV. Construction of the analytic function F	160
12.1. Almost exact lower bound on $v_{2n}(K_{\mathbb{C}})\mathcal{H}(0,0)$	160
12.2. Exact lower bound on $v_{2n}(K_{\mathbb{C}})\mathcal{H}(0,0)$. The tensor power trick	161

Appendices

A. Paley–Wiener Theorem 162

B. Bergman spaces..... 164

 B.1. Reproducing kernel 164

C. Hörmander Theorem and some of its applications 166

 C.1. Convexity and pseudo-convexity 166

 C.2. Formulation of the Hörmander Theorem 170

 C.3. From subharmonic to analytic. Examples in the case $n = 1$ 171

 C.4. Non-trivial $F = F(\phi, g)$ obtained by applying the Hörmander Theorem
 in T_K 173

D. Proof of Hörmander’s Theorem 175

References 179