

Contents

Preface — VII

Introduction — 1

Section A

Chapter 1

Analytical reagents having oxygen (O) as donor atom — 47

- 1.1 Naphthols — 47
 - 1.1.1 1-(2-Imidazolylazo)-2-naphthol-4-sulfonic acid — 47
 - 1.1.2 1-(2-Pyridylazo)-2-naphthol — 47
 - 1.1.3 1-Nitroso-2-naphthol — 49
 - 1.1.4 1-(2-Thiazolylazo)-2-naphtholin — 49
 - 1.1.5 2,7-Bi(5-carboxy-1,3,4-triazole)-1-amino-8-naphthol-3,6-disulfonic acid (BCTAHA) — 50
- 1.2 Resorcinol — 51
 - 1.2.1 4-(2-Thiazolylazo)resorcinol — 51
 - 1.2.2 4-(2-Pyridylazo)-resorcinol disodium salt dihydrate (PAR) — 51
- 1.3 Phenylfluorones — 52
 - 1.3.1 o-Nitrophenylfluorone — 52
 - 1.3.2 o-Bromophenylfluorone — 52
 - 1.3.3 2,4-Dichloro-phenylfluorone — 52
 - 1.3.4 5'-Nitrosalicylfluorone — 52
 - 1.3.5 Phenylfluorone (PF) — 53
- 1.4 Picramazo — 53
 - 1.4.1 Picramazo[3-(2-hydroxy-3,5-dinitrophenyl)azo-4,5-dihydroxy-2,7-Naphthyldisulfonic acid] — 53
- 1.5 Phenol and bromo phenols — 54
 - 1.5.1 Sulfochlorophenol S (SCPS) — 54
 - 1.5.2 Bromophenol blue (BPB) — 54
 - 1.5.3 4-(2,6-Diamino-4-pyrimidylazo)phenol (DAPP) — 54
 - 1.5.4 Chlorosulfophenol S (CS) — 55
 - 1.5.5 2-(5-Nitro-2-pyridylazo)-5-[N-propyl-N-(3-sulfopropyl)amino]phenol (nitro-PAPS) — 55
 - 1.5.6 2,2'-[Ethane-1,2-diylbis[nitrilo-methylidene]]bis(4-bromophenol) — 55
 - 1.5.7 2-[[4-(1,3-Benzimidazole-2-yl)Ph]imino]-5-nitrophenols — 56
 - 1.5.8 2,6-Dithiol-4-ethylphenol (DTEP) — 56
- 1.6 Miscellaneous reagents — 56

- 1.6.1 Thenoyltrifluoroacetone (TTA) — 56
- 1.6.2 *p*-Anisidine — 57
- 1.6.3 Ascorbic acid — 57
- 1.6.4 Sulfosalicylic acid — 57
- 1.6.5 Naphthazarin (5,8-dihydroxy-1,4-naphthoquinone; Naph) — 58
- 1.6.6 Dextran — 58
- 1.6.7 Sodium pyrogallol-5-sulfonate (PS) — 58
- 1.6.8 Arabinogalactan — 59
- 1.6.9 Hydroquinone — 59
- 1.6.10 *N,N*-Diethyl-*p*-phenylenediamine and thymoquinone — 59
- 1.6.11 Bromocresol purple and neutral red — 60
- 1.6.12 6,7-Dihydroxy-4-methyl-2-phenylbenzopyrilium chloride — 60
- References — 61

Chapter 2

Analytical reagents having nitrogen (N) as donor atom — 65

- 2.1 Triazenes — 65
- 2.1.1 1-(4-Nitrophenyl)-3-(2-benzothiazol)triazene — 65
- 2.1.2 1-Azobenzene-3-(6-methoxy-2-benzothiazolyl)triazene — 65
- 2.2 Hydrazones — 65
- 2.2.1 Bis(cyclohexanone)oxalyldihydrazone — 65
- 2.2.2 *N,N'*-Oxalylbis(salicylaldehydehydrazone) — 66
- 2.2.3 *N,N'*-Oxalylbis(2-pyridyl-3'-sulfo benzoylhydrazone) — 67
- 2.2.4 *p*-Dimethylaminobenzaldehydebenzothiazolylhydrazone (DBBH) — 67
- 2.2.5 2,4-Dihydroxybenzophenone benzoic hydrazone (DHBPBH) — 67
- 2.2.6 *p*-Methylisonitrosoacetophenonehydrazone — 68
- 2.2.7 α -(2-Benzimidazolyl)- α' , α'' -(*N*-5-nitro-2-pyridylhydrazone) toluene — 68
- 2.2.8 2-Hydroxy-1-naphthaldehyde benzoylhydrazone (OHNABH) — 68
- 2.2.9 Picolinaldehydenicotinoylhydrazone (PANH) — 68
- 2.2.10 Di-2-pyridylketone benzoylhydrazone (dPKBH) — 69
- 2.2.11 2,5-Dihydroxyacetophenonebenzoic hydrazone — 69
- 2.2.12 3-Methoxy-4-hydroxybenzaldehyde-4-bromophenylhydrazone (3,4-MHBBPH) — 69
- 2.2.13 Diacetylmonoxime-4-hydroxybenzoylhydrazone (DM-4-HBH) — 70
- 2.2.14 2,4-dimethoxy-4-hydroxybenzaldehydebenzoylhydrazone (DMBBH) — 70
- 2.2.15 3,5-Dimethoxy-4-hydroxy benzaldehydebenzoylhydrazone (DMBBH) — 71
- 2.2.16 2,3,4-Trihydroxy acetophenonephenylhydrazone (THAPPH) — 71
- 2.2.17 2-Hydroxynaphthaldehydebenzoyl hydrazone (HNABH) — 71

2.2.18	Salicylsalicylicacidhydrazone (SSAH) — 72
2.2.19	Salicylaldehydebenzoylhydrazone (SAL-BH) — 72
2.2.20	Salicylaldehyde acetylhydrazone (SAAH) — 73
2.2.21	5-Bromo-2-hydroxy-3-methoxybenzaldehyde-p-hydroxybenzoichydrazone — 73
2.2.22	Diacetylmonoxime-3-amino-4-hydroxy benzoyl hydrazone (DMAHBH) — 73
2.2.23	<i>N'',N'''</i> -Bis[(E)-(4-fluorophenyl)methylidene]thiocarbonohydrazide [bis(4-fluoroPM)TCH] — 74
2.2.24	Pyridine-2-acetaldehyde benzoylhydrazone — 74
2.2.25	Furfuraldehyde fluorescein diacetate hydrazone (FFDH) and furfuraldehyde fluorescein hydrazone (FFH) — 75
2.3	Aminoquinolines — 75
2.3.1	5- <i>p</i> -(Methylphenylazo)-8-aminoquinoline (<i>p</i> -MPAQ) — 75
2.3.2	5-(3-Carboxyphenylazo)-8-aminoquinoline (<i>m</i> -CPAQ) — 75
2.3.3	5-(4-Sulfophenylazo)-8-aminoquinoline [SPA] — 76
2.4	Porphyrins — 76
2.4.1	meso-Tetrakis-(4-methoxyphenyl)-porphyrin (TMOPP) — 76
2.4.2	5-[4- <i>N</i> -(<i>p</i> -chloro)-benzylammonium pyridyl]-10,15,20-tris(4- <i>N</i> -pyridyl) porphyrin chloride — 77
2.5	Porphines — 77
2.5.1	meso-Tetra-(4-methoxyphenyl-3-sulfo) porphine — 77
2.5.2	3,8,13,18-Tetramethyl-21H,23H-porphine-2,7,12,17-tetrapropionic acid — 77
2.5.3	meso-Tetrakis(4-sulfonic acid phenyl)porphine (TPPS4) — 78
2.5.4	(5,10,20-Tetra-Ph-21H,23H-porphin tetrasulfonic acid) — 78
2.6	Azobenzenes — 78
2.6.1	<i>O</i> -Iodobenzenediazoaminobenzene- <i>p</i> -azobenzene (OIDAA) — 78
2.6.2	Dibromocarboxylbenzenediazoaminoazobenzene (DB- <i>O</i> -CDAA) — 78
2.6.3	4-(2,3-Dihydro-1,4-phthalazinedione-5-triazeno)azobenzene (PTAB) — 79
2.7	Ethylenediamine salt (en)class — 79
2.7.1	Bis(acetylacetone)ethylenediiminate — 79
2.7.2	<i>N,N</i> -Dimethyl- <i>N'</i> -(2-hydroxybenzyl)ethylenediamine (HL) — 79
2.7.3	<i>N,N'</i> -bis (salicylidene)ethylenediamine (Salen) — 80
2.8	Cetyltrimethylammonium bromides (CTMAB) — 80
2.9	Bis(cyclohexanone)oxalyldihydrazones (BCO) — 81
2.10	Leucocrystal violet reagents — 82
2.11	Miscellaneous reagents — 83
2.11.1	DBC-arsenazo — 83
2.11.2	Eriochrome blue black R (EBBR) — 83
2.11.3	Ethylviolet — 83

- 2.11.4 *N*-Ethyl-2-naphthylamine (NENA) — 83
- 2.11.5 Thiazolylazoacetylacetone(TAA) — 84
- 2.11.6 VBB — 84
- 2.11.7 3,3',5,5'-Tetramethyl benzidine (TMB) — 84
- 2.11.8 Azure B — 85
- 2.11.9 Acridine yellow and fuchsin acid — 85
- 2.11.10 Methyl violet — 85
- 2.11.11 *N*-(Phenyl)-2-thioquinaldinamide (TQA) — 86
- 2.11.12 2-(2-Quinolinyloxy)-5-dimethylaminoaniline (QADMAA) — 86
- References — 91

Chapter 3

Analytical reagents having nitrogen (N) and oxygen (O) as donor atoms — 97

- 3.1 Semicarbazones — 97
 - 3.1.1 4-Chloroisitonrosoacetophenonesemicarbazone — 97
 - 3.1.2 Monosemicarbazone — 97
 - 3.1.3 4-Chlorobenzaldehyde semicarbazone — 97
- 3.2 Alkylaminobenzoic acids — 97
 - 3.2.1 2-[2'-(6-Methyl-benzothiazolyl)azo]-5-dimethylaminobenzoic acid (MBTAMB) — 97
 - 3.2.2 2-[2-(4-Methylbenzothiazolyl)azo]-5-dimethylaminobenzoic acid (4-Me-BTAMB) — 98
 - 3.2.3 2-(2-Benzothiazolylazo)-5-diethylaminobenzoic acid (BTAEB) — 98
 - 3.2.4 2-Aminocyclopentene-1-dithiocarboxylic acid — 98
- 3.3 Hydroxytriazenes — 99
 - 3.3.1 3-Hydroxy-3-phenyl-1-*p*-carboxyphenyltriazene — 99
 - 3.3.2 3-Hydroxy-3-propyl-1-*p*-tolyltriazene — 99
 - 3.3.3 3-Hydroxy-3-methyl-1-*p*-methoxyphenyltriazene — 99
 - 3.3.4 3-Hydroxy-3-*m*-tolyl-1-*o*-chlorophenyltriazene — 100
 - 3.3.5 3-Hydroxy-3-*m*-tolyl-1-*p*-sulfonato (Na-Salt) phenyltriazene — 100
 - 3.3.6 3-Hydroxy-3-methyl-1-(4-sulfonamidophenyl) triazene — 100
- 3.4 Isonicotinoyl hydrazones and isonicotinoyl hydrazides — 100
 - 3.4.1 2-Pyridine carboxaldehyde isonicotinoyl hydrazones (2-PYAINH) — 100
 - 3.4.2 2-Hydroxy-5-methylacetophenoneisonicotinoyl hydrazone (HMAINH) — 101
 - 3.4.3 *N*'-(1-(pyridin-2-yl)ethylidene)isonicotinohydrazide (ACPINH) — 101
 - 3.4.4 *o*-Hydroxyacetophenoneisonicotinoylhydrazone (OHAPINH) — 101
- 3.5 Oximes — 102
 - 3.5.1 2-Hydroxy-4-*n*-propoxybenzophenone oxime (I) — 102
 - 3.5.2 2-Hydroxy-4-*n*-butoxyacetophenone oxime — 102
 - 3.5.3 Dehydroacetic acid oxime (DAO) — 103

- 3.5.4 3-Isonitroso-5-methyl-2-hexanone (HIMH) and 5-methyl-2,3-hexanedione dioxime (H₂MHDDO) — **103**
- 3.5.5 4-Methylbenzaldehydeoxime — **103**
- 3.5.6 Chloro-(phenyl)glyoxime — **103**
- 3.5.7 1,2-Propanedione-1-phenyl-1-(2-hydroxy-5-bromobenzilidineaazine)-2-oxime (PDPHBBAO) — **104**
- 3.5.8 Hydroxy oximes — **104**
- 3.6 Rhodamines — **104**
- 3.7 Aminophenols — **105**
- 3.7.1 5-Br-PADAP — **105**
- 3.7.2 *o*-Aminophenol — **106**
- 3.7.3 2-(5-Nitro-2-pyridylazo)-5-[*N*-propyl-*N*-(3-sulfopropyl)amino]phenol (nitro-PAPS) — **106**
- 3.7.4 2-(2-Thiazolylazo)-5-sulfopropylaminophenol (TASPAP) — **107**
- 3.7.5 *N*-(*o*-Methoxybenzaldehyde)-2-aminophenol (NOMBAP) — **107**
- 3.8 Cuproines — **108**
- 3.8.1 Diethyldithiocarbonate (cuproine) — **108**
- 3.8.2 Bathocuproine — **108**
- 3.8.3 Neocuproine (2,9-dimethyl-1,10-phenanthroline) — **108**
- 3.8.4 Bathocuproine disulfonic acid — **109**
- 3.9 Miscellaneous — **109**
- 3.9.1 *N-p*-Nitro-(2-mercapto)propionanilide — **109**
- 3.9.2 Cinnamoylhydroxamic acid (CHx) — **110**
- 3.9.3 Dibromocarboxyarsenazo — **110**
- 3.9.4 Cupron — **110**
- 3.9.5 1,5-Di(2-hydroxy-5-bromophenyl)-3-cyano formazan (HBPCF) — **111**
- 3.9.6 Tetra, penta and hexaglycine — **111**
- 3.9.7 1,5-Diazacycloctane-1,5-bis(*N*-methylacetohydroxamic acid) (DACOD-MAHA) — **111**
- 3.9.8 2-(2'-Quinolineazo)-4,5-dimethylhydroxybenzene (QADMP) — **111**
- 3.9.9 Xylenol orange (XO) — **112**
- 3.9.10 Cyclohexyldiamine tetra acetic acid (CyDTA) — **112**
- 3.9.11 Sulfanilic acid — **112**
- 3.9.12 SALAAP — **112**
- 3.9.13 Dibromocarboxyarsenazo (DBKKA) — **113**
- 3.9.14 Isonitroso-*p*-methoxyacetophenone (HIMAP) — **113**
- 3.9.15 Alanine — **113**
- 3.9.16 8-Hydroxyquinoline (8-Ox) — **114**
- 3.9.17 *p*-Acetylchlorophosphonazo (CPApA) — **114**
- 3.9.18 1-Nitroso-2-naphthol-3,6-disulfonic acid — **114**
- 3.9.19 Amino acid (isoleucine) — **114**
- 3.9.20 8-Hydroxyquinoline — **115**

3.9.21	Light green SF — 115
3.9.22	3,5-DiBr-DMPAP — 115
3.9.23	Ammonium purpurate (murexide) — 116
3.9.24	<i>N</i> -(<i>o</i> -hydroxybenzylidene)pyridine-2-amine (NOHBPA) — 116
3.9.25	4-(2'-Benzothiazolylazo)-salicylic acid (BTAS) — 116
3.9.26	5-(4-Nitrophenylazo) salicylic acid (NPAS) — 117
3.9.27	1-(2',4'-Dinitroaminophenyl)-4,4,6-trimethyl-1,4-dihydropyrimidine-2-thiol [2',4'-dinitro APTPT] — 117
3.9.28	Fluoxetine hydrochloride (FX), fluvoxamine maleate (FV) — 117
3.9.29	Indigo carmine — 118
3.9.30	5-{ α -Methyl-3-hydroxy benzylidene} rhodanine — 118
3.9.31	Schiff base (salicylaldehyde-adenine) — 119
3.9.32	Dibromo- <i>p</i> -chloro-chlorophosphonazo (DBC-CPA) — 119
3.9.33	Nicotinohydroxamic acid — 119
3.9.34	1-(2,4-Dimethylphenyl) azonaphthalen-2-ol (Sudan II) — 120
3.9.35	[<i>N</i> -(<i>o</i> -Hydroxybenzylidene)-4-Me aniline] (NOHBMA) — 120
3.9.36	Esomeprazole — 120
3.9.37	3-Benzothiazol-2-diazenylnaphthalene-2,7-diol] — 121
3.9.38	<i>o</i> -Vanillidine-2-amino-4-ethylbenzothiazole (VEBT) — 121
3.9.39	Hydroxy-3-[(2-hydroxyl phenyl) methylene amino] benzene sulfonic acid(II)(HVMAB) — 121
3.9.40	2-[(4-Antipyrinyl)azo]imidazole — 122
3.9.41	2-[6-Nitro-2-benzothiazolylazo]-4-hydroxy benzoic acid (NO2 BTAHB) — 122
	References — 123

Chapter 4

Analytical reagents having nitrogen (N) and sulfur (S) as donor atoms — 129

4.1	Thiosemicarbazones — 129
4.1.1	Thiophenealdehyde 4-phenyl-3-thiosemicarbazone (TPS) — 129
4.1.2	<i>N</i> -Salicylidenethiosemicarbazone — 129
4.1.3	2,4-Dihydroxy-5-bromoacetophenone thiosemicarbazone (DHBAT) — 129
4.1.4	Thiosemicarbazone of 2-carboxybenzaldehyde (2CBTSC) — 130
4.1.5	2-H-Benzopyron-2-one-3-acetylthiosemicarbazone (BPAT) — 130
4.1.6	Iso-nitrosopropiophenone thiosemicarbazone (HINPTC) — 130
4.1.7	Diacylmonoxime-4-phenyl-3-thiosemicarbazone — 131
4.1.8	4-Chlorochalcone thiosemicarbazone — 131
4.1.9	2-Acetylthiophene-4-phenyl-3-thiosemicarbazone (ATPT) — 131
4.1.10	9-Ethyl-3-carbazolecarboxaldehyde-thiosemicarbazone (ECCAT) — 131
4.1.11	Thiosemicarbazone of citral — 132
4.1.12	2-Acetylthiophene thiosemicarbazone (ATT) — 132

4.1.13	1-Phenyl-1,2-propanedione-2-oxime thiosemicarbazone (PPDOT) — 132
4.1.14	Acetophenone- <i>p</i> -chlorophenylthiosemicarbazone (A- <i>p</i> -CIPT) — 133
4.1.15	3-Hydroxybenzaldehyde thiosemicarbazones (HBT) — 133
4.1.16	<i>N</i> -Ethyl-3-carbazolecarboxaldehyde-3-thio-semicarbazone (ECCT) — 133
4.1.17	5-Bromo salicylaldehydethiosemicarbazone (5-BSAT) — 134
4.1.18	4-Hydroxy benzaldehyde thiosemicarbazone (4-HBTS) — 134
4.1.19	2-Acetylfuran thiosemicarbazone (AFT) — 134
4.1.20	2-Acetylpyridine-4-methyl-3-thiosemicarbazone (APMT) — 134
4.1.21	4-[<i>N,N</i> -(Dimethyl)amino]benzaldehyde thiosemicarbazone (DMABT) — 135
4.1.22	2-Hydroxy-3-methoxy benzaldehyde thiosemicarbazone (2H3MB TS) — 135
4.1.23	2-Acetylpyridine thiosemicarbazone (2-APT) and 3-acetylpyridine thiosemicarbazone (3-APT) — 136
4.1.24	2-Hydroxy-3-methoxy benzaldehyde thiosemicarbazone — 136
4.1.25	4-Hydroxybenzaldehyde thiosemicarbazone — 136
4.1.26	5-Bromosalicylaldehyde thiosemicarbazone (5-BSAT) — 137
4.2	Thione class — 137
4.2.1	6-Phenyl-2,3-dihydro- <i>asym</i> -triazine-3-thione (PDTT) — 137
4.2.2	3-Propyl-5-hydroxy-5- <i>D</i> -arabinotetrahydroxylbutyl-3-thiazolidine-2-thione (PHTTT) — 138
4.2.3	6-(2-Naphthyl)-2,3-dihydro-1, 2, 4-triazine-3-thione (NDTT) — 138
4.2.4	6-(Anthracen-2-yl)-2,3-dihydro-1,2,4-triazine-3-thione (ADTT) — 139
4.2.5	6-(2-Methoxynaphthyl)-2,3-dihydro-1,2,4-triazine-3-thione (MNDTT) — 139
4.2.6	6-(Phenanthrene-3-yl)-1,2,4,-triazine-3-thione(PhDTT) — 139
4.3	Dithizone class — 139
4.4	Miscellaneous — 141
4.4.1	Sodium diethylaminodithioformate — 141
4.4.2	2,5-Dimercapto-1,3,4-thiadiazole (DMTD) — 141
4.4.3	Dithiocarbammonium hydroxide — 142
4.4.4	Sodium pyrrolidine-1 carbodithioate — 142
4.4.5	4,6-Dichloro-2-(imidazolidin-2-ylidenamino)pyrimidine (DTIAP) — 142
4.4.6	Diethanoldithiocarbamate potassium salt (HHDDTC) — 142
4.4.7	4-Phenylpiperazinecarbodithioate (PPDTC) — 143
4.4.8	4-(4'-Nitrobenzylidene imino)-3-methyl-5-mercapto-1, 2, 4-triazole (NBIMMT) — 143
4.4.9	Schiff base 4-(4'-chlorobenzylideneimino)-3-methyl-5-mercapto-1, 2, 4-triazole [CBIMMT] — 143
	References — 144

Chapter 5**Analytical reagents having nitrogen (N), oxygen (O) and sulfur (S) as donor atoms — 149**

- 5.1 Thiocarbamate class — 14
- 5.1.1 Piperidinedithiocarbamate — 149
- 5.1.2 Diethanoldithiocarbamate — 149
- 5.1.3 K 4-Methylpiperidinedithiocarbamate (KMPDC) — 152
- 5.1.4 4-Methylpiperidinedithiocarbamate — 153
- 5.1.5 4-Benzylpiperidinedithiocarbamate (4-BPDC) — 153
- 5.1.6 MDTC (morpholinedithiocarbamate) — 154
- 5.1.7 Ammonium pyrrolidinedithiocarbamate — 154
- 5.2 Chrome blue K class — 154
- 5.3 Zincon(2-carboxy-2''-hydroxy-5''-sulfoformazylbenzene) class — 155
- 5.4 Methylthymol blue class — 156
- 5.5 Miscellaneous — 157
- 5.5.1 *N*-(2'-Thiazolyl)-2-hydroxybenzamide (NTHB) — 157
- 5.5.2 *S,S'*-bis(2-aminophenyl)oxalate — 157
- 5.5.3 4-Vanillindeneamino-3-methyl-5-mercapto-1,2,4-triazole (VAMMT) — 157
- 5.5.4 *N*-Benzoyl-*N*-methyl-*N'*-phenylthiourea — 158
- 5.5.5 *M*-Chloro-azo-antipyrine (MCAA) — 158
- 5.5.6 5-Hydroxy-6-mercapto-benzo[*a*]phenazine (HMBP) — 158
- 5.5.7 Nitroso-*R*-salt — 159
- 5.5.8 6-Chloro-benzothiazolylazo benzoic acid (6-Cl-BTAEB) — 159
- 5.5.9 1-(2-Hydroxyphenyl)thiourea (HPTU) — 159
- 5.5.10 2-(5-Bromo-2-oxindolin-3-ylidene)hydrazine carbothioamide — 159
- 5.5.11 2,6-Dithiol-4-methylphenol (DTMP) — 160
- References — 160

Chapter 6**Analytical reagents having oxygen (O) and sulfur (S) as donor atoms — 165**

- 6.1 Chrome azurol S class — 165
- 6.2 Disulfonic acid class — 166
- 6.2.1 2-(4-Chloro-2-phosphonophenylazo)-7-(2,6-dibromo-4-chlorophenylazo)-1,8-dihydroxy-3,6-naphthalene disulfonic acid (CPA-DBC) — 166
- 6.2.2 2,7-Bi(5-carboxy-1,3,4-triazolylazo)-*H* acid (i.e., 2,7-bi(5-carboxy-1,3,4-triazole)-1-amino-8-naphthol-3,6-disulfonic acid, BCTZAHA) — 166
- 6.3 Carboxylic acid and thiocarboxylic acid class — 166
- 6.3.1 2-Aminocyclopentene-1-dithiocarboxylic acid — 166

- 6.3.2 Chlorophosphonazo-mA — 167
- 6.3.3 Calconcarboxylic acid — 167
- 6.3.4 BCA (2,2'-Biquinoline-4,4'-dicarboxylic acid disodium salt) — 167
- 6.4 Alizarin red S class — 168
- 6.5 Miscellaneous class — 168
- 6.5.1 Eriochrome cyanine R — 168
- 6.5.2 Tetramethylthiuram disulfide — 169
- 6.5.3 2,7-Bi(5-carboxy-1,3,4-triazolylazo)-chromotropic acid (BCTZACA) — 169
- 6.5.4 1-(2-Metoxiphenylamin)-3-metoksipropanthiol-2 (MPAMPT) — 169
- References — 169

Chapter 7

Analytical reagents having other combination of donor atoms — 171

- 7.1 5-Imiono-1-phenyl-3-ethyl-2-imidazolidinone — 171
- 7.2 Thiols-catalyzed cysteamine, *L*-cysteine, 2-mercaptoethanol and 2-mercaptopropionic acid — 171
- 7.3 Cyanide ion — 171
- 7.4 ARS-BOP3 — 172
- 7.5 Chlorophosphonazo-III (CPA-III) — 172
- 7.6 Potassium Pr xanthate (KPX) — 172
- 7.7 Pyrophosphate — 172
- 7.8 Cyanex 301 [bis(2,4,4-trimethylpentyl)dithiophosphinic acid] — 173
- 7.9 4,4'-Tetraethyldiaminothiobenzophenone — 173
- 7.10 4,5-Dimercapto-1,3-dithiol-2-thionate — 173
- 7.11 Michler's thioketone (TMK) — 174
- 7.12 Brilliant blue dye (RAWL) — 174
- 7.13 2-(2-Imidazolylazo)-5-dimethylamino-HOBz (IZDBA) — 174
- 7.14 Bromo-sulfonazo III (Br-SAZIII) — 174
- 7.15 Brilliant green — 175
- 7.16 3,5-Bis(3-hydroxy-2-pyridylaminodiazo)-2,4,6-tribromobenzoic acid (BHPADTBBA) — 175
- 7.17 7-Iodo-8-hydroxyquinoline-5-sulfonic acid — 175
- 7.18 Losartan potassium — 175
- 7.19 Cefixime — 176
- References — 176

Section B

Chapter 8

Analytical reagents having oxygen (O) as donor atom — 181

- 8.1 Phenol class — 181
- 8.1.1 2,6-Dithiol-4-methylphenol (DTMP) — 181
- 8.1.2 Polyphenol from green tea — 181
- 8.1.3 5-Bromo salicylidene-2-aminothiophenol (BSATP) — 181
- 8.1.4 Green tea polyphenols — 182
- 8.1.5 2,21-Ethylenebis(nitrilo-methylidene)diphenol(H2EBNMDP) — 182
- 8.1.6 5-[(Phenyliminoethyl)]-3-hydroxyphenol [PIEHP] — 182
- 8.1.7 Ion pair reagent potassium salt of
tetrabromophenolphthaleinethylester (TPBE-K) — 183
- 8.1.8 Tetrabromophenolphthalein Et.ester (TBPE) — 183
- 8.2 Phenylfluorone — 183
- 8.2.1 *p*-Aminophenylfluorone (APF) — 183
- 8.2.2 9-(4-Carboxyphenyl)-2,3,7-trihydroxyl-6-fluorone — 184
- 8.2.3 Phenylfluorone — 184
- 8.3 Morin (3,5,7,2',4'-pentahydroxyflavone) — 184
- 8.4 5-Sulfosalicylic acid — 185
- 8.5 Catechol class — 186
- 8.6 Miscellaneous Class — 187
- 8.6.1 2-Thenoyltrifluoroacetone (TTA) — 187
- 8.6.2 2,6-Dihydroxy benzoic acid (2,6-DHB) — 187
- 8.6.3 Chlortetracycline — 188
- 8.6.4 1,2-Dimethyl-3-hydroxypyrid-4-one (Hdmp) — 188
- 8.6.5 Gallic acid — 188
- 8.6.6 Pyrogallol red — 189
- 8.6.7 Rutin — 189
- 8.6.8 Piperonal fluorine (PIF) — 189
- 8.6.9 Quercetin (Qu) — 190
- 8.6.10 Resorcylic acid (2,4-dihydroxybenzoic acid, DHB) — 190
- References — 190

Chapter 9

Analytical reagents having nitrogen (N) as donor atoms — 193

- 9.1 Triazine class — 193
- 9.1.1 2,4,6-Tri(2'-pyridyl)-1,3,5-triazine (TPTZ) — 193
- 9.1.2 Ferrospectral; 3-(2-pyridyl)-5,6-bis(4-phenylsulfonic acid)-1,2,4-triazine (FST) — 194
- 9.1.3 3-(2-Pyridyl)-5,6-diphenyl-1,2,4-triazine (PDT) — 194

- 9.2 1,10-Phenanthroline — 194
- 9.3 2, 2'-Bipyridine — 199
- 9.4 Miscellaneous class — 201
- 9.4.1 Methyl green — 201
- 9.4.2 Ferrozine — 201
- 9.4.3 *N,N*-Dimethyl-*p*-phenylenediaminedihydro chloride (DPD) — 201
- 9.4.4 *p*-Nitro aniline and *m*-nitro aniline — 202
- 9.4.5 *p*-Anisidine and *p*-chloroaniline — 202
- 9.4.6 Diphenylamine-4-sulfonic acid sodium salt (DPA-4-SA) — 203
- 9.4.7 Variamine blue — 203
- 9.4.8 Iminodibenzyl (IDB) — 204
- 9.4.9 *N,N*-dodecyltrimethylammoniumbromide (DTAB) — 204
- 9.4.10 Desipramine hydrochloride (DPH) and trimipramine maleate (TPM) — 204
- 9.4.11 Cetylpyridinium chloride (CPC) — 205
- 9.4.12 8-Aminoquinaldine (AQ) — 205
- 9.4.13 Neocuproine — 205
- 9.4.14 Meso-tetra(4-methoxy-4-sulfonophenyl)porphyrin ($p\text{-OCH}_3\text{TPPS}_4$) — 206
- References — 206

Chapter 10

Analytical reagents having nitrogen (N) and oxygen (O) as donor atoms — 209

- 10.1 Naphthol class methyl Ph. thiazolyl azo]-3-methyl-4-methoxy-2-naphthol (MPTAN) — 209
- 10.1.1 3-5-(3-Methyl-1-phenylpyrazolazo)-1-nitroso-2-naphthol — 209
- 10.1.2 1-Nitroso-2-naphthol — 210
- 10.1.3 Disodium-1-nitroso-2-naphthol-3,6-disulfonate (nitroso-*R* salt) — 210
- 10.1.4 1-(2-Pyridyl-azo)-2-naphthol (PAN) — 210
- 10.2 Phenol class — 212
- 10.3 Hydrazone class — 214
- 10.4 Oxime class — 216
- 10.5 Hydroxyquinoline class — 217
- 10.6 Miscellaneous — 218
- References — 224

Chapter 11

Analytical reagent having miscellaneous combinations of donor atoms — 229

- 11.1 2,2'-Azinobis(3-ethylbenzothiazoline-6-sulfonate) (ABTS) — 229
- 11.2 4,7-Diphenyl-1,10-bathophenanthroline (DPBP) — 229
- 11.3 Solid phase extraction — 230

- 11.4 2-Amino-2',5-dichlorobenzophenone (MCB) or 2-amino-5-chloro-2'-fluorobenzophenone (MFB) — **230**
- 11.5 SCN (I) and Rhodamine B — **230**
- 11.6 Acetophenone 2',5'-dihydroxy thiosemicarbazone (ADHTS) — **231**
- 11.7 Chrom Azurol S (CAS) in the presence of tetradecyltrimethylammonium bromide (TTA)/octadecyltrimethyl ammonium chloride (ODTA) and Triton X-100 (TX100) — **231**
- 11.8 Phenanthroline — **232**
- 11.9 Dibromo-*p*-sulfonic acid-arsenazo (DBS-arsenazo, DBS-ASA) — **232**
- 11.10 *p*-Acetylarсенazo(ASApA) — **232**
- 11.11 Dibromo-*p*-chloroarsenazo — **233**
- 11.12 Picolinaldehyde-4-phenyl-3-thiosemi-carbazone (PAPT) — **233**
- 11.13 Methylthymol blue — **233**
- 11.14 4-(2-Thiazolylazo) resorcinol — **234**
- 11.15 1,2-Dihydroxybenzene-3,5-disulfonic acid (Tiron) — **234**
- 11.16 Thiocyanate (SCN-) — **234**
- 11.17 8-Hydroxyquinadine — **235**
- 11.18 Potassium iso-Bu xanthate (KIBX) — **235**
- 11.19 Thiocyanate with cetyltrimethylammonium (CTMA)/thiocyanate with tetraphenylphosphonium (TPP) — **236**
- 11.20 PPT (pyridoxal-4-phenyl-3-thiosemicarbazone) — **236**
- 11.21 8-Hydroxyquinadine — **237**
- 11.22 5,5-Dimethylcyclohexane-1,2,3-trione 1,2-dioxime 3-thiosemicarbazone (DCDT) — **237**
- 11.23 Norfloxacin (NRF) — **237**
- 11.24 Tiron — **238**
- 11.25 5-Bromo salicylaldehyde thiosemicarbazone (5-BSAT) — **238**
- 11.26 *N*-(*o*-methyl)phenyl-*N*'-hydroxy-*N*'-(*o*-methyl)phenylbenzamidine hydrochloride — **238**
- 11.27 PAN-S — **239**
- 11.28 2-Aminocyclo-1-pentenedithiocarboxylic acid (ACDA) — **239**
- 11.29 Zincon — **239**
- 11.30 *N,N'*-Bis(2-hydroxy-5-bromo-benzyl)-1,2-diamino-propane (HBDAP) — **240**
- 11.31 Sulfosalicylic acid — **240**
- References — **240**

Index — 243