

Contents

Preface to the Second Edition	xix
Preface to the First Edition	xxi
About the Companion Website	xxv

1 Introduction 1

1.1	Introduction	1
1.2	Humans and Energy	1
1.3	Thermodynamics	2
1.3.1	Energy, Heat, and Work	2
1.3.2	The First Law of Thermodynamics	2
1.3.3	Heat Engines, Refrigerators, and Heat Pumps	5
1.3.4	The Second Law of Thermodynamics	7
1.3.5	Carnot Cycle	7
1.4	Heat Transfer	11
1.4.1	Introduction	11
1.4.2	Conduction	12
1.4.3	Convection	15
1.4.3.1	Parallel Flow on an Isothermal Plate	16
1.4.3.2	A Cylinder in Cross Flow	18
1.4.3.3	Flow in Ducts	20
1.4.3.4	Free Convection	25
1.4.4	Radiation	29
1.4.4.1	Thermal Radiation	29
1.4.4.2	View Factor	34
1.4.4.3	Radiation Exchange Between Diffuse-Gray Surfaces	34
Problems		38
References		42

2 Heat Sinks 45

2.1	Longitudinal Fin of Rectangular Profile	45
2.2	Heat Transfer from Fin	47
2.3	Fin Effectiveness	48
2.4	Fin Efficiency	48
2.5	Corrected Profile Length	49
2.6	Optimizations	49
2.6.1	Constant Profile Area A_p	49
2.6.2	Constant Heat Transfer from a Fin	52
2.6.3	Constant Fin Volume or Mass	53
2.6.4	Optimum Dimensions of Rectangular Fin	55
2.6.5	Radial Fins	60
2.6.6	Optimization of Radial Fins	63
2.7	Plate Fin Heat Sinks	68
2.7.1	Free (Natural) Convection Cooling	68
2.7.1.1	Small Spacing Channel	68
2.7.1.2	Large Spacing Channel	71
2.7.1.3	Optimum Fin Spacing	71

2.7.2	Forced Convection Cooling	72
2.7.2.1	Small Spacing Channel	73
2.7.2.2	Large Spacing Channel	74
2.8	Multiple Fin Array II	75
2.8.1	Natural (Free) Convection Cooling	77
2.9	Thermal Resistance and Overall Surface Efficiency	78
2.10	Fin Design with Thermal Radiation	97
2.10.1	Single Longitudinal Fin with Radiation	97
Problems		109
Computer Assignments		116
Project		116
References		117

3 Heat Pipes 119

3.1	Operation of Heat Pipe	119
3.2	Surface Tension	120
3.3	Heat Transfer Limitations	122
3.3.1	Capillary Limitation	123
3.3.1.1	Maximum Capillary Pressure Difference	123
3.3.1.2	Vapor Pressure Drop	125
3.3.1.3	Liquid Pressure Drop	127
3.3.1.4	Normal Hydrostatic Pressure Drop	127
3.3.1.5	Axial Hydrostatic Pressure Drop	128
3.3.2	Approximation for Capillary Pressure Difference	128
3.3.3	Sonic Limitation	128
3.3.4	Entrainment Limitation	129
3.3.5	Boiling Limitation	129
3.3.6	Viscous Limitation	130
3.3.6.1	Summary of Heat Transport Limits	134
3.3.6.2	Effective Thermal Conductivity	135
3.4	Heat Pipe Thermal Resistance	136
3.4.1	Contact Resistance	138
3.5	Variable Conductance Heat Pipes (VCHP)	141
3.5.1	Gas-Loaded Heat Pipes	141
3.5.2	Claypyron–Clausius Equation	143
3.5.3	Applications	144
3.6	Loop Heat Pipes	146
3.7	Micro Heat Pipes	148
3.7.1	Steady-State Models	148
3.7.1.1	Conventional Model	148
3.7.1.2	Cotter's Model	150
3.8	Working Fluid	154
3.8.1	Figure of Merit	154
3.8.2	Compatibility	156
3.9	Wick Structures	157
3.10	Design Example	158
3.10.1	Selection of Material and Working Fluid	158
3.10.2	Working Fluid Properties	159
3.10.2.1	Estimation of Vapor Space Radius	159

3.10.3	Estimation of Operating Limits	159
3.10.3.1	Capillary Limits	159
3.10.3.2	Sonic Limits	160
3.10.3.3	Entrainment Limits	160
3.10.3.4	Boiling Limits	161
3.10.4	Wall Thickness	162
3.10.5	Wick Selection	163
3.10.6	Maximum Arterial Depth	164
3.10.7	Design of Arterial Wick	165
3.10.8	Capillary Limitation	166
3.10.8.1	Liquid Pressure Drop in the Arteries	167
3.10.8.2	Liquid Pressure Drop in the Circumferential Wick	167
3.10.8.3	Vapor Pressure Drop in the Vapor Space	168
3.10.9	Performance Map	169
3.10.10	Check the Temperature Drop	170
Problems		170
Design Problem		173
References		174

4 Compact Heat Exchangers 177

4.1	Introduction	177
4.2	Fundamentals of Heat Exchangers	180
4.2.1	Counterflow and Parallel Flows	180
4.2.2	Overall Heat Transfer Coefficient	182
4.2.3	Log Mean Temperature Difference (LMTD)	184
4.2.4	Flow Properties	186
4.2.5	Nusselt Numbers	186
4.2.6	Effectiveness-NTU (ϵ -NTU) Method	189
4.2.6.1	Parallel Flow	191
4.2.6.2	Counterflow	192
4.2.6.3	Crossflow	192
4.2.7	Heat Exchanger Pressure Drop	199
4.2.8	Fouling Resistances (Fouling Factors)	201
4.2.9	Overall Surface (Fin) Efficiency	202
4.2.10	Reasonable Velocities of Various Fluids in Pipe Flow	203
4.3	Double-Pipe Heat Exchangers	204
4.4	Shell-and-Tube Heat Exchangers	213
4.4.1	Baffles	214
4.4.2	Multiple Passes	214
4.4.3	Dimensions of Shell-and-Tube Heat Exchanger	215
4.4.4	Shell-Side Tube Layout	215
4.5	Plate Heat Exchangers (PHEs)	224
4.5.1	Flow Pass Arrangements	224
4.5.2	Geometric Properties	226
4.5.3	Friction Factor	231
4.5.4	Nusselt Number	231
4.5.5	Pressure Drops	231
4.6	Pressure Drops in Compact Heat Exchangers	245

4.6.1	Fundamentals of Core Pressure Drop	246
4.6.2	Core Entrance and Exit Pressure Drops	248
4.6.3	Contraction and Expansion Loss Coefficients	249
4.6.3.1	Circular-Tube Core	250
4.6.3.2	Square-Tube Core	251
4.6.3.3	Flat-Tube Core	252
4.6.3.4	Triangular-Tube Core	252
4.7	Finned-Tube Heat Exchangers	257
4.7.1	Geometrical Characteristics	258
4.7.2	Flow Properties	259
4.7.3	Thermal Properties	260
4.7.4	Correlations for Circular Finned-Tube Geometry	260
4.7.5	Pressure Drop	261
4.7.6	Correlations for Louvered Plate-Fin Flat-Tube Geometry	263
4.8	Plate-Fin Heat Exchangers	275
4.8.1	Geometric Characteristics	275
4.8.2	Correlations for Offset Strip Fin (OSF) Geometry	277
4.9	Louver-Fin-Type Flat-Tube Plate-Fin Heat Exchangers	297
4.9.1	Geometric Characteristics	298
4.9.2	Correlations for Louver Fin Geometry	300
4.10	Plate-Finned Heat Pipe Heat Exchanger	314
4.10.1	Geometric Characteristics	314
4.10.2	Correlations for Plate-Finned Circular Tube Heat Exchanger	315
4.10.3	Fin Efficiency	317
4.10.4	Heat Pipes	318
4.10.5	Analytical Model for Plate-Finned Heat Pipe Heat Exchanger	319
	Problems	320
	References	332

5 Thermoelectric Design 335

5.1	Introduction	335
5.1.1	Thermoelectric Effect	337
5.1.2	Seebeck Effect	337
5.1.3	Peltier Effect	338
5.1.4	Thomson Effect	338
5.1.5	Thomson (or Kelvin) Relationships	339
5.1.6	The Figure of Merit	339
5.1.7	New Generation Thermoelectrics	339
5.2	Thermoelectric Generators	341
5.2.1	Ideal Equations	341
5.2.2	Performance Parameters of a Thermoelectric Module	344
5.2.3	Maximum Parameters for a Thermoelectric Module	345
5.2.4	Normalized Parameters	345
5.2.5	Effective Material Properties	351
5.2.6	Comparison of Calculations with a Commercial Product	352
5.2.7	Figure of Merit and Optimum Geometry	353

5.3	Thermoelectric Coolers and Heat Pumps	354
5.3.1	Ideal Equations	355
5.3.2	Maximum Parameters	358
5.3.3	Normalized Parameters for Thermoelectric Coolers	359
5.3.4	Normalized Parameters for Thermoelectric Heat Pumps	363
5.3.5	Effective Material Properties	371
5.3.5.1	Comparison of Calculations with a Commercial Product	373
5.4	Optimal Design	373
5.4.1	Introduction	373
5.4.2	Optimal Design for Thermoelectric Generators	374
5.4.3	Optimal Design of Thermoelectric Coolers and Heat Pumps	383
5.4.3.1	Thermoelectric Heat Pumps	387
5.4.3.2	Heat Sinks Without Thermoelectric Cooler Module	388
5.5	Thomson Effect, Exact Solution, and Compatibility Factor	398
5.5.1	Thermodynamics of Thomson Effect	398
5.5.1.1	Seebeck Effect	398
5.5.1.2	Peltier Effect	399
5.5.1.3	Thomson Effect	399
5.5.1.4	Thomson (or Kelvin) Relationships	400
5.5.2	Exact Solutions	402
5.5.2.1	Equations for the Exact Solutions and the Ideal Equation	402
5.5.2.2	Thermoelectric Generator	404
5.5.2.3	Thermoelectric Coolers	405
5.5.3	Compatibility Factor	407
5.5.3.1	Reduced Current Density	407
5.5.3.2	Heat Balance Equation	408
5.5.3.3	Numerical Solution	408
5.5.3.4	Infinitesimal Efficiency	409
5.5.3.5	Reduced Efficiency	409
5.5.3.6	Reduced Efficiency	409
5.5.3.7	Compatibility Factor	409
5.5.3.8	Segmented Thermoelements	410
5.5.3.9	Thermoelectric Potential	410
5.5.4	Thomson Effects	413
5.5.4.1	Formulation of Basic Equations	413
5.5.4.2	Numeric Solutions of Thomson Effect	416
5.5.4.3	Comparison Between Thomson Effect and Ideal Equation	418
5.6	Thermal and Electrical Contact Resistances for Micro and Macro Devices	421
5.6.1	Modeling and Validation	421
5.6.1.1	Cancellation of Spreading Resistance with Thermal Contact Resistance	422
5.6.1.2	Thermoelectric Coolers	423
5.6.1.3	Thermoelectric Generators	423
5.6.1.4	Validation of Model	423
5.6.2	Micro and Macro Thermoelectric Coolers	425
5.6.2.1	Effect of Leg Length	426
5.6.2.2	Effect of Material on Ceramic Plate	426
5.6.3	Micro and Macro Thermoelectric Generators	427

	5.6.3.1	Model and Verification for Macro TE Generators	427
	5.6.3.2	Effect of Load Resistance	428
	5.6.3.3	Effect of Leg Length and Ceramic Material	429
5.7		Modeling of Thermoelectric Generators and Coolers with Heat Sinks	430
	5.7.1	Modeling of Thermoelectric Generators with Heat Sinks	430
	5.7.1.1	Modeling	430
	5.7.1.2	Heat Sink Area and Cross Flow Area for Heat Sinks	433
	5.7.1.3	Mass Flow Rates	433
	5.7.1.4	Convection Heat Transfer Coefficients	434
	5.7.1.5	Single-Fin Efficiencies	434
	5.7.1.6	Overall Fin Efficiencies	435
	5.7.1.7	Thermal Resistances of Heat Sink and Aluminum Block	435
	5.7.1.8	Effective Material Properties	436
	5.7.1.9	Comparison of Model and Measurements	437
	5.7.1.10	Optimal Design of Heat Sink	437
	5.7.1.11	Optimal Design of Thermoelectric Module	438
	5.7.2	Plate-Fin Heat Sinks	438
	5.7.2.1	Nusselt Number for Air	439
	5.7.2.2	Turbulent Flow for Gases and Liquids	440
	5.7.2.3	Optimal Design of Heat Sink	441
	5.7.2.4	Single-Fin Efficiency	441
	5.7.2.5	Overall Fin Efficiency	442
	5.7.3	Modeling of Thermoelectric Coolers with Heat Sinks	442
	5.7.3.1	Modeling	442
	5.7.3.2	Heat Sink Area and Cross Flow Area for Heat Sinks	445
	5.7.3.3	Mass Flow Rates	445
	5.7.3.4	Convection Heat Transfer Coefficients	446
	5.7.3.5	Single-Fin Efficiencies	446
	5.7.3.6	Overall Fin Efficiencies	446
	5.7.3.7	Thermal Resistances of Heat Sink and Aluminum Block	447
	5.7.3.8	Effective Material Properties	447
	5.7.3.9	Comparison of Model and Measurements	448
	5.7.3.10	Conclusions	449
5.8		Applications	449
	5.8.1	Exhaust Waste Heat Recovery	449
	5.8.1.1	Recent Studies	449
	5.8.1.2	Modeling of Module Tests	452
	5.8.1.3	Modeling of TEG	455
	5.8.1.4	New Design of TEG	462
	5.8.2	Solar Thermoelectric Generators (STEGs)	466
	5.8.2.1	Recent Studies	466
	5.8.2.2	Modeling of a STEG	467
	5.8.2.3	Optimal Design of STEG (Dimensional Analysis)	473
	5.8.2.4	New Design of STEG	475
	5.8.3	Automotive Thermoelectric Air Conditioner (TEAC)	479
	5.8.3.1	Recent Studies	479
	5.8.3.2	Modeling of Air-to-Air TEAC	480
	5.8.3.3	Optimal Design of TEAC	487
	5.8.3.4	New Design of TEAC	490
		Problems	493
		Computer Assignment	496

Projects	504
Computer Assignments	504
Computer Projects	504
References	505

6 Thermoelectric Materials 509

6.1	Crystal Structure	509
6.1.1	Atomic Mass	509
6.1.1.1	Avogadro's Number	509
6.1.2	Unit Cells of a Crystal	510
6.1.2.1	Bravais Lattices	511
6.1.3	Crystal Planes	515
6.2	Physics of Electrons	517
6.2.1	Quantum Mechanics	517
6.2.1.1	Electromagnetic Wave	517
6.2.1.2	Atomic Structure	519
6.2.1.3	Bohr's Model	520
6.2.1.4	Line Spectra	521
6.2.1.5	De Broglie Wave	522
6.2.1.6	Heisenberg Uncertainty Principle	523
6.2.1.7	Schrödinger Equation	524
6.2.1.8	A Particle in a One-Dimensional Box	524
6.2.1.9	Quantum Numbers	527
6.2.1.10	Electron Configurations	528
6.2.2	Band Theory and Doping	530
6.2.2.1	Covalent Bonding	530
6.2.2.2	Energy Band	531
6.2.2.3	Pseudo-Potential Well	532
6.2.2.4	Doping, Donors, and Acceptors	532
6.3	Density of States, Fermi Energy, and Energy Bands	534
6.3.1	Current and Energy Transport	534
6.3.2	Electron Density of States	535
6.3.2.1	Dispersion Relation	535
6.3.2.2	Effective Mass	535
6.3.2.3	Density of States	536
6.3.3	Fermi-Dirac Distribution	538
6.3.4	Electron Concentration	538
6.3.5	Fermi Energy in Metals	539
6.3.6	Fermi Energy in Semiconductors	541
6.3.7	Energy Bands	543
6.3.7.1	Multiple Bands	544
6.3.7.2	Direct and Indirect Semiconductors	545
6.3.7.3	Periodic Potential (Kronig-Penney Model)	545
6.4	Thermoelectric Transport Properties for Electrons	549
6.4.1	Boltzmann Transport Equation	549
6.4.2	Simple Model of Metals	552
6.4.2.1	Electric Current Density	552
6.4.2.2	Electrical Conductivity	552
6.4.2.3	Seebeck Coefficient	553
6.4.2.4	Electronic Thermal Conductivity	555

6.4.3	Power-Law Model for Metals and Semiconductors	556
6.4.3.1	Equipartition Principle	556
6.4.3.2	Parabolic Single-Band Model	557
6.4.4	Electron Relaxation Time	563
6.4.4.1	Acoustic-Phonon Scattering	563
6.4.4.2	Polar Optical Phonon Scattering	564
6.4.4.3	Ionized Impurity Scattering	564
6.4.4.4	Total Electron Relaxation Time	565
6.4.5	Multiband Effects	566
6.4.6	Nonparabolicity	567
6.4.6.1	Nonparabolic Density of States	567
6.5	Phonons	569
6.5.1	Crystal Vibration	569
6.5.1.1	One Atom in a Primitive Cell	569
6.5.1.2	Two Atoms in a Unit Cell	571
6.5.2	Specific Heat	573
6.5.2.1	Internal Energy	573
6.5.2.2	Debye Model	575
6.5.3	Lattice Thermal Conductivity	580
6.5.3.1	Klemens-Callaway Model	580
6.5.3.2	Umklapp Processes	582
6.5.3.3	Callaway Model	583
6.5.3.4	Phonon Relaxation Times	584
6.6	Low-Dimensional Nanostructures	587
6.6.1	Low-Dimensional Systems	588
6.6.1.1	Quantum Well (2D)	588
6.6.1.2	Quantum Wires (1D)	592
6.6.1.3	Quantum Dots (0D)	595
6.6.1.4	Thermoelectric Transport Properties of Quantum Wells	595
6.6.1.5	Thermoelectric Transport Properties of Quantum Wires	597
6.6.1.6	Proof-of-Principle Studies	598
6.6.1.7	Size Effects of Quantum Well on Lattice Thermal Conductivity	600
6.7	Generic Model of Bulk Silicon and Nanowires	602
6.7.1	Electron Density of States for Bulk and Nanowires	603
6.7.1.1	Density of States	603
6.7.2	Carrier Concentrations for Two-Band Model	603
6.7.2.1	Bulk	603
6.7.2.2	Nanowires	604
6.7.2.3	Bipolar Effect and Fermi Energy	604
6.7.3	Electron Transport Properties for Bulk and Nanowires	604
6.7.3.1	Electrical Conductivity	604
6.7.3.2	Seebeck Coefficient	605
6.7.3.3	Electronic Thermal Conductivity	605
6.7.4	Electron Scattering Mechanisms	605
6.7.4.1	Acoustic-Phonon Scattering	605
6.7.4.2	Ionized Impurity Scattering	606
6.7.4.3	Screening Effect	606
6.7.4.4	Polar Optical Phonon Scattering	606
6.7.4.5	Total Electron Relaxation Time	607
6.7.5	Lattice Thermal Conductivity	607

6.7.6	Phonon Relaxation Time	607
6.7.7	Input Data for Bulk Si and Nanowires	608
6.7.8	Bulk Si	608
6.7.8.1	Fermi Energy	609
6.7.8.2	Electron Mobility	610
6.7.8.3	Thermoelectric Transport Properties	610
6.7.8.4	Dimensionless Figure of Merit	610
6.7.9	Si Nanowires	611
6.7.9.1	Fermi Energy and Carrier Concentration	611
6.7.9.2	Electron Mobility	612
6.7.9.3	Thermoelectric Transport Properties for Si Nanowires	612
6.7.9.4	Dimensionless Figure of Merit	614
6.7.9.5	Effect of Size for Nanowires	614
6.7.9.6	Critical Nanowire Diameter	615
6.7.9.7	Phonon Properties for Si Nanowires	616
6.8	Theoretical Model of Thermoelectric Transport Properties	617
6.8.1	Introduction	618
6.8.2	Theoretical Equations	619
6.8.2.1	Carrier Transport Properties	619
6.8.2.2	Scattering Mechanisms for Electron Relaxation Times	621
6.8.2.3	Lattice Thermal Conductivity	624
6.8.2.4	Phonon Relaxation Times	625
6.8.2.5	Phonon Density of States and Specific Heat	626
6.8.2.6	Dimensionless Figure of Merit	627
6.8.3	Results and Discussion	627
6.8.3.1	Electron or Hole Scattering Mechanisms	627
6.8.4	Summary	647
Problems		649
References		657

7 Solar Cells 667

7.1	Introduction	667
7.1.1	Operation of Solar Cells	669
7.1.2	Solar Cells and Technology	671
7.1.3	Solar Irradiance	672
7.1.4	Air Mass	672
7.1.5	Nature of Light	674
7.2	Quantum Mechanics	675
7.2.1	Atomic Structure	677
7.2.2	Bohr's Model	677
7.2.3	Line Spectra	679
7.2.4	De Broglie Wave	680
7.2.5	Heisenberg Uncertainty Principle	681
7.2.6	Schrödinger Equation	682
7.2.7	A Free Particle in a 1D Box	682
7.2.8	Quantum Numbers	685
7.2.9	Electron Configurations	686
7.2.10	Van der Waals Forces	688

7.2.11	Covalent Bonding	689	
7.2.12	Energy Band	690	
7.2.13	Pseudo-Potential Well	691	
7.3	Density of States	691	
7.3.1	Number of States	691	
7.3.2	Effective Mass	692	
7.4	Equilibrium Intrinsic Carrier Concentration	693	
7.4.1	Fermi Function	693	
7.4.2	Nondegenerate Semiconductor	693	
7.4.3	Equilibrium Electron and Hole Concentrations	694	
7.4.4	Intrinsic Semiconductors	696	
7.4.5	Intrinsic Carrier Concentration, n_i	696	
7.4.6	Intrinsic Fermi Energy	698	
7.4.7	Alternative Expression for n_0 and p_0	698	
7.5	Extrinsic Semiconductors in Thermal Equilibrium	699	
7.5.1	Doping, Donors, and Acceptors	699	
7.5.2	Extrinsic Carrier Concentration in Equilibrium	700	
7.5.3	Built-in Voltage	702	
7.5.4	Principle of Detailed Balance	703	
7.5.5	Majority and Minority Carriers in Equilibrium	703	
7.6	Generation and Recombination	704	
7.6.1	Direct and Indirect Band Gap Semiconductors	704	
7.6.2	Absorption Coefficient	705	
7.6.3	Photogeneration	707	
7.7	Recombination	707	
7.7.1	Recombination Mechanisms	707	
7.7.2	Band Energy Diagram Under Nonequilibrium Conditions	709	
7.7.2.1	Back Surface Field (BSF)	710	
7.7.3	Low-Level Injection	710	
7.7.3.1	Low-Level Injection	711	
7.7.4	Band-to-Band Recombination	712	
7.7.5	Trap-Assisted (SRH) Recombination	713	
7.7.6	Simplified Expression of the SRH Recombination Rate	714	
7.7.7	Auger Recombination	715	
7.7.8	Total Recombination Rate	716	
7.8	Carrier Transport	716	
7.8.1	Drift	717	
7.8.2	Carrier Mobility	717	
7.8.3	Diffusion	718	
7.8.4	Total Current Densities	719	
7.8.5	Einstein Relationship	719	
7.8.6	Semiconductor Equations	720	
7.8.7	Minority-Carrier Diffusion Equations	720	
7.8.8	p - n Junction	721	
7.8.9	Calculation of Depletion Width	723	
7.8.10	Energy Band Diagram with a Reference Point	725	
7.8.11	Quasi-Fermi Energy Levels	725	

7.9	Minority Carrier Transport	726
7.9.1	Boundary Conditions	726
7.9.2	Minority Carrier Lifetimes	728
7.9.3	Minority Carrier Diffusion Lengths	728
7.9.4	Minority Carrier Diffusion Equation for Holes	729
7.9.5	Minority Carrier Diffusion Equation for Electrons	732
7.10	Characteristics of Solar Cells	735
7.10.1	Current Density	735
7.10.2	Current–Voltage Characteristics	740
7.10.3	Figures of Merit	742
7.10.4	Effect of Minority Electron Lifetime on Efficiency	744
7.10.5	Effect of Minority Hole Lifetime on Efficiency	746
7.10.6	Effect of Back Surface Recombination Velocity on Efficiency	746
7.10.7	Effect of Base Width on Efficiency	747
7.10.8	Effect of Emitter Width W_N on Efficiency	748
7.10.9	Effect of Acceptor Concentration on Efficiency	750
7.10.10	Effect of Donor Concentration on Efficiency	752
7.10.11	Band Gap Energy with Temperature	752
7.10.12	Effect of Temperature on Efficiency	753
7.11	Additional Topics	754
7.11.1	Parasitic Resistance Effects (Ohmic Losses)	754
7.11.2	Quantum Efficiency	757
7.11.3	Ideal Solar Cell Efficiency	758
7.12	Modeling	763
7.12.1	Modeling for a Silicon Solar Cell	763
7.12.2	Comparison of the Solar Cell Model with a Commercial Product	776
7.13	Design of a Solar Cell	779
7.13.1	Solar Cell Geometry with Surface Recombination Velocities	779
7.13.2	Donor and Acceptor Concentrations	780
7.13.3	Minority Carrier Diffusion Lifetimes	780
7.13.4	Grid Spacing	781
7.13.5	Antireflection, Light Trapping, and Passivation	784
	Problems	785
	References	789

Appendix A Thermophysical Properties 791

References	834
------------	-----

Appendix B 837

B.1	Optimal Dimensionless Parameters for TEGs with $ZT_{\infty 2} = 1$ (See Figure B.1 at the end of tables)	837
B.2	Optimal Dimensionless Parameters for TECS With $ZT_{\infty 2} = 1$ (See Figure B.2 at the end of tables)	837

Appendix C Pipe Dimensions 847

Appendix D	Periodic Table	849
Appendix E	Thermoelectric Properties	857
E.1	Bismuth Telluride <i>P</i> -Type	858
E.2	Bismuth Telluride <i>N</i> -Type	859
E.3	Lead Telluride <i>P</i> -Type	859
E.4	Silicon Germanium <i>N</i> -Type	860
E.5	Skutterudites <i>N</i> -Type	861
E.6	Zintl Compound <i>N</i> -Type	861
References		862
Appendix F	Fermi Integral	863
Appendix G	Hall Factor	867
References		869
Appendix H	Curve Fitting of Working Fluids	871
H.1	Curve Fit for Working Fluids Chosen	871
H.2	Curve Fitting for Working Fluid Properties Chosen	872
H.2.1	MathCad Format	872
Appendix L	Tutorial for MathCAD	875
L.1	Tutorial Problem for MathCAD	875
Appendix M	Conversion Factors	879
Index		881