

CONTENTS

Foreword

ix

| | |
|--|-----------|
| 1. Heat Exchanger Design | 1 |
| 1.1 Procedure in Heat Exchanger Design | 2 |
| 1.2 Information about Heat Exchangers | 12 |
| Nomenclature | 18 |
| References | 19 |
| 2. Calculations of the Temperature Differences LMTD and CMTD | 21 |
| 2.1 Logarithmic Mean Temperature Difference for Ideal Countercurrent Flow | 21 |
| 2.2 Corrected Temperature Difference for Multipass Heat Exchanger | 22 |
| 2.3 Influence of Bypass Streams on LMTD | 29 |
| 2.4 Mean Weighted Temperature Difference | 30 |
| 2.5 Determination of the Heat Exchanger Outlet Temperatures | 32 |
| References and Further Reading | 35 |
| 3. Calculations of the Heat Transfer Coefficients and Pressure Losses in Convective Heat Transfer | 37 |
| 3.1 Tube-Side Heat Transfer Coefficient | 41 |
| 3.2 Shell-Side Heat Transfer Coefficient | 42 |
| 3.3 Comparison of Different Calculation Models | 49 |
| 3.4 Pressure Loss in Convective Heat Exchangers | 51 |
| 3.5 Heat Exchanger Design with Heat Exchanger Tables | 56 |
| Nomenclature | 63 |
| References and Further Reading | 63 |
| 4. Geometrical Heat Exchanger Calculations | 65 |
| 4.1 Calculation Formula | 65 |
| 4.2 Tube-Side Calculations | 68 |
| 4.3 Shell-Side Calculations | 70 |
| 5. Dimensionless Characterization Number for the Heat Transfer | 75 |
| 5.1 Reynolds Number Re for the Characterization of the Flow Condition | 75 |
| 5.2 Prandtl Number Pr , Peclet Number Pe , and Temperature Conductivity a | 75 |
| 5.3 Nusselt Number Nu for the Calculation of the Heat Transfer Coefficient | 76 |

| | | |
|-----------|---|------------|
| 5.4 | Stanton Number St for the Calculation of the Heat Transfer Coefficient | 76 |
| 5.5 | Colburn Factor J_C for the Calculation of the Heat Transfer Coefficient | 77 |
| 5.6 | Kern Factor J_K for the Calculation of the Heat Transfer Coefficient | 77 |
| 5.7 | Graßhof Number Gr for the Calculation of the Heat Transfer Coefficient in Natural Convection | 78 |
| | References | 78 |
| 6. | Overall Heat Transfer Coefficient and Temperature Profile | 79 |
| 6.1 | Calculation of the Overall Heat Transfer Coefficient | 79 |
| 6.2 | Calculation of the Temperature Gradient in a Heat Exchanger | 84 |
| 6.3 | Viscosity Correction | 86 |
| 6.4 | Calculation of the Heat Transfer Coefficient from the Overall Heat Transfer Coefficient | 88 |
| | Nomenclature | 89 |
| | References | 89 |
| 7. | Chemical Engineering Calculations | 91 |
| 7.1 | Vapor Pressure Calculations | 91 |
| 7.2 | Equilibrium between the Liquid and the Vapor Phase | 93 |
| 7.3 | Bubble Point Calculation | 94 |
| 7.4 | Dew Point Calculation | 95 |
| 7.5 | Calculation of Dew and Bubble Lines of Ideal Binary Mixtures | 95 |
| 7.6 | Flash Calculations | 97 |
| 7.7 | Condensation or Flash Curve of Binary Mixtures | 99 |
| 7.8 | Calculation of Nonideal Binary Mixtures | 101 |
| 7.9 | Flash Calculations for Multicomponent Mixtures | 103 |
| | References | 104 |
| 8. | Design of Condensers | 105 |
| | Construction Types of Condensers | 106 |
| 8.1 | Condenser Construction Types | 106 |
| 8.2 | Heat Transfer Coefficients in Isothermal Condensation | 111 |
| 8.3 | Comparison of Different Calculation Models | 122 |
| 8.4 | Condensation of Vapors with Inert Gas | 125 |
| 8.5 | Condensation of Multicomponent Mixtures | 129 |
| 8.6 | Miscellaneous | 135 |
| | Nomenclature | 145 |
| | References | 145 |
| 9. | Design of Evaporators | 147 |
| 9.1 | Evaporation Process | 148 |
| 9.2 | Evaporator Construction Types | 149 |

| | | |
|------------|--|------------|
| 9.3 | Design of Evaporators for Nucleate Boiling | 158 |
| 9.4 | Design of Falling Film Evaporators | 172 |
| | References | 179 |
| 10. | Design of Thermosiphon Reboilers | 181 |
| 10.1 | Thermal Calculations | 182 |
| 10.2 | Calculation of the Heat Transfer Coefficient | 184 |
| 10.3 | Calculation of the Two-Phase Density and the Average Density in the Reboiler | 191 |
| 10.4 | Flow Velocity w_{Reb} in the Reboiler | 193 |
| 10.5 | Determination of the Required Height H_1 for the Thermosiphon Circulation or the Maximum Allowable Pressure Loss ΔP_{max} in Thermosiphon Circulation | 194 |
| 10.6 | Design of Riser and Downcomer Diameter | 203 |
| 10.7 | Calculation of the Pressure Losses in the Thermosiphon Circulation | 206 |
| 10.8 | Calculation of the Required Reboiler Length or Area for the Heating up to the Boiling Temperature and for the Evaporation in Vertical Thermosiphon Evaporators | 212 |
| 10.9 | Required Heating Length for Vertical Thermosiphon Reboilers According to Fair | 215 |
| 10.10 | Calculation of the Pressure and Boiling Point Increase by Means of the Liquid Height H_1 | 218 |
| 10.11 | Average Overall Heat Transfer Coefficient for Heating + Vaporizing | 221 |
| 10.12 | Calculation of the Vapor Fraction x of the Two-Phase Mixture in a Vertical Reboiler | 221 |
| 10.13 | Thermosiphon Reboiler Design Example | 222 |
| | References | 226 |
| 11. | Double Pipe, Helical Coil, and Cross Flow Heat Exchanger | 229 |
| 11.1 | Double Pipe and Multipipe Heat Exchangers | 229 |
| 11.2 | Helical Coil Heat Exchanger | 237 |
| 11.3 | Cross Flow Bundle | 241 |
| | Nomenclature | 244 |
| | References | 245 |
| 12. | Finned Tube Heat Exchangers | 247 |
| 12.1 | Why Finned Tube Heat Exchangers? | 247 |
| 12.2 | What Parameters Influence the Effectiveness of Finned Tubes? | 249 |
| 12.3 | Finned Tube Calculations | 251 |
| 12.4 | Application Examples | 259 |
| | References | 264 |
| | <i>Index</i> | 265 |