

Contents

	Preface	xv
0	Introduction.....	1
0.1	Subject of the book	1
0.2	Building physics vs. applied building physics	1
0.3	Units and symbols.....	2
	Further reading.....	5
1	Outdoor and indoor ambient conditions.....	7
1.1	Overview.....	7
1.2	Outdoors	8
1.2.1	Air temperature	9
1.2.2	Solar radiation	12
1.2.2.1	Beam radiation	14
1.2.2.2	Diffuse radiation	16
1.2.2.3	Reflected radiation	17
1.2.2.4	Total radiation	17
1.2.3	Longwave radiation	18
1.2.4	Relative humidity and (partial water) vapour pressure.....	22
1.2.5	Wind	23
1.2.5.1	Wind speed	24
1.2.5.2	Wind pressure	24
1.2.6	Precipitation and wind-driven rain	26
1.2.6.1	Precipitation	27
1.2.6.2	Wind-driven rain	28
1.2.7	Microclimates around buildings.....	30
1.2.8	Standardized outdoor climate data	31
1.2.8.1	Design temperature	31
1.2.8.2	Reference years	31
1.2.8.3	Very hot summer, very cold winter day	31
1.2.8.4	Moisture reference years	31
1.2.8.5	Equivalent temperature for condensation and drying.....	34
1.2.8.6	Monthly mean vapour pressure outdoors	37
1.3	Indoors	37
1.3.1	Air temperatures.....	37
1.3.1.1	In general	37
1.3.1.2	Measured data	38
1.3.2	Relative humidity and vapour pressure.....	41
1.3.2.1	Vapour release indoors.....	41
1.3.2.2	Measured data	44
1.3.2.3	Indoor climate classes	47
1.3.3	Indoor/outdoor air pressure differentials	50
	Further reading.....	51

2	Performance metrics and arrays	54
2.1	Definitions.....	54
2.2	Functional demands	54
2.3	Performance requirements	54
2.4	A short history.....	55
2.5	Performance arrays	56
2.5.1	Overview.....	56
2.5.1.1	The built environment.....	56
2.5.1.2	Whole buildings and building assemblies.....	57
2.5.2	In detail	57
2.5.2.1	Functionality	57
2.5.2.2	Structural adequacy.....	57
2.5.2.3	Building physics related quality.....	60
2.5.2.4	Fire safety.....	60
2.5.2.5	Durability	61
2.5.2.6	Maintenance.....	61
	Further reading.....	62
3	Whole building level.....	63
3.1	Thermal comfort	63
3.1.1	General concepts.....	63
3.1.2	Physiological basis.....	63
3.1.2.1	Exothermic.....	63
3.1.2.2	Homoeothermic	65
3.1.2.3	Autonomic control system	65
3.1.3	Steady state thermal comfort, the physiology based approach.....	66
3.1.3.1	Clothing	66
3.1.3.2	Heat flow between body and ambient	66
3.1.3.3	Comfort equations.....	68
3.1.3.4	Comfort parameters and variables.....	69
3.1.3.5	Thermally equivalent environments and comfort temperatures	69
3.1.3.6	Comfort appreciation	71
3.1.4	Steady state thermal comfort, the adaptive model.....	72
3.1.5	Thermal comfort under non-uniform and under transient conditions.....	74
3.1.5.1	Refined body model	74
3.1.5.2	Local discomfort	76
3.1.5.3	Drifts and ramps.....	78
3.1.6	Standard-based comfort requirements.....	80
3.1.7	Comfort related enclosure performance	81
3.2	Health and indoor environmental quality.....	83
3.2.1	In general	83
3.2.2	Health.....	84
3.2.3	Definitions.....	85
3.2.4	Relation between pollution outdoor and indoors	85
3.2.5	Process-related contaminants	86
3.2.5.1	Dust, vapour, smoke, mist and gaseous clouds	86

3.2.5.2	Fibres	86
3.2.5.3	Ozone.....	87
3.2.6	Building, insulation and finishing material related contaminants	87
3.2.6.1	(Semi) volatile organic compounds ((S)VOCs)	87
3.2.6.2	Formaldehyde (HCHO)	88
3.2.6.3	Phthalates	89
3.2.6.4	Pentachlorinephenols	89
3.2.7	Soil-related radon as contaminant	89
3.2.8	Combustion related contaminants	91
3.2.8.1	Carbon monoxide.....	91
3.2.8.2	Nitrous dioxide (NO ₂).....	91
3.2.9	Bio-germs.....	92
3.2.9.1	Viruses	92
3.2.9.2	Bacteria	92
3.2.9.3	Mould.....	92
3.2.9.4	Dust mites	95
3.2.9.5	Insects	95
3.2.9.6	Rodents	96
3.2.9.7	Pets.....	96
3.2.10	Human related contaminants.....	96
3.2.10.1	Carbon dioxide (CO ₂)	97
3.2.10.2	Water vapour.....	97
3.2.10.3	Bio-odours	97
3.2.10.4	Tobacco smoke	98
3.2.11	Perceived indoor air quality	99
3.2.11.1	Odour	99
3.2.11.2	Indoor air enthalpy	101
3.2.12	Sick building syndrome (SBS).....	102
3.2.13	Contaminant control.....	103
3.2.13.1	Minimizing emission	103
3.2.13.2	Ventilation	103
3.2.13.3	Air cleaning and personal protective measures	109
3.3	Energy efficiency	110
3.3.1	In general	110
3.3.2	Some statistics.....	111
3.3.3	End energy use in buildings	112
3.3.3.1	Lighting and appliances	112
3.3.3.2	Domestic hot water	116
3.3.3.3	Space heating, cooling and air conditioning	116
3.3.4	Space heating	116
3.3.4.1	Terminology.....	116
3.3.4.2	Steady state heat balance at zone level.....	118
3.3.4.3	Whole building steady state heat balance.....	123
3.3.4.4	Heat gain utilization efficiency	123
3.3.4.5	Annual end use for heating	125

3.3.4.6	Protected volume as one zone	125
3.3.5	Residential buildings, parameters shaping the annual net heating demand	125
3.3.5.1	Overview	125
3.3.5.2	Outdoor climate	126
3.3.5.3	Building use	127
3.3.5.4	Building design and construction	135
3.3.6	Residential buildings, parameters fixing net cooling demand	144
3.3.7	Residential buildings, gross energy demand, end energy use	146
3.3.8	Residential buildings ranked in terms of energy efficiency	146
3.3.8.1	Insulated	146
3.3.8.2	Energy efficient	146
3.3.8.3	Low energy	147
3.3.8.4	Passive	147
3.3.8.5	Near zero energy	147
3.3.8.6	Net zero energy	147
3.3.8.7	Net plus energy	147
3.3.8.8	Energy autarkic	148
3.3.9	Non-residential buildings, net and gross demand, end and primary energy use	148
3.3.9.1	In general	148
3.3.9.2	School retrofits as an exemplary case	148
3.4	Durability	152
3.4.1	In general	152
3.4.2	Loads	153
3.4.3	Damage patterns	153
3.4.3.1	Decrease in thermal quality	153
3.4.3.2	Decrease in strength and stiffness	154
3.4.3.3	Stress, strain, deformation and cracking	154
3.4.3.4	Biological attack	158
3.4.3.5	Frost damage	160
3.4.3.6	Salt attack	163
3.4.3.7	Chemical attack	167
3.4.3.8	Corrosion	168
3.5	Economics	170
3.5.1	Total and net present value	170
3.5.2	Optimum insulation thickness	171
3.5.3	Whole building optimum	173
3.5.3.1	Methodology	173
3.5.3.2	Example	174
3.6	Sustainability	178
3.6.1	In general	178
3.6.2	Life cycle inventory and analysis	179
3.6.2.1	Definition	179
3.6.2.2	Some criteria	181
3.6.2.3	Whole energy use and minimal environmental load	181

3.6.2.4	Recycling	182
3.6.3	High performance buildings.....	182
	Further reading.....	186
4	Envelope and fabric: heat, air and moisture metrics.....	195
4.1	Introduction.....	195
4.2	Airtightness	195
4.2.1	Air flow patterns	195
4.2.2	Performance requirements	197
4.2.2.1	Air infiltration and exfiltration	197
4.2.2.2	Inside air washing, wind washing and air looping	197
4.3	Thermal transmittance.....	198
4.3.1	Definitions.....	198
4.3.1.1	Opaque envelope assemblies above grade	198
4.3.1.2	Whole envelope	199
4.3.2	Basis for requirements.....	199
4.3.2.1	Envelope parts.....	199
4.3.2.2	Whole envelope	200
4.3.3	Examples of requirements.....	200
4.3.3.1	Envelope parts.....	200
4.3.3.2	Whole envelopes.....	200
4.4	Transient thermal response	204
4.4.1	Properties of importance	204
4.4.2	Performance requirements	206
4.4.3	Consequences for the building fabric.....	206
4.5	Moisture tolerance.....	208
4.5.1	In general	208
4.5.2	Construction moisture	208
4.5.2.1	Definition	208
4.5.2.2	Performance requirements	208
4.5.2.3	Consequences for the building fabric.....	209
4.5.3	Rain.....	210
4.5.3.1	The problem.....	210
4.5.3.2	Performance requirements	212
4.5.3.3	Modelling.....	213
4.5.3.4	Consequences for the building envelope.....	215
4.5.4	Rising damp	217
4.5.4.1	Definition	217
4.5.4.2	Performance requirements	217
4.5.4.3	Modelling.....	218
4.5.4.4	Avoiding or curing rising damp	221
4.5.5	Pressure heads.....	222
4.5.5.1	Definition	222
4.5.5.2	Performance requirements	223
4.5.5.3	Modelling.....	223
4.5.5.4	Protecting the building fabric.....	223

4.5.6	Accidental leaks	224
4.5.7	Hygroscopic moisture	224
4.5.7.1	Definition	224
4.5.7.2	Performance requirements	226
4.5.7.3	Modelling.....	226
4.5.7.4	Consequences for the building fabric.....	226
4.5.8	Surface condensation	226
4.5.8.1	Definition	226
4.5.8.2	Performance requirements	226
4.5.8.3	Modelling.....	227
4.5.8.4	Consequences for the envelope.....	228
4.5.9	Interstitial condensation	228
4.5.9.1	Definition	228
4.5.9.2	Modelling.....	229
4.5.9.3	Performance requirements	232
4.5.9.4	Consequences for the building envelope.....	233
4.5.9.5	Remark.....	234
4.5.10	All moisture sources combined.....	234
4.5.10.1	Modelling.....	234
4.5.10.2	Performance requirements	234
4.5.10.3	Why models still have limitations.....	236
4.5.10.4	Three examples where full models were hardly of any help	240
4.6	Thermal bridges	244
4.6.1	Definition	244
4.6.2	Performance requirements	245
4.6.3	Consequences for the envelope.....	245
4.7	Contact coefficients.....	245
4.8	Hygrothermal stress and strain.....	246
4.9	Transparent parts: solar transmittance.....	247
4.9.1	Definition	247
4.9.2	Performance requirements	247
4.9.3	Consequences for the envelope.....	248
	Further reading.....	248
5	Timber-framed outer wall as an exemplary case	253
5.1	In general	253
5.2	Assembly	253
5.3	Heat, air, moisture performances	253
5.3.1	Airtightness.....	253
5.3.2	Thermal transmittance.....	255
5.3.3	Transient response	257
5.3.4	Moisture tolerance.....	257
5.3.4.1	Construction moisture.....	257
5.3.4.2	Rain control.....	257
5.3.4.3	Rising damp	258
5.3.4.4	Hygroscopic moisture and surface condensation	258

5.3.4.5 Interstitial condensation 258

5.3.4.6 More advanced modelling..... 264

5.3.4.7 Thermal bridging 265

6 Heat-air-moisture material properties 266

6.1 Introduction..... 266

6.2 Dry air and water..... 267

6.3 Materials, thermal properties..... 268

6.3.1 Definitions..... 268

6.3.2 Design values 268

6.3.2.1 Non-certified materials (ISO 10456)..... 268

6.3.2.2 Design values (NBN B62-002 (2001)) 272

6.3.3 Measured data 281

6.3.3.1 Building materials 281

6.3.3.2 Insulation materials 287

6.4 Materials, air-related properties..... 290

6.4.1 Design values 290

6.4.1.1 Measured values..... 291

6.5 Materials, moisture properties 304

6.5.1 Design values for the vapour resistance factor (ISO 10456) 304

6.5.1.1 Building and finishing materials 304

6.5.1.2 Insulation materials 309

6.5.2 Measured values..... 309

6.5.2.1 Building materials 310

6.5.2.2 Insulation materials 323

6.5.2.3 Finishes 324

6.5.2.4 Miscellaneous 326

6.5.2.5 Vapour retarders..... 327

6.6 Surfaces, radiant properties 328

Further reading 329

**Appendix A: Solar radiation for Uccle, Belgium, 50° 51' north,
4° 21' east 331**