

Table of Contents

Nomenclature	xv
Chapter 1 Introduction to the Two-Stroke Engine	1
1.0 Introduction to the two-stroke cycle engine	1
1.1 The fundamental method of operation of a simple two-stroke engine	6
1.2 Methods of scavenging the cylinder	8
1.2.1 Loop scavenging	8
1.2.2 Cross scavenging	10
1.2.3 Uniflow scavenging	11
1.2.4 Scavenging not employing the crankcase as an air pump	12
1.3 Valving and porting control of the exhaust, scavenge and inlet processes	15
1.3.1 Poppet valves	16
1.3.2 Disc valves	16
1.3.3 Reed valves	17
1.3.4 Port timing events	18
1.4 Engine and porting geometry	20
1.4.1 Swept volume	21
1.4.2 Compression ratio	22
1.4.3 Piston position with respect to crankshaft angle	22
1.4.4 Computer program, Prog.1.1, PISTON POSITION	23
1.4.5 Computer program, Prog.1.2, LOOP ENGINE DRAW	23
1.4.6 Computer program, Prog.1.3, QUB CROSS ENGINE DRAW	25
1.5 Definitions of thermodynamic terms used in connection with engine design and testing	26
1.5.1 Scavenge ratio and delivery ratio	26
1.5.2 Scavenging efficiency and purity	28
1.5.3 Trapping efficiency	28
1.5.4 Charging efficiency	29
1.5.5 Air-to-fuel ratio	29
1.5.6 Cylinder trapping conditions	30
1.5.7 Heat released during the burning process	31
1.5.8 The thermodynamic cycle for the two-stroke engine	31
1.5.9 The concept of mean effective pressure	34
1.5.10 Power and torque and fuel consumption	34

1.6	Laboratory testing of two-stroke engines	35
1.6.1	Laboratory testing for power, torque, mean effective pressure and specific fuel consumption	35
1.6.2	Laboratory testing for exhaust emissions from two-stroke engines	38
1.6.3	Trapping efficiency from exhaust gas analysis	41
1.7	Potential power output of two-stroke engines	43
1.7.1	Influence of piston speed on the engine rate of rotation	44
1.7.2	Influence of engine type on power output	45
	Subscript notation for Chapter 1	46
	References for Chapter 1	47
Chapter 2 Gas Flow through Two-Stroke Engines		49
2.0	Introduction	49
2.1	Motion of pressure waves in a pipe	52
2.1.1	Nomenclature for pressure waves	52
2.1.2	Propagation velocities of acoustic pressure waves	54
2.1.3	Propagation and particle velocities of finite amplitude waves	55
2.1.4	Propagation and particle velocities of finite amplitude waves in air	58
2.1.5	Distortion of the wave profile	62
2.1.6	The properties of gases	64
2.2	Motion of oppositely moving pressure waves in a pipe	69
2.2.1	Superposition of oppositely moving waves	69
2.2.2	Wave propagation during superposition	72
2.2.3	Mass flow rate during wave superposition	73
2.2.4	Supersonic particle velocity during wave superposition	74
2.3	Friction loss and friction heating during pressure wave propagation	77
2.3.1	Friction factor during pressure wave propagation	81
2.3.2	Friction loss during pressure wave propagation in bends in pipes	83
2.4	Heat transfer during pressure wave propagation	84
2.5	Wave reflections at discontinuities in gas properties	85
2.6	Reflection of pressure waves	88
2.6.1	Notation for reflection and transmission of pressure waves in pipes	90
2.7	Reflection of a pressure wave at a closed end in a pipe	91
2.8	Reflection of a pressure wave at an open end in a pipe	92
2.8.1	Reflection of a compression wave at an open end in a pipe	92
2.8.2	Reflection of an expansion wave at a bellmouth open end in a pipe	93
2.8.3	Reflection of an expansion wave at a plain open end in a pipe	95
2.9	An introduction to reflection of pressure waves at a sudden area change	97
2.10	Reflection of pressure waves at an expansion in pipe area	101

2.10.1	Flow at pipe expansions where sonic particle velocity is encountered	104
2.11	Reflection of pressure waves at a contraction in pipe area	105
2.11.1	Flow at pipe contractions where sonic particle velocity is encountered	107
2.12	Reflection of waves at a restriction between differing pipe areas	108
2.12.1	Flow at pipe restrictions where sonic particle velocity is encountered	112
2.12.2	Examples of flow at pipe expansions, contractions and restrictions	113
2.13	An introduction to reflections of pressure waves at branches in a pipe	114
2.14	The complete solution of reflections of pressure waves at pipe branches	117
2.14.1	The accuracy of simple and more complex branched pipe theories	122
2.15	Reflection of pressure waves in tapered pipes	124
2.15.1	Separation of the flow from the walls of a diffuser	126
2.16	Reflection of pressure waves in pipes for outflow from a cylinder	127
2.16.1	Outflow from a cylinder where sonic particle velocity is encountered	132
2.16.2	Numerical examples of outflow from a cylinder	133
2.17	Reflection of pressure waves in pipes for inflow to a cylinder	135
2.17.1	Inflow to a cylinder where sonic particle velocity is encountered	139
2.17.2	Numerical examples of inflow into a cylinder	140
2.18	The simulation of engines by the computation of unsteady gas flow	142
2.18.1	The basis of the GPB computation model	144
2.18.2	Selecting the time increment for each step of the calculation	146
2.18.3	The wave transmission during the time increment, Δt	147
2.18.4	The interpolation procedure for wave transmission through a mesh	147
2.18.5	Singularities during the interpolation procedure	150
2.18.6	Changes due to friction and heat transfer during a computation step	151
2.18.7	Wave reflections at the inter-mesh boundaries after a time step	151
2.18.8	Wave reflections at the ends of a pipe after a time step	154
2.18.9	Mass and energy transport along the duct during a time step	156
2.18.10	The thermodynamics of cylinders and plenums during a time step	162
2.18.11	Air flow, work, and heat transfer during the modeling process	166
2.18.12	The modeling of engines using the GPB finite system method	170
2.19	The correlation of the GPB finite system simulation with experiments	170
2.19.1	The QUB SP (single pulse) unsteady gas flow experimental apparatus	170
2.19.2	A straight parallel pipe attached to the QUB SP apparatus	173
2.19.3	A sudden expansion attached to the QUB SP apparatus	177

2.19.4	A sudden contraction attached to the QUB SP apparatus	179
2.19.5	A divergent tapered pipe attached to the QUB SP apparatus	181
2.19.6	A convergent tapered pipe attached to the QUB SP apparatus	183
2.19.7	A longer divergent tapered pipe attached to the QUB SP apparatus	185
2.19.8	A pipe with a gas discontinuity attached to the QUB SP apparatus	187
2.20	Computation time	191
2.21	Concluding remarks	192
	References for Chapter 2	193
Appendix A2.1	The derivation of the particle velocity for unsteady gas flow	197
Appendix A2.2	Moving shock waves in unsteady gas flow	201
Appendix A2.3	Coefficients of discharge in unsteady gas flow	205
Chapter 3	Scavenging the Two-Stroke Engine	211
3.0	Introduction	211
3.1	Fundamental theory	211
3.1.1	Perfect displacement scavenging	213
3.1.2	Perfect mixing scavenging	214
3.1.3	Combinations of perfect mixing and perfect displacement scavenging	215
3.1.4	Inclusion of short-circuiting of scavenge air flow in theoretical models	216
3.1.5	The application of simple theoretical scavenging models	216
3.2	Experimentation in scavenging flow	219
3.2.1	The Jante experimental method of scavenge flow assessment	219
3.2.2	Principles for successful experimental simulation of scavenging flow	223
3.2.3	Absolute test methods for the determination of scavenging efficiency	224
3.2.4	Comparison of loop, cross and uniflow scavenging	227
3.3	Comparison of experiment and theory of scavenging flow	233
3.3.1	Analysis of experiments on the QUB single-cylinder gas scavenging rig	233
3.3.2	A simple theoretical scavenging model which correlates with experiments	237
3.3.3	Connecting a volumetric scavenging model with engine simulation	241
3.3.4	Determining the exit properties by mass	242
3.4	Computational fluid dynamics	244
3.5	Scavenge port design	250
3.5.1	Uniflow scavenging	250
3.5.2	Conventional cross scavenging	253
3.5.3	Unconventional cross scavenging	257

3.5.3.1	The use of Prog.3.3(a) GPB CROSS PORTS	259
3.5.4	QUB type cross scavenging	261
3.5.4.1	The use of Prog.3.3(b) QUB CROSS PORTS	261
3.5.5	Loop scavenging	263
3.5.5.1	The main transfer port	265
3.5.5.2	Rear ports and radial side ports	266
3.5.5.3	Side ports	266
3.5.5.4	Inner wall of the transfer ports	266
3.5.5.5	Effect of bore-to-stroke ratio on loop scavenging	267
3.5.5.6	Effect of cylinder size on loop scavenging	267
3.5.5.7	The use of Prog.3.4, LOOP SCAVENGE DESIGN	268
3.5.6	Loop scavenging design for external scavenging	269
3.5.6.1	The use of Prog.3.5 BLOWN PORTS	270
3.6	Scavenging design and development	273
	References for Chapter 3	276
Chapter 4	Combustion in Two-Stroke Engines	281
4.0	Introduction	281
4.1	The spark-ignition engine	282
4.1.1	Initiation of ignition	282
4.1.2	Air-fuel mixture limits for flammability	284
4.1.3	Effect of scavenging efficiency on flammability	285
4.1.4	Detonation or abnormal combustion	285
4.1.5	Homogeneous and stratified combustion	286
4.1.6	Compression ignition	288
4.2	Heat released by combustion	289
4.2.1	The combustion chamber	289
4.2.2	Heat release prediction from cylinder pressure diagram	289
4.2.3	Heat release from a two-stroke loop-scavenged engine	294
4.2.4	Combustion efficiency	294
4.3	Heat availability and heat transfer during the closed cycle	296
4.3.1	Properties of fuels	296
4.3.2	Properties of exhaust gas and combustion products	297
4.3.2.1	Stoichiometry and equivalence ratio	298
4.3.2.2	Rich mixture combustion	299
4.3.2.3	Lean mixture combustion	300
4.3.2.4	Effects of dissociation	301
4.3.2.5	The relationship between combustion and exhaust emissions	302
4.3.3	Heat availability during the closed cycle	303
4.3.4	Heat transfer during the closed cycle	305
4.3.5	Internal heat loss by fuel vaporization	308
4.3.6	Heat release data for spark-ignition engines	309
4.3.7	Heat release data for compression-ignition engines	314

4.3.7.1	The direct injection diesel (DI) engine	314
4.3.7.2	The indirect injection diesel (IDI) engine	316
4.4	Modeling the closed cycle theoretically	318
4.4.1	A simple closed cycle model within engine simulations	318
4.4.2	A closed cycle model within engine simulations	319
4.4.3	A one-dimensional model of flame propagation in spark-ignition engines	322
4.4.4	Three-dimensional combustion model for spark-ignition engines	323
4.5	Squish behavior in two-stroke engines	325
4.5.1	A simple theoretical analysis of squish velocity	325
4.5.2	Evaluation of squish velocity by computer	330
4.5.3	Design of combustion chambers to include squish effects	331
4.6	Design of combustion chambers with the required clearance volume	334
4.7	Some general views on combustion chambers for particular applications	336
4.7.1	Stratified charge combustion	337
4.7.2	Homogeneous charge combustion	338
	References for Chapter 4	339
	Appendix A4.1 Exhaust emissions	343
	Appendix A4.2 A simple two-zone combustion model	347
Chapter 5	Computer Modeling of Engines	357
5.0	Introduction	357
5.1	Structure of a computer model	358
5.2	Physical geometry required for an engine model	359
5.2.1	The porting of the cylinder controlled by the piston motion	359
5.2.2	The porting of the cylinder controlled externally	363
5.2.3	The intake ducting	370
5.2.4	The exhaust ducting	371
5.3	Heat transfer within the crankcase	375
5.4	Mechanical friction losses of two-stroke engines	378
5.5	The thermodynamic and gas-dynamic engine simulation	379
5.5.1	The simulation of a chainsaw	380
5.5.2	The simulation of a racing motorcycle engine	394
5.5.3	The simulation of a multi-cylinder engine	402
5.6	Concluding remarks	409
	References for Chapter 5	410
	Appendix A5.1 The flow areas through poppet valves	412
Chapter 6	Empirical Assistance for the Designer	415
6.0	Introduction	415
6.1	Design of engine porting to meet a given performance characteristic	416
6.1.1	Specific time areas of ports in two-stroke engines	417
6.1.2	The determination of specific time area of engine porting	424

6.1.3	The effect of changes of specific time area in a chainsaw	426
6.2	Some practical considerations in the design process	431
6.2.1	The acquisition of the basic engine dimensions	431
6.2.2	The width criteria for the porting	432
6.2.3	The port timing criteria for the engine	434
6.2.4	Empiricism in general	434
6.2.5	The selection of the exhaust system dimensions	435
6.2.6	Concluding remarks on data selection	445
6.3	Empirical design of reed valves for two-stroke engines	446
6.3.1	The empirical design of reed valve induction systems	447
6.3.2	The use of specific time area information in reed valve design	450
6.3.3	The design process programmed into a package, Prog.6.4	454
6.3.4	Concluding remarks on reed valve design	455
6.4	Empirical design of disc valves for two-stroke engines	456
6.4.1	Specific time area analysis of disc valve systems	456
6.4.2	A computer solution for disc valve design, Prog.6.5	459
6.5	Concluding remarks	460
	References for Chapter 6	461
Chapter 7	Reduction of Fuel Consumption and Exhaust Emissions	463
7.0	Introduction	463
7.1	Some fundamentals of combustion and emissions	465
7.1.1	Homogeneous and stratified combustion and charging	466
7.2	The simple two-stroke engine	469
7.2.1	Typical performance characteristics of simple engines	471
	7.2.1.1 Measured performance data from QUB 400 research engine	472
	7.2.1.2 Typical performance maps for simple two-stroke engines	476
7.3	Optimizing fuel economy and emissions for the simple two-stroke engine	483
7.3.1	The effect of scavenging on performance and emissions	484
7.3.2	The effect of air-fuel ratio	486
7.3.3	The effect of optimization at a reduced delivery ratio	486
7.3.4	The optimization of combustion	490
7.3.5	Conclusions regarding the simple two-stroke engine	492
7.4	The more complex two-stroke engine	494
7.4.1	Stratified charging with homogeneous combustion	497
7.4.2	Homogeneous charging with stratified combustion	512
7.5	Compression-ignition engines	531
7.6	Concluding comments	531
	References for Chapter 7	532

Appendix A7.1 The effect of compression ratio on performance characteristics and exhaust emissions	536
Chapter 8 Reduction of Noise Emission from Two-Stroke Engines	541
8.0 Introduction	541
8.1 Noise	541
8.1.1 Transmission of sound	542
8.1.2 Intensity and loudness of sound	542
8.1.3 Loudness when there are several sources of sound	544
8.1.4 Measurement of noise and the noise-frequency spectrum	545
8.2 Noise sources in a simple two-stroke engine	546
8.3 Silencing the exhaust and inlet system	547
8.4 Some fundamentals of silencer design	548
8.4.1 The theoretical work of Coates	548
8.4.2 The experimental work of Coates	550
8.4.3 Future work for the prediction of silencer behavior	554
8.5 Acoustic theory for silencer attenuation characteristics	555
8.5.1 The diffusing type of exhaust silencer	555
8.5.2 The side-resonant type of exhaust silencer	560
8.5.3 The absorption type of exhaust silencer	563
8.5.4 The laminar flow exhaust silencer	565
8.5.5 Silencing the intake system	567
8.5.6 Engine simulation to include the noise characteristics	570
8.5.7 Shaping the ports to reduce high-frequency noise	577
8.6 Silencing the tuned exhaust system	579
8.6.1 A design for a silenced expansion chamber exhaust system	580
8.7 Concluding remarks on noise reduction	583
References for Chapter 8	584
Postscript	587
Appendix Listing of Computer Programs	589
Index	591