

Table of contents

<i>Preface</i>	XV
<i>IAVSD 2015 Committees</i>	XVII
<i>Acknowledgments</i>	XIX
 Volume 1	
<i>Road</i>	
Fundamental study on ideal longitudinal control for improved dynamical handling characteristics <i>M. Yamakado, M. Abe & Y. Kano</i>	3
Component based modeling and validation of a steering system for a commercial vehicle <i>J. Loof, I. Besselink & H. Nijmeijer</i>	15
Robust design of road vehicle suspensions using fuzzy methods <i>W. Schiehlen, M. Hanss & I. Iroz</i>	25
Evaluation of chassis control algorithms using controllability region analysis <i>S. Horiuchi</i>	35
Influence of body stiffness on vehicle dynamics characteristics <i>O. Danielsson, A. González Cocaña, K. Ekström, M. Bayani Khaknejad, M. Klomp & R. Dekker</i>	45
Development of a novel model of driver-vehicle steering control incorporating sensory dynamics <i>C.J. Nash & D.J. Cole</i>	57
A speed control race driver model with on-line driving trajectory planning <i>Y. Koh, K. Yi, H. Her & K. Kim</i>	67
Optimization of driver and chassis of FWD racing car for faster cornering <i>M. Maniowski</i>	77
Coordinated braking control for In-Wheel-Motor-Driven Electric Vehicles with regenerative and antilock braking system based on control allocation <i>X. Jin & G. Yin</i>	87
The effect on power consumption & handling of efficiency-driven active torque distribution in a four wheeled vehicle <i>G. Parker, J. Griffin & A. Popov</i>	97
Optimal yaw-rate target for electric vehicle torque vectoring system <i>E.N. Smith, D. Tavernini, C. Claret, E. Velenis & D. Cao</i>	107
Effects of different excitation spectra on virtual suspension damper design <i>F. Klinger, J. Edelmann, M. Plöchl & S. Jeindl</i>	115
Farm tractor ride comfort assessment <i>M. Gobbi, G. Mastinu, M. Pennati & G. Previati</i>	125

A study of semi-active suspension with tuned mass damper <i>Y. Zhuang, S. Nie & K. Guo</i>	137
Experimental implementation of a fault handling strategy for electric vehicles with individual-wheel drives <i>D. Wanner, M. Nybacka, O. Wallmark, L. Drugge & A. Stensson Trigell</i>	147
Front-to-rear torque vectoring Model Predictive Control for terminal understeer mitigation <i>E. Siampis, E. Velenis & S. Longo</i>	153
Stability of towed wheels in cornering manoeuvre <i>H. Sykora & D. Takács</i>	161
Stability investigation of car-trailer combinations depending on damper properties <i>N. Zhang, Z.J. Shao, H. Xiao & H. Winner</i>	169
Wave-based control for intelligent longitudinal traffic column <i>M. Valášek, Z. Neusser & T. Gordon</i>	181
Vehicle motion planning and control for autonomous driving intelligence system based on risk potential optimization framework <i>P. Raksincharoensak, T. Hasegawa, A. Yamasaki, H. Mouri & M. Nagai</i>	189
Autonomous vehicle controlled by safety path planner with collision risk estimation coupled with a non-linear MPC <i>S. Arrigoni, F. Cheli, S.S. Manazza, P. Gottardis, R. Happee, M. Arat & D. Kotiadis</i>	199
A study of motorcycle chatter vibration with multibody models of increasing complexity <i>L. Leonelli, N. Mancinelli & S. Sorrentino</i>	209
Design of an active tilting three-wheeler: Optimization of the dynamic performances via multibody simulations <i>A. Verlé & P. Fisette</i>	219
Experimental evaluation of collision avoidance system using state dependent Riccati equation technique <i>M. Alirezaei, S.T.H. Jansen & J.M. Janssen</i>	229
A novel approach for a collision avoiding lane change system in a dynamic traffic environment <i>S. Samiee, A. Eichberger, S. Azadi & R. Kazemi</i>	237
The trade-off between distance margin and steering intrusiveness in obstacle avoidance manoeuvres with oncoming traffic <i>A. Arikere, M. Lidberg & G. Olsson</i>	243
Multi-domain modelling of a new wheel rotational kinematics sensor <i>J.P. Gray, J.R. Paldan & V.V. Vantsevich</i>	253
Study on automobile tire sensing by Quasi-Electrostatic Field technology <i>K. Kouno, K. Takiguchi, Y. Suda, S. Mizuno, Y. Kitagawa, S. Yamabe, N. Masaki & T. Hayashi</i>	263
Studying road roughness effect on rolling resistance using brush tyre model and self-affine fractal surfaces <i>K. Yoshimura, M.M. Davari, L. Drugge, J. Jerrelind & A. Stensson Trigell</i>	273
An autonomous safety system for road departure prevention based on combined path and sideslip control <i>Y. Gao, T. Gordon, M. Lidberg & M. Klomp</i>	281

Accelerated evaluation of automated vehicles using extracted naturalistic driving data <i>D. Zhao, H. Peng, S. Bao, K. Nobukawa, D.J. LeBlanc & C.S. Pan</i>	287
Experimental evaluation of the controllability of interacting advanced driver assistance systems <i>O. Schädler, S. Müller & M. Gründl</i>	297
Extremum seeking control of a pneumatic braking system for heavy vehicles <i>G. Morrison & D. Cebon</i>	307
Path-dependent rollover prevention for critical truck maneuvers <i>K. Lundahl, C.F. Lee, E. Frisk & L. Nielsen</i>	317
Application of linear slosh theory on stability of the B-train combinations <i>I. Hazrati Ashtiani, A. Kolaee, M. Abedi & S. Rakheja</i>	327
Hardware-in-the-loop system for electro-pneumatic brake systems of commercial vehicles <i>F. Bauer, A. Lion, S. Litter & E. Topčagić</i>	337
Combined effect of electronic stability control and active tilting control based on full-car nonlinear model <i>I. Youn, E. Youn, M.A. Khan, L. Wu & M. Tomizuka</i>	345
Integrated vehicle dynamic control using composite nonlinear feedback method for independent wheel drive electric vehicle <i>M.H.M. Ariff, H. Zamzuri, N.R.N. Idris & A.M.A. Mustafa</i>	355
Integrated attitude motion and lateral stability control of a vehicle via active suspension and rear-wheel steering control system <i>L. Wu, I. Youn & M. Tomizuka</i>	365
Nonlinear analysis of actuator interventions using robust controlled invariant sets <i>P. Gáspár & B. Németh</i>	375
Experimental evaluation of unknown input observers for tire model parameter estimation <i>R. Tafner, M. Reichhartinger & M. Horn</i>	383
Identification of tire cornering stiffness in lane changes using Dual Kalman filter <i>S. Lee, K. Nakano, M. Ohori & R. Zheng</i>	393
Identification method of longitudinal tyre characteristics based on real road driving <i>A. Kerschbaumer, W. Hirschberg & D. Prezel</i>	403
An investigation into design and simulation strategies for the extension of vehicle dynamics linearity <i>A.U. Qazi, M. Blundell, G. Wood & G. Chrysakis</i>	413
Steering HILS system with multibody kinematics model considering suspension compliance steer <i>M. Tsushima, K. Morihara & T. Shiiba</i>	423
Analysis of vehicle dynamics and vibrations of a vehicle with a 2-cylinder engine <i>W. Reinalter, M. Mittermaier, T. Sato & A. Kobayashi</i>	433
Experimental validation of a non-linear first-order tyre dynamics approach <i>A. Hackl, W. Hirschberg, C. Lex & G. Rill</i>	443
Experimental study on velocity and temperature dependency of rubber-asphalt friction <i>J. Kärkimaa & A.J. Tuononen</i>	453

Body attitude state estimation using wheel rolling speed variations and application in driving torque control	461
<i>Y. Liu, J. Hozumi, M. Morita & A. Higuchi</i>	
Active brake force distribution for pitch angle minimisation	473
<i>D. Tavernini, E. Velenis & F. Assadian</i>	
Vehicle stability self-tuning control strategy based on joint criterion	481
<i>Z. Yu, B. Leng, L. Xiong & Y. Feng</i>	
Development of a road surface friction estimation for actual road	491
<i>Y. Shiozawa, P. Raksincharoensak & H. Mouri</i>	
Identification of tyre characteristics using active force excitation	501
<i>A. Albinsson, F. Bruzelius, B. Jacobson, T. Gustafsson & M. Jonasson</i>	
Friction estimation at tyre-ground contact based on the Gough-plot for safe autonomous vehicles	511
<i>G. Prevati, M. Gobbi, G. Mastinu, S. Dell'Agostino, J. Edelmann & M. Plöchl</i>	
Virtual brake software release	521
<i>S. Angelis, A. Johnsson, M. Klomp, R. Hansson & D. Katzourakis</i>	
Model-based traction control with friction adaption for preventing drive-train vibration during the power-hop acceleration process of front-wheel drive vehicles	533
<i>D. Killian, J.M. Georg, S. Poltersdorf & M. Lienkamp</i>	
Upright mounted pushrod: the effects on racecar handling dynamics	543
<i>F.P. Marchesin, R.S. Barbosa, M.A.L. Alves, M. Gadola, D. Chindamo & C. Benini</i>	
The significance of high-order dynamics in lap time simulations	553
<i>R. Lot & N. Dal Bianco</i>	
The unification of acceleration envelope and driveability concepts	563
<i>I.G. Salisbury, D.J.N. Limebeer, A. Tremlett & M. Massaro</i>	
Optimized roll behavior and ride comfort based on central roll torque distribution on electromechanical anti-roll bars and semiactive dampers and approaches on subjective-objective correlation	573
<i>A.M. Wenzelis, M. Lienkamp & R. Schwarz</i>	
Damping control to enhance transient cornering feeling using Kalman filter	585
<i>H. Sakai</i>	
Design and validation of the second generation of the ROboMObil's Vehicle Dynamics Controller	595
<i>R. de Castro, T. Bunte & J. Brembeck</i>	
Wheel motion control using a hybrid actuator system	607
<i>M. Ringdorfer & M. Horn</i>	
Optimal control and construction design of variable-geometry suspension systems	617
<i>B. Németh & P. Gáspár</i>	
An integrated control of front/rear traction distribution and differential braking for limit handling	623
<i>E. Joa, K. Yi & K. Kim</i>	
Robust handling performance against weight variation focused on transient region	633
<i>T. Hosono, K. Takekoshi & T. Shiiba</i>	

Stability analysis of the car-trailer system with a time-delayed tyre model <i>S. Beregi, D. Takács, G. Stépán & D.A.W. Barton</i>	643
Passive suspension incorporating inerters for reduction in road damage caused by heavy vehicles <i>J.Z. Jiang, X. Liu, A.J. Harrison & X. Na</i>	653
Driving condition identification based on HHMM model – Application to the simulation of heavy duty vehicle <i>T. Zhu, A. Khajepour, C. Zong, L. Mai & H. Deng</i>	663
MPC-based framework for autonomous ground vehicles in a complex environment <i>S. Arrigoni & F. Cheli</i>	669
Integrated design and simulation of a direct drive, electric shuttle vehicle <i>L. Pugi, B. Allotta, M. Cipriani, M. Pratesi, A. Bartolomei & F. Grasso</i>	679
Comparative evaluation of energy efficiency of electrical vehicle powertrain configurations <i>J. Tobolář, R. de Castro, U. Bleck, C. Satzger, J. Brembeck & Y. Hirano</i>	691
Estimation of vehicle yaw moment of inertia in dynamic road test using Wheel Force Sensor <i>Y. Wang & H. Winner</i>	701
Identification of a nonlinear full-vehicle model for semi-active damper controller synthesis <i>M. Fleps-Dezasse & J. Tobolar</i>	711
Model-based integrated control with vehicle states and parameters estimation <i>H. Lu, Y. Shi, F. Yu & D. He</i>	721
On-board determination of the friction coefficient between tire and road using standard-application vehicle dynamics sensors <i>C. Lex, A. Eichberger & W. Hirschberg</i>	731
Analysis of the effect of tire inflation pressure on tire road interaction during braking <i>K. Höpping, K. Augsburg, K. Hutengs, G. Dherbomez, B. Wang, A. Victorino & A. Charara</i>	739
Physical tire model based on understanding of separate components of tire deformation <i>P. Sarkisov, G. Prokop, G. Gladov & S. Popov</i>	749
Analysing vehicle dynamics objective and subjective testing in winter conditions <i>G.L. Gil Gómez, E. Bakker, M. Nybacka & L. Drugge</i>	759
The importance of yaw motion feedback in driving simulators <i>A. Kusachov, F. Bruzelius & X. Xie</i>	769
A high fidelity driving feeling real-time dynamic steering system model <i>X. Guan, C. Duan, L. Zheng, J. Zhan, L. Tian & H. Bao</i>	779
System to detect decrease in driver's lane-keeping ability within several seconds by inverse driver model <i>H. Sakai</i>	789
Visualization of driver's body motion by instantaneous screw axis and line of action <i>M. Hada, T. Yamaguchi & Y. Hattori</i>	799

An intelligent traction control for motorcycles <i>P. Urda, J.A. Cabrera, J.J. Castillo & A.J. Guerra</i>	809
Author index	821
Volume 2	
<i>Rail</i>	
Dynamic gauging assessment using multi-body simulation – investigation of the effect of the track & the operating conditions <i>J. Causse, L. Pommier, S. Kraft, P. Dupont & F. Coudert</i>	827
Pneumatic anti-roll systems for railway secondary suspensions <i>N. Docquier & J.-F. Collard</i>	837
Robust evaluation of rail damage and track forces using representative load collectives <i>B.A. Pålsson</i>	845
Assessing the role of longitudinal variability of vertical track stiffness in the long-term deterioration <i>I. Grossoni, A.R. Andrade & Y. Bezin</i>	855
An efficient condition monitoring strategy of railway vehicle suspension based on recursive least-square algorithm <i>X.Y. Liu, S. Alfi & S. Bruni</i>	865
Comparison of wear prediction models for different contact conditions <i>C. Casanueva, R. Enblom & M. Berg</i>	875
Scenario based development of a wheel profile using numerical optimization <i>M. Alb, J. Zernig, H.-P. Kotz & W. Wang</i>	883
Development of self-contained active suspensions for railway vehicles <i>T.X. Mei, P. Wang, J.Y. Zhang & H. Li</i>	893
Mechatronic bogie for roller rig tests <i>J. Kalivoda & P. Bauer</i>	903
Control development for the scaled experimental railway running gear of DLR <i>A. Heckmann, C. Schwarz, T. Bünte, A. Keck & J. Brembeck</i>	913
Research on aerodynamic experiment and dynamic performance of new developed V500 pantograph at 400 km/h or higher <i>G. Mei, J. Wang, C. Zhao, Y. Jiang, D. Zou, R. Li, Z. Chen, M. Chen, J. Li, D. Song, N. Zhou & W. Zhang</i>	923
Possible speed increase on soft catenary system with help of auxiliary pantograph <i>Z.D. Liu, P.-A. Jönsson, S. Stichel & A. Rönquist</i>	931
Loss of stability in a nonsmooth model of dual-point rolling <i>M. Antali & G. Stépán</i>	941
Advances in studying non-linear phenomena in railway transition curve at velocities around the critical one <i>K. Zboinski & M. Golofit-Stawinska</i>	951
Operational modal analysis of an overall carbody based on excitation due to electric transformer <i>H. Li, X. Wang, J.C. Zou, W. Xue & L.M. Zhang</i>	961

Multimodal reduction of flexural vibration in railway vehicle carbody using elastic torus <i>T. Tomioka, S. Tachikawa & Y. Akiyama</i>	971
Modelling of rubber components using estimated parameters <i>O. Polach</i>	979
Modelling issues in passenger draft gear connections <i>C. Cole, M. Spiryagin, Q. Wu & C. Bosomworth</i>	989
Study on modelling and control methods of air spring in railway vehicles <i>H.X. Gao, M.R. Chi, W.H. Zhang, M.H. Zhu, J. Zeng & P.B. Wu</i>	999
A wheel-rail creep force model considering normal stress and temperature dependent plasticity effects <i>A. Meierhofer, G. Müller, K. Six & P. Dietmaier</i>	1009
Effect of elasto-plasticity on the creep force characteristics and the railway vehicle stability <i>M. Toumi, H. Chollet & H. Yin</i>	1019
Co-simulation of tilting trains in Simpack–Simulink <i>N. Kuka, C. Ariaudo & R. Verardi</i>	1029
Illustrating the implications of choices at the vehicle model building stage in simulation results <i>M. Aizpun & J. Vinolas</i>	1037
Advancements in three-piece freight bogies for increasing axle load up to 27 t <i>A.M. Orlova, A.V. Saidova, E.A. Rudakova, A.N. Komarova & A.V. Gusev</i>	1047
Control re-configuration for actively steered wheelsets in the event of actuator failure <i>M. Mirzapour & T.X. Mei</i>	1055
Railway bogie stability control from secondary yaw actuators <i>R.M. Goodall, C.P. Ward, D. Prandi & S. Bruni</i>	1065
Modelling of a passive hydraulic steering for locomotives <i>T.P. Löwe, P.S. Els & C. Kat</i>	1075
Dynamic model of the track-railway vehicle interaction on curves <i>J. Martínez-Casas, L. Baeza, E. Di Gialleonardo & S. Bruni</i>	1085
Analysis of high speed rotating flexible wheelset-flexible track coupled dynamics <i>Z. Lu, Z. Yang, W. Liu & B. Zhang</i>	1093
How structural flexibilities of both wheelsets and rails affect the typical running behaviour compared to contact geometry and friction variations <i>I. Kaiser & J. Vinolas</i>	1103
Characterization of the evolution of the train dynamic response under the effect of track irregularities <i>N. Lestoille, C. Soize & C. Funfschilling</i>	1111
Development of track condition monitoring system for conventional railways <i>H. Tsunashima, H. Mori, M. Ogino, S. Azami & A. Asano</i>	1119
A stochastic model of the railway track geometry <i>A.M. Panunzio, G. Puel, R. Cottureau & X. Quost</i>	1129
An approach for the classification of track geometry defects <i>S. Kraft, J. Causse & F. Coudert</i>	1139

An application of the interactive multiple model to the measurement of wheel-rail contact forces <i>S. Bionda, E. Di Gialleonardo, G. Cazzulani & F. Braghin</i>	1149
An efficient numerical simulation method for vertical vehicle-track dynamic interactions using the nonlinear Hertzian contact spring <i>Y. Kawasaki & A. Yoshimura</i>	1159
Impact of wheel shape on the vertical damage of cast crossing panels in turnouts <i>Y. Bezin, I. Grossoni & S. Neves</i>	1167
Improvement of train-track interaction in transition zones via reduction of ballast damage <i>H. Wang, V.L. Markine, R.P.B.J. Dollevoet & I.Y. Shevtsov</i>	1177
Sensitivity analysis: Main parameters causing wear and rolling contact fatigue in wheel-rail contact <i>C. Marte, G. Trummer, A. Aichmayr, P. Dietmaier & K. Six</i>	1189
A multi-scale modelling strategy to model the rail rolling contact fatigue <i>C. Funfschilling & M.L. Nguyen-Tajan</i>	1199
Influence of wheel and rail profile shape on the initiation of rolling contact fatigue cracks at high axle loads <i>U. Spangenberg, R.D. Fröhling & P.S. Els</i>	1205
Coupled simulation of vehicle dynamics and aerodynamics <i>M. Hidai, K. Goda, K. Iwasaki & T. Watanabe</i>	1215
Experimental-numerical evaluation of crosswind effect on high-speed freight train and its payload <i>E. Di Gialleonardo, S. Melzi, G. Tomasini & F. Resta</i>	1225
Study on application of big data analytics of running records in railway systems <i>S. Lin, K. Kimoto, Y. Suda, A. Iwamoto, T. Saito, K. Yano, M. Mizuno, M. Tanimoto & K. Nagasawa</i>	1235
Temporal subtraction processing of derailment coefficient collected with the monitoring bogie <i>Y. Michitsuji, A. Matsumoto, Y. Sato, H. Ohno, H. Mori, A. Iwamoto, T. Fukushima, K. Yano, D. Shinagawa, M. Tanimoto & K. Nagasawa</i>	1241
Robustness and performance investigation of railway weigh in motion algorithms respect to parametric and random uncertainties <i>P. D'Adamio, L. Pugi, E. Meli, A. Innocenti, L. Marini & A. Rindi</i>	1249
Simulation approach for wheel wear of locomotives under winter conditions <i>S. Urban, M. Beitelschmidt & B. Peters</i>	1259
Rail corrugation growth in curves – friction management as a sustainable solution <i>M. Beck, R. Stock & B. Temple</i>	1269
Top of rail friction modifier application scenarios and wheel-rail interaction forces <i>H. Wu & N. Wilson</i>	1281
Study on curving performance of heavy haul train under braking condition <i>L. Yang, S. Luo, Q. Wu & M. Fu</i>	1293
Study on heavy haul locomotive behaviour under a bogie traction control strategy with the presence of wheel diameter difference within a bogie <i>M. Spiryagin, P. Wolfs, C. Cole, Y.Q. Sun & F. Szanto</i>	1301

Adaptive algorithm of active railway safety system for smooth and precise braking <i>M. Gorobetz, A. Potapovs & A. Levchenkov</i>	1311
Vertical dynamic vehicle-track interaction in a railway crossing predicted by moving Green's functions <i>X. Li, P.T. Torstensson & J.C.O. Nielsen</i>	1323
Heavy point frog performance under passenger vehicles <i>A.M. Rakoczy, X. Shu, D.D. Davis, D. Li & A. Tajaddini</i>	1333
Dynamic finite element model-impact force and contact pressure for measured geometries of fixed crossings <i>M. Pletz, U. Ossberger, H. Ossberger & W. Daves</i>	1341
Towards realistic load assumption of bogie equipment <i>C. Wesseler & S. Schneider</i>	1351
Calculation of moving Green functions for high-speed railway tracks <i>X. Sheng & X. Xiao</i>	1359
Adaptation of the semi-Hertzian method to wheel/rail contact in turnouts <i>M. Sebès, H. Chollet, E. Monteiro, M. Laurent & C. Muller</i>	1371
An alternative to FASTSIM for tangential solution of the wheel-rail contact <i>M.Sh. Sichani, R. Enblom & M. Berg</i>	1381
Running dynamics of railway vehicles equipped with torsionally flexible axles and partially independently rotating wheels <i>A. Bracciali & G. Megna</i>	1391
Dynamic model and performance of Translohr tram on simplifying guiding wheel/rail contact as multi-unilateral springs <i>Y. Ji, L. Ren & Q. Liang</i>	1403
On the influence of operational conditions on the design load calculation for railway vehicle bogies <i>F. Schöler, C. Moser & B. Corves</i>	1413
Methodology for optimisation of draft gear design using Particle Swarm Optimisation <i>Q. Wu, C. Cole & M. Spiryagin</i>	1423
Modelling and simulation of trams bogies with fully independently rotating wheels <i>A. Chudzikiewicz & B. Sowinski</i>	1431
A new kind of tramcar based on virtual tracks and its dynamic performances <i>P. Han, W. Zhang & C. Yang</i>	1439
A novel modular measurement system for the development of light rail vehicles <i>C. Telke, V. Quarz, M. Beitel Schmidt & A. Schulz</i>	1455
Development of a new running gear for the Spectrum intermodal vehicle <i>P. Shackleton, Y. Bezin, D. Crosbee, P. Molyneux-Berry & A. Kaushal</i>	1465
Nonlinear optimal specification of a locomotive axle-box hydraulic damper for vibration reduction and track-friendliness <i>W.L. Wang, D.S. Yu & S. Iwnicki</i>	1475
Effect of under-chassis equipment on railway vehicle car body frequency and its suspension parameter optimization <i>D. Gong, W. Sun, J. Zhou, S. Du & Y. Sun</i>	1485

Energy efficiency of freight wagons and influence of their oscillations on rolling resistance <i>Yu.P. Boronenko, A.N. Komarova & Yu.S. Romen</i>	1495
Study on dynamics of lightweight railway vehicle with different coefficients of friction in wet condition <i>S. Lin, Y. Takino, Y. Suda, M. Hashimoto, D. Nakano, A. Tanimoto & M. Kageyama</i>	1503
Damping characterization of a high speed train catenary <i>O. Vo Van, E. Balmes & X. Lorang</i>	1509
Dynamic stress prediction in catenary wires for fatigue analysis <i>J.P. Bianchi, E. Balmes & M.-L. Nguyen-Tajan</i>	1517
Finite element study of wheel-rail conformal rolling contact <i>J. Blanco-Lorenzo, J. Santamaria, E.G. Vadillo & N. Correa</i>	1527
Study on dynamic derailment criteria for high speed train <i>X. Mao & G. Shen</i>	1535
Investigation on wheel/rail dynamic interaction in heavy-haul railway line with hanging sleepers <i>D.W. Zhang, W.M. Zhai, K.Y. Wang & P.F. Liu</i>	1543
Train-overturned derailments due to excessive speed – Analysis and countermeasures <i>A. Matsumoto, Y. Michitsuji & K. Tanifuji</i>	1553
Systematic simulation study of the derailment risk of freight waggons by different periodical rail irregularities based on two accidents <i>R. Naumann, S. Müller & F. Wolther</i>	1559
Effects of wheelset flexibility on the simulation of vehicle-track interaction at crossings <i>C. Shen, Z. Wei, N. Burgelman, R. Dollevoet & Z. Li</i>	1569
Derailment simulation on a passenger train at level crossing due to lateral collision with a heavy road vehicle <i>Y.Q. Sun, C. Cole, M. Spiriyagin, M. Dhanasekar & D.P. Thambiratnam</i>	1579
Study on improved sign detection system of flange-climb derailment with real-scale experiment <i>M. Sakamoto, S.-P. Lin, Y. Suda, M. Kageyama, S. Koga, T. Kunimi & T. Kawanabe</i>	1587
Analysis approach of turnout crossing performance by field measurements and finite element modeling <i>L. Xin, V.L. Markine & I.Y. Shevtsov</i>	1597
Performance study of a double crossover for facing and trailing directions <i>X. Liu, V.L. Markine & I.Y. Shevtsov</i>	1605
Rail surface crack initiation analysis using multi-scale coupling approach <i>Y. Ma, V.L. Markine & A.A. Mashal</i>	1615
Author index	1627