

Contents

Editor's Note	ix
---------------------	----

Section 1 – General Description

Introduction to the Cessna 172	1-3
The Airframe	1-5
The Flight Controls	1-6
The Landing Gear	1-8
The Engine	1-10
The Propeller	1-11
The Ignition System	1-12
The Oil System	1-13
The Starter System	1-14
The Fuel System	1-15
The Carburetor	1-18
The Electrical System	1-20
The Stall Warning System	1-23
The Lighting System	1-24
The Vacuum System	1-25
The Pitot-Static System	1-26
The Heating and Ventilation System	1-28
Seats and Harnesses	1-29
Doors and Windows	1-32

Section 2 – Limitations

Cessna 172 Dimensions	2-3
The "V" Airspeed Code	2-4
Cessna 172N Limitations	2-5
Airspeed Limitations C172N 1976-78	2-5
Airspeed Indicator Markings C172N 1976-78	2-5
Maximum Demonstrated Crosswind Component C172N 1976-78	2-5
Airspeed Limitations C172N 1979-81	2-5
Airspeed Indicator Markings C172N 1979-81	2-6
Maximum Demonstrated Crosswind Component C172N 1979-81	2-6
Airframe Limitations C172N	2-6
Flight Load Factors C172N	2-6
Performance Limitations C172N	2-6
Engine Limitations C172N	2-7
Oil Quantity C172N	2-7
Fuel System C172N	2-7
Miscellaneous Limitations C172N	2-7

Cessna 172P Limitations	2-8
Airspeed Limitations C172P 1981-85	2-8
Airspeed Indicator Markings C172P 1981-85	2-8
Maximum Demonstrated Crosswind Component	
C172P 1981-85	2-8
Airframe Limitations C172P	2-8
Flight Load Factors C172P	2-9
Performance Limitations C172P	2-9
Engine Limitations C172P	2-9
Oil Quantity C172P	2-9
Fuel System C172P	2-10
Miscellaneous Limitations C172P	2-10
Oil Grades	2-10
Fuel Grades	2-11

Section 3 – Handling the Cessna 172

Ground Handling	3-3
Engine Starting	3-4
Starting with a Suspected Flooded Engine	3-4
Starting in Cold Ambient Conditions (below 0°C)	3-5
Taxiing	3-5
Power and Pre-Takeoff Checks	3-7
Takeoff	3-8
Climbing	3-8
Cruising Flight	3-9
Engine Handling	3-9
Stalling	3-10
Spins	3-10
Descent	3-12
Landing	3-12
Parking and Tie Down	3-14

Section 4 – Mixture and Carburetor Icing Supplement

Carburetor Icing 4-3

How Carburetor Icing Forms 4-3

Conditions Likely to Lead to Carburetor Icing 4-5

Symptoms of Carburetor Icing 4-5

Use of Carburetor Heat 4-6

The Mixture Control 4-7

Reasons for Adjusting the Mixture 4-9

Use of the Mixture Control 4-9

Section 5 – Expanded C 172 Pre-Flight Check List

Approaching Aircraft 5-3

In Cabin 5-3

External 5-4

 Port Landing Gear 5-4

 Port Wing 5-5

 Front Fuselage and Engine 5-6

 Starboard Wing 5-7

 Starboard Landing Gear 5-8

 Starboard Fuselage 5-9

 Tail Unit 5-10

 Port Fuselage 5-11

Section 6 – Cessna 172 Loading and Performance

Loading 6-3

Mathematical Weight and Balance Calculation 6-6

Use Of The Loading Graph 6-8

Cessna 172 Center of Gravity Moment Envelope 6-11

Cessna 172 Loading Graph 6-12

Performance 6-13

C172 Takeoff and Landing Performance Tables 6-13

Takeoff Performance 6-14

Takeoff Distance Calculation Example 6-15

Landing Performance 6-17

Landing Distance Calculation Example 6-18

C172 Takeoff Distances, Short Field (2,400 lbs.)	6-19
C172 Takeoff Distances, Short Field (2,200, 2,000 lbs.)	6-20
C172 Landing Distances, Short Field	6-21
Cruise Performance	6-22
Runway Dimensions	6-22
The Takeoff Run Available (TORA)	6-22
Runway Dimensions Diagram	6-23
The Accelerate/Stop Distance (A/SD)	6-24
The Takeoff Distance Available (TODA)	6-24
The Landing Distance Available (LDA)	6-24

Section 7 – Conversions

Takeoff Distance Factors	7-3
Landing Distance Factors	7-4
Runway Contamination	7-5
Use of the Wind Component Graph	7-6
Wind Component Graph	7-7
Temperature Conversions	7-8
Distance – Meters/Feet Table	7-9
Distance – Nautical Miles/Statute Miles Table	7-10
Volume (Fluid) Table	7-11

Index