

Contents

<i>Contributor contact details</i>	<i>xv</i>	
<i>Foreword</i>	<i>xxi</i>	
Part I State-of-the-art research		
1	Introduction to wheel–rail interface research R. LUNDÉN, Chalmers/CHARMEC, Sweden; B. PAULSSON, Banverket, Sweden	3
1.1	History and present situation	3
1.2	Phenomena in the wheel–rail interface	6
1.3	Research fields	14
1.4	Applications	16
1.5	Ongoing research, development and standardization efforts	18
1.6	System aspects and optimization	24
1.7	Future trends	26
1.8	Sources of further information and advice	28
1.9	Acknowledgements	30
1.10	References	30
2	Basic tribology of the wheel–rail contact R. LEWIS, University of Sheffield, UK; U. OLOFSSON, Royal Institute of Technology (KTH), Sweden	34
2.1	Introduction	34
2.2	Contact mechanics	35
2.3	Wear	40
2.4	Fatigue	49
2.5	Adhesion	53
2.6	References	56

3	Wheel–rail contact mechanics	58
	S. IWNICKI, Manchester Metropolitan University, UK; S. BJÖRKLUND and R. ENBLOM, Royal Institute of Technology (KTH), Sweden	
3.1	Introduction	58
3.2	General contact modelling	62
3.3	Wheel–rail contact analysis	74
3.4	Computer simulation tools for railway vehicle dynamics	84
3.5	Future trends	89
3.6	Sources of further information and advice	89
3.7	References	90
4	Friction and wear simulation of the wheel–rail interface	93
	S. ANDERSSON, Royal Institute of Technology (KTH), Sweden	
4.1	Introduction	93
4.2	Single-point observation method	95
4.3	Wear maps and transition diagrams	96
4.4	Friction models	99
4.5	Wear simulation	109
4.6	References	123
5	Rail materials	125
	J. E. GARNHAM and C. L. DAVIS, University of Birmingham, UK	
5.1	Introduction	125
5.2	Pearlitic rails	131
5.3	Austenitic rails for switches and crossings	143
5.4	Welding rail	143
5.5	Wear and rolling contact fatigue of pearlitic rail	145
5.6	Bainitic rail	151
5.7	Recent rail material developments	164
5.8	Conclusions	166
5.9	References	166
6	Railway wheel wear	172
	F. BRAGHIN and S. BRUNI, Politecnico di Milano, Italy; R. LEWIS, University of Sheffield, UK	
6.1	Introduction	172
6.2	The wheel wear process	173
6.3	Tribological issues in wheel wear	175
6.4	Wheel–rail contact mechanics and its effect on wheel wear	189
6.5	State-of-the-art of uniform wheel wear modelling	195
6.6	Means to reduce uniform wheel wear	201
6.7	Conclusions	206
6.8	References	206

7	Fatigue of railway wheels A. EKBERG, Chalmers University of Technology, Sweden	211
7.1	Introduction	211
7.2	Appearance and mechanisms of wheel fatigue	213
7.3	Prediction of wheel fatigue	223
7.4	Wheel fatigue put in context	230
7.5	Conclusions	239
7.6	Sources of further information and advice	241
7.7	Acknowledgements	242
7.8	References	242
8	Out-of-round railway wheels J. NIELSEN, Chalmers University of Technology, Sweden	245
8.1	Introduction	245
8.2	Classification and quantification of wheel out-of-roundness	246
8.3	Discrete wheel tread defects	252
8.4	Wheel roughness induced by tread braking	261
8.5	Simulation of consequences of out-of-round wheels	267
8.6	Sources of further information and advice	274
8.7	Acknowledgements	275
8.8	References	275
9	Rail surface fatigue and wear D. I. FLETCHER, University of Sheffield, UK; F. J. FRANKLIN, Newcastle University UK; A. KAPOOR, Swinburne University of Technology, Australia	280
9.1	Introduction	280
9.2	Rail rolling contact fatigue	282
9.3	Experimental investigations	290
9.4	Calculating crack growth rate	293
9.5	Crack branching predictions	299
9.6	Rail wear	301
9.7	References	305
10	The evolution and failure of pearlitic microstructure in rail steel: observations and modelling F. J. FRANKLIN, University of Newcastle, UK; J. E. GARNHAM and C. L. DAVIS, University of Birmingham, UK; D. I. FLETCHER, University of Sheffield, UK; A. KAPOOR, Swinburne University of Technology, Australia	311
10.1	Introduction	311
10.2	Observations of microstructural evolution and failure	312
10.3	Modelling	333

10.4	Conclusions	342
10.5	Acknowledgements	344
10.6	Nomenclature	344
10.7	References	345
11	Rail corrugation	349
	S. L. GRASSIE, Stuart Grassie Engineering Ltd, Germany	
11.1	Introduction	349
11.2	Classification of corrugation	350
11.3	Heavy-haul corrugation	353
11.4	Light-rail corrugation	356
11.5	Other P2 resonance corrugation	358
11.6	Rutting	360
11.7	Roaring rails/‘pinned-pinned resonance’ corrugation	364
11.8	Trackform-specific corrugation	368
11.9	Conclusions and recommendations	370
11.10	Acknowledgements	372
11.11	References	373
12	Rail welds	377
	M. J. M. M. STEENBERGEN, Delft University of Technology, The Netherlands; R. W. VAN BEZOIJEN, Id ² Consultancy, The Netherlands	
12.1	Introduction	377
12.2	Rail welding processes	378
12.3	Rail welds and damage formation	380
12.4	Rail welding irregularities and dynamic effects in the wheel-rail interface	384
12.5	Rail weld geometry assessment; the Dutch rail welding regulations (2005)	395
12.6	Welding irregularities, energy considerations and deterioration	402
12.7	References	406
13	Squats on railway rails	409
	Z. LI, Delft University of Technology, The Netherlands	
13.1	Introduction	409
13.2	Review of past research	411
13.3	Correlation of squats with track parameters	413
13.4	Characteristics of squats	418
13.5	Three-dimensional dynamic rolling contact solutions in elastoplasticity	421
13.6	Squats initiation due to differential wear and differential plastic deformation	423

13.7	Squats growth process	427
13.8	Detection of squats	433
13.9	Counter measures	433
13.10	Further research	434
13.11	References	435
14	Effect of contaminants on wear, fatigue and traction S. R. LEWIS and R. S. DWYER-JOYCE, University of Sheffield, UK	437
14.1	Introduction	437
14.2	Contaminants	438
14.3	Friction modifiers	448
14.4	Discussion	450
14.5	Conclusions	452
14.6	References	453
15	Effect of damage on vehicle dynamics S. BRUNI and F. BRAGHIN, Politecnico di Milano, Italy	456
15.1	Classification of damage that affects vehicle dynamics	456
15.2	Effects of transversal profile wear	457
15.3	Effects of rail corrugation	467
15.4	Effects of wheel out-of-roundness	469
15.5	Effects of localised damage on wheel and rail profiles	471
15.6	Conclusions	474
15.7	References	474
16	Noise and vibration from the wheel-rail interface D. THOMPSON and C. JONES, University of Southampton, UK	477
16.1	Introduction	477
16.2	Basics of noise and vibration	478
16.3	Rolling noise	481
16.4	Reduction of rolling noise	487
16.5	Impact noise	493
16.6	Curve squeal	494
16.7	Ground vibration and ground-borne noise	497
16.8	Conclusions and future trends	503
16.9	Sources of further information and advice	506
16.10	References	506
17	Adhesion and friction modification U. OLOFSSON, Royal Institute of Technology (KTH), Sweden	510
17.1	Introduction	510
17.2	The coefficient of friction, adhesion and braking distance	513
17.3	Friction modification	519

17.4	Possible models for low friction at the wheel–rail contact	523
17.5	Future trends	524
17.6	References	524
18	Wheel–rail isolation R. LEWIS, University of Sheffield, UK	528
18.1	Introduction	528
18.2	Third bodies in the wheel–rail contact	530
18.3	Testing for isolation	532
18.4	Effects of contaminants on isolation	536
18.5	Modelling approaches	545
18.6	Conclusions	548
18.7	References	548
19	Air-borne particles from the wheel-rail contact M. GUSTAFSSON, VTI – Swedish National Road and Transport Research Institute, Sweden	550
19.1	Introduction	550
19.2	Background	551
19.3	Concentrations	551
19.4	Particle properties and sources	555
19.5	Dispersion	564
19.6	Health effects	565
19.7	Measures	567
19.8	Future trends	572
19.9	References	573
20	Maintenance of the wheel–rail interface S. L. GRASSIE, Stuart Grassie Engineering Ltd, Germany	576
20.1	Introduction	576
20.2	The importance of friction	578
20.3	Routine metal removal and maintenance of transverse profile	579
20.4	Routine maintenance of longitudinal/circumferential profile	594
20.5	‘Corrective’ maintenance	599
20.6	Future trends in maintenance of the wheel–rail interface	603
20.7	Sources of further information and advice	605
20.8	References	606
21	Models for infrastructure costs related to the wheel–rail interface E. ANDERSSON, Royal Institute of Technology (KTH), Sweden; J. ÖBERG, Banverket, Sweden	608
21.1	Introduction	608

21.2	Track deterioration model	609
21.3	Computational tools and input data	616
21.4	Calibration of model and cost	620
21.5	Examples of results	622
21.6	Conclusions and future trends	624
21.7	References	625
21.8	Appendix 1: Notation	626
21.9	Appendix 2: Vertical dynamic wheel load model	628

Part II Industrial context – managing the wheel–rail interface

22	Managing the wheel–rail interface: Railway infrastructure maintenance in a severe environment; The Swedish experience P.-O. LARSSON-KRÄIK, Banverket, Sweden	633
22.1	Introduction	633
22.2	General description of Malmbanan (Swedish ore line)	634
22.3	Locomotives and cars	636
22.4	Train control system	642
22.5	Infrastructure configuration	642
22.6	Electrical power system	649
22.7	Track maintenance practices	649
22.8	Maintenance, wheel–rail interaction	651
23	Managing the wheel–rail interface: Europe Metro experience on the London Underground Victoria line D. SCOTT, London Underground, UK	653
23.1	Introduction to the Victoria Line and historic wheel–rail interface issues	653
23.2	The Victoria Line upgrade	654
23.3	Wheel–rail interface monitoring	654
23.4	Lubrication management	659
23.5	Identified wheel–rail interface problems	662
23.6	Ongoing work and future plans	666
23.7	Conclusions	668
23.8	References	668
24	Managing the wheel–rail interface: the Canadian experience E. MAGEL and P. SROBA, National Research Council, Canada	669
24.1	Introduction	669

24.2	Canadian Pacific Railway – wheel–rail management experience	670
24.3	Cartier Railway Company – optimising the captive railroad	676
24.4	Several wheel–rail problems on Vancouver’s Skytrain	678
24.5	Wheel life and ride quality on Edmonton Transit	679
24.6	Wheel shelling on Canada’s freight railroads	680
24.7	Canadian National Railway – rail grinding needs are site-specific	682
24.8	Summary and conclusions	684
24.9	References	685
25	Managing the wheel–rail interface: the US experience	686
	J. TUNNA, Transportation Technology Center Inc, USA	
25.1	Introduction	686
25.2	Wheel and rail materials	688
25.3	Wheel and rail profiles	690
25.4	Wheel and rail surface damage	692
25.5	Lubrication and friction modification	695
25.6	Condition monitoring	696
25.7	Conclusions	697
25.8	References	698
26	Managing the wheel–rail interface: the Japanese experience	701
	M. ISHIDA, Railway Technical Research Institute, Japan	
26.1	Introduction	701
26.2	Rolling contact fatigue	704
26.3	Wear	717
26.4	Corrugation	725
26.5	Adhesion	737
26.6	Lubrication	745
26.7	References	753
27	Managing the wheel–rail interface: the Australian experience	759
	S. MARICH, Marich Consulting Services, Australia	
27.1	Introduction	759
27.2	Rail–wheel wear and lubrication	760
27.3	Rail corrugations	764
27.4	Rolling contact and thermal/traction defects	767
27.5	Control of wheel–rail interaction through profiling	774
27.6	Rail grinding	776

27.7	Friction management	780
27.8	Rail and wheel materials	782
27.9	Conclusions	788
27.10	References	789
28	Managing the wheel-rail interface: the Dutch experience A. ZOETEMAN, R. DOLLEVOET, R. FISCHER and J.-W. LAMMERS, ProRail, EIM and Delft University of Technology, The Netherlands	792
28.1	Introduction	792
28.2	Optimising rail maintenance	793
28.3	Optimising wheel maintenance	802
28.4	Special aspects in optimising wheel-rail interface: riding comfort and noise	806
28.5	Monitoring traffic movement: Gotcha/Quo Vadis	812
28.6	Conclusions	815
28.7	References	817
	<i>Index</i>	819