
Contents

1	Introduction	1-1
2	Track components, geometry and flexibility	2-1
2.1	Track components	2-1
2.1.1	Rails	2-1
2.1.2	Rail fastenings and pads	2-3
2.1.3	Sleepers	2-5
2.1.4	Ballast	2-5
2.1.5	Jointed tracks and CWD tracks	2-6
2.1.6	Classification of tracks related to their components	2-6
2.1.7	Switches and crossings	2-6
2.2	Alignment of the track	2-7
2.2.1	Track gauge	2-7
2.2.2	Horizontal circular curves - radius and cant	2-7
2.2.3	Transition curves and superelevation ramps	2-9
2.2.4	Longitudinal track gradient and vertical curves	2-11
2.3	Track irregularities	2-12
2.3.1	Measuring track irregularities	2-12
2.3.2	Classification of track irregularities	2-13
2.3.3	Track irregularities for dynamics analysis	2-17
2.3.4	Rail corrugation	2-18
2.4	Track flexibility	2-18
2.4.1	Vertical flexibility	2-20
2.4.2	Lateral flexibility	2-21
2.4.3	Track models for vehicle dynamics analysis	2-22
3	Vehicles	3-1
3.1	Classification and design principles	3-1
3.2	Running gear, bogies	3-4
3.2.1	General	3-4
3.2.2	Wheelsets	3-5
3.2.3	Bogies	3-6
3.3	Carbodies	3-8
3.3.1	General	3-8
3.3.2	Structural flexibility and ride comfort	3-9
3.4	Springs etc	3-13
3.4.1	General	3-13

	Spring loads	3-13
	Force-displacement relations, stiffness	3-14
3.4.2	Rubber springs	3-16
3.4.3	Airsprings	3-18
3.4.4	Coil springs	3-21
3.4.5	Leaf springs	3-21
3.4.6	Traction rods, anti-roll bars etc	3-22
3.5	Dampers	3-22
3.6	Carbody tilt	3-22
3.6.1	Passive and active tilt	3-23
3.6.2	Trains with carbody tilt	3-25
3.6.3	Three important requirements concerning carbody tilt systems	3-25
	Required tilt angle	3-25
	Tilt timing on transition curves	3-25
	Reliability	3-26
4	Vehicle-track interaction	4-1
4.1	Fundamentals and definitions	4-1
4.2	Track plane acceleration, cant deficiency etc.	4-1
4.2.1	Track plane acceleration	4-1
4.2.2	Equilibrium cant and equilibrium speed	4-3
4.2.3	Cant deficiency and cant excess	4-4
4.2.4	Permissible track plane acceleration, cant deficiency and cant excess	4-6
	Cant deficiency	4-6
	Cant excess	4-8
4.2.5	Jerk, rate of cant and rate of cant deficiency	4-8
4.2.6	Permissible jerk etc.	4-9
4.3	Vehicle roll and sway, body plane acceleration	4-11
4.3.1	Coefficient of flexibility	4-11
4.3.2	Lateral acceleration in vehicle body plane	4-12
4.3.3	Calculation of vehicle sway	4-15
5	Dynamic analysis techniques	5-1
5.1	Simple models for analysis	5-1
5.1.1	One-dimensional model with one DOF	5-1
5.1.2	One-dimensional model with two DOF	5-4
5.1.3	Two-dimensional model with two DOF	5-5
5.2	Calculation of eigenvalues and eigenmodes	5-7
5.2.1	One-dimensional model with one DOF	5-9
5.2.2	One-dimensional model with two DOF	5-12
5.3	Calculation of frequency response functions	5-13
	One-dimensional model with 1 DOF	5-14
	One-dimensional model with two DOF	5-15
5.4	Power spectral analysis	5-17
5.5	Time step integration	5-20

6	Advanced vehicle modelling	6-1
6.1	Wheelsets, bogie frames and carbodies as rigid body models	6-1
6.1.1	General formulation	6-2
6.1.2	Formulation with track-following and body-following reference systems	6-4
	Track-following reference system	6-5
	Body-following reference system	6-9
	Force equations	6-10
	Moment equations	6-12
6.2	Wheelsets, bogie frames and carbodies as flexible body models	6-14
	Structural flexibility	6-14
	Eigenmode representation	6-14
	Summary	6-17
6.3	Suspension models	6-17
6.3.1	One-dimensional models for springs	6-17
	Linear spring model	6-17
	Nonlinear spring model	6-18
	Model with linear spring in parallel with linear viscous damper	6-19
	Linear model of spring and damper in parallel, in series with a spring	6-22
	Linear model of spring and damper in series, in parallel with a spring	6-22
	Model of spring and friction damper in series, in parallel with a spring	6-23
6.3.2	Two-dimensional model for springs	6-24
6.3.3	Models for dampers	6-25
	Linear viscous damper model	6-25
	Nonlinear viscous damper model	6-27
	Model with linear viscous damper in series with a linear spring	6-28
	Model with nonlinear viscous damper in series with a linear spring	6-29
	Model with friction damper and linear spring in series	6-30
A 6A	General motion of track-following reference system	6-33
A 6B	Airspring modelling	6-33
	Basic modelling	6-33
	Advanced modelling, discussion	6-36
7	Wheel-rail guidance mechanisms	7-1
7.1	Wheel-rail geometry	7-1
7.1.1	Rail profiles and rail inclination	7-1
7.1.2	Wheel profiles	7-1
7.1.3	Contact geometry	7-3
	Lateral clearance	7-4
7.1.4	Contact geometry, contact point parameters	7-5
	Conicity	7-6
	Equivalent conicity	7-6
	Coefficient of roll angle	7-7

	Gravitational stiffness and coefficient of contact angle difference	7-8
7.2	Guiding mechanisms	7-8
7.2.1	Sinusoidal motion of wheelset	7-9
	Understanding Klingel's equation	7-10
7.2.2	Sinusoidal motion for wheelsets stiffly connected to a frame	7-12
7.2.3	Conicity and sinusoidal motions depends on the wheel-rail combination	7-13
7.2.4	Determination of equivalent conicity in non-linear cases	7-16
7.2.5	Curving performance	7-17
A 7A	Example of rolling radius difference and equivalent conicity	7-20
A 7B	Calculation of equivalent conicity for nonlinear contact functions	7-22
8	Creep and creep forces - dynamic stability and curving	8-1
8.1	Creep	8-3
8.1.1	Definitions	8-3
8.1.2	Expressions for creep on left and right wheel	8-4
8.1.3	Longitudinal and lateral creep	8-6
	Spin creep	8-8
8.2	Normal contact force and contact patch	8-8
8.2.1	Contact geometry and contact pressure according to Hertz theory	8-9
8.2.2	Examples of typical contact areas and contact pressures	8-11
	Wheel and rail with typical "worn profile"	8-11
	Wheel profile with straight cone and rail profile as above	8-13
	Conclusions from the two examples above	8-13
8.3	Tangential contact - Creep forces	8-14
	Contact of two cylinders	8-16
8.3.1	Kalker's linear theory	8-17
8.3.2	Approximate nonlinear theory	8-19
8.3.3	Kalker's nonlinear creep force theory	8-21
8.3.4	Kalker's simplified theory of rolling contact	8-22
8.3.5	The influence of spin creepage on the lateral creep force	8-23
8.3.6	Some important cases with resulting creep forces	8-25
	Driving, braking	8-25
	Difference in rolling radius in curves	8-25
	Wheelset yawing relative to track	8-25
8.4	Lateral dynamic stability	8-26
8.4.1	Equations of motion for a wheelset with two degrees of freedom	8-28
8.4.2	Stability analysis by means of eigenvalues and root locii	8-31
	Example for suspended wheelset	8-33
	Identification of Klingel's equation	8-34
8.4.3	Hunting stability in nonlinear cases	8-35
8.4.4	What parameters influence stability?	8-37
	Equivalent conicity	8-37
	Vehicle masses	8-37
	Wheelset suspension	8-37
	Types of instabilities	8-38

	How can stability problems be solved in practice?	8-38
8.5	Curving and flange steering	8-40
8.5.1	Possible yaw angles of a wheelset in a curve	8-41
	Underradial position	8-41
	Radial position	8-41
	Overradial position	8-41
8.5.2	Typical curving situation and forces for one-point contact	8-42
8.5.3	Typical contact point positions and force directions for two-point contact	8-43
8.5.4	Influence of primary suspension	8-45
9	Track forces and derailment	9-1
9.1	Track forces	9-2
9.1.1	Vertical track forces (Q-forces)	9-3
	Static load	9-3
	Quasistatic loads	9-3
	Dynamic load due to track	9-4
	Force Q_{P1}	9-6
	Force Q_{P2}	9-7
	Dynamic load due to the vehicle	9-9
	Loads due to traction or braking	9-9
	Asymmetries	9-9
	International standards	9-11
	Trafikverket standards	9-12
9.1.2	Lateral track forces, track shift forces	9-12
	Safety criteria and international standards	9-14
9.2	Flange climbing - derailment	9-15
9.2.1	Y/Q for a wheel	9-16
9.2.2	$\Sigma Y/Q$ for a wheelset	9-18
9.2.3	Standards and practical approaches to avoid flange climbing	9-20
	Example: ERRI / ORE recommendations for vehicles and track	9-22
	Concluding remarks	9-25
9.3	Vehicle turnover	9-25
9.3.1	Moment method	9-26
9.3.2	Intercept method and turnover process	9-27
	Turnover process	9-28
9.3.3	Aerodynamic forces	9-29
	Critical wind situations	9-31
9.3.4	Train overturning wind velocity and accident frequency	9-32
9.3.5	Some practical implications	9-33
10	Wheel-rail wear	10-1
10.1	Wheel wear	10-1
10.1.1	Flange wear	10-2
10.1.2	Wheel tread wear	10-4
10.1.3	Out-of-round wheels	10-6
10.1.4	Example on wheel wear	10-6

10.2	Rail wear	10-8
10.2.1	Gauge corner wear	10-9
10.2.2	Top surface wear	10-9
10.2.3	Example on rail wear	10-9
10.3	Wheel-rail contact environment: friction, wear and lubrication	10-10
10.4	Prediction of wheel-rail wear	10-13
10.4.1	Simple wear prediction	10-13
10.4.2	Advanced wear prediction	10-15
	Definition of simulation set	10-16
	Wear model	10-17
	Example of advanced wheel wear prediction	10-18
	Concluding remarks	10-19
11	Ride comfort	11-1
11.1	Introduction	11-1
11.2	Criteria for average comfort levels	11-2
11.2.1	Wertungszahl (Wz) and Ride Index (RI)	11-2
11.2.2	Criteria according to ISO 2631	11-4
	Comments on Wz and ISO criteria	11-5
11.3	Proposed CEN standard	11-6
11.3.1	Mean value of ride comfort N_{MV}	11-6
11.3.2	N_{VA} and N_{VD}	11-7
11.3.3	Comfort on curve transitions P_{CT}	11-8
	Comfort on discrete events P_{DE}	11-9
11.4	Appropriate levels of lateral accelerations on passengers	11-10
11.5	Motion sickness	11-11
12	Vehicle gauging	12-1
12.1	Definitions and general aspects	12-1
12.2	Phenomena to be considered	12-2
12.2.1	Geometric overthrow in curves	12-2
	The way curving overthrow is handled	12-4
12.2.2	Lateral displacement of the axles (wheelsets) in the track . . .	12-6
12.2.3	Lateral displacement in primary and secondary suspensions . .	12-6
12.2.4	Lateral displacement due to vehicle sway or carbody tilt . . .	12-6
12.2.5	Vertical displacement between wheelset and track	12-7
12.2.6	Vertical displacement in primary and secondary suspensions .	12-7
12.2.7	Vertical displacement due to vehicle roll and sway or carbody tilt	12-7
12.2.8	Displacement due to vehicle asymmetry	12-9
12.2.9	Space for lateral, vertical and cant track irregularities	12-9
12.2.10	Margins for phenomena not foreseen in the gauging procedures	12-9
12.3	Gauging procedures and standards	12-9
12.3.1	Gauging principles	12-10
	How are vehicle displacements determined?	12-11
12.3.2	European standards according to UIC	12-12
	Lateral movement	12-12

Vertical movement	12-15
Tilt motions	12-15
Comments to the UIC all-European interoperable standard . .	12-15
12.3.3 Swedish gauging	12-16
Traditional gauging	12-17
Introducing a dynamic envelope	12-19
12.3.4 British gauging	12-21
12.4 Dynamic gauging development	12-23
To be modelled and simulated, or added separately after sim- ulation	12-24
Concluding remarks	12-27
13 Examples on vehicle-track interaction	13-1
13.1 Vehicles and their wheelset guidance	13-1
13.2 Running on straight track	13-3
Observations and comments	13-4
13.3 Running on curved track	13-11
Observations and comments	13-12
A 13.4 Examples of quasistatic curving behaviour	13-19
Cases 1, 2, 3: $R = 400$ m, $h_t = 145$ mm, $v = 90$ km/h	13-20
Case 4: $R = 400$ m, $h_t = 145$ mm, $v = 110$ km/h	13-21
Case 5: $R = 1600$ m, $h_t = 25$ mm, $v = 130$ km/h	13-22
Case 6: $R = 1600$ m, $h_t = 150$ mm, $v = 185$ km/h	13-23
Case 7: $R = 1600$ m, $h_t = 150$ mm, $v = 100$ km/h	13-24
14 Dynamic calculations in vehicle design	14-1
14.1 Introduction	14-1
14.2 Modelling vehicle-track dynamic interaction	14-1
14.2.1 Track models	14-2
14.2.2 Vehicle models	14-2
14.2.3 Wheel-rail contact models	14-5
14.3 Types of analysis and their application in vehicle design	14-5
14.3.1 Quasistatic analysis	14-6
14.3.2 Eigenvalue analysis	14-6
14.3.3 Analysis in the frequency domain	14-7
Frequency response	14-7
Spectral density	14-7
Comment	14-7
14.3.4 Analysis in the time domain	14-7
Nonlinear stability analysis	14-8
Analysis of running safety	14-8
Analysis for minimum wear and maintenance	14-9
Ride comfort analysis	14-9
Analysis of vehicle motions	14-9
14.4 Design and development process	14-10
14.5 Reliability of simulation results	14-11
14.6 Computer softwares	14-12

15 Experimental techniques and validation	15-1
15.1 Vehicle testing and the relevant standards	15-1
15.2 Measurement techniques and required equipment	15-3
15.2.1 Types of measurements in vehicles	15-3
15.2.2 Wheel-rail forces	15-4
Measurements in the track	15-4
Instrumented wheelset (1) - lateral force on axle journal . . .	15-4
Instrumented wheelset (2) - moments and torques in the axle .	15-5
Instrumented wheelset (3) - strain gauges in wheel spokes . . .	15-7
Instrumented wheelset (4) - strain gauges in wheel web	15-8
General comments on the use of force-measuring wheelsets . .	15-9
15.2.3 Wheel wear measurements	15-9
15.2.4 Other measurements	15-10
Torsional tests on twisted track	15-11
Acceleration measurements	15-11
Displacements in the suspension	15-11
15.3 Evaluation and presentation	15-12
15.3.1 General	15-12
Track forces	15-13
15.4 Practical considerations and quality assurance	15-13
15.4.1 Conditions during the tests	15-15
Track geometry and irregularities	15-15
Track flexibility	15-15
Wheel and rail profiles, rail inclination and track gauge	15-15
Wheel-rail friction	15-16
Vehicle suspension	15-16
Vehicle masses and mass distribution	15-16
15.4.2 Errors in measurement and evaluation	15-17
Errors in sensors and other measuring device	15-17
Signal transmission	15-17
Conversion factors etc.	15-17
Therefore	15-17
15.5 Special test facilities	15-18
15.5.1 Vehicle testing laboratories	15-18
15.5.2 Roller rigs	15-19
15.5.3 Test tracks	15-20