
Contents

<i>Preface</i>	xvii
<i>Acknowledgments</i>	xix
<i>Introduction</i>	xxi
PART I	
Determination of Compositional Characteristics	I
1 Water Content	3
<i>Background</i>	3
<i>Water Content by Convection Oven</i>	3
<i>Introduction</i>	3
<i>Standard</i>	5
<i>Equipment</i>	5
<i>Procedure</i>	5
<i>Calculations</i>	5
<i>Example</i>	5
<i>Discussion</i>	6
<i>Water Content by Microwave Oven</i>	8
<i>Introduction</i>	8
<i>Standard</i>	8
<i>Equipment</i>	9
<i>Procedure</i>	9
<i>Calculations</i>	9
<i>Example</i>	9
<i>Discussion</i>	10
<i>Water Content by Portable Carbide Gas</i>	
<i>Method – “Speedy” Moisture Meter</i>	11
<i>Introduction</i>	11
<i>Standard</i>	13
<i>Equipment</i>	14
<i>Procedure</i>	14

<i>Calculations</i>	15
<i>Example</i>	15
<i>Discussion</i>	15
<i>References</i>	17
<i>Additional Reading</i>	18
2 Phase Relationships of Soils: Determining Unit Weight, and Calculating Voids Ratio, Porosity and Saturation	19
<i>Background</i>	19
<i>Phase Relationships in Soils</i>	20
<i>Phase relationships based on mass</i>	20
<i>Water Content</i>	20
<i>Phase relationships based on volume</i>	21
<i>Voids Ratio</i>	21
<i>Porosity</i>	21
<i>Phase relationships combining mass and volume</i>	22
<i>Wet Density</i>	22
<i>Dry Density</i>	23
<i>Saturated Density</i>	23
<i>Buoyant Density</i>	23
<i>Determining Total Unit Weight on trimmed specimens</i>	24
<i>Standard</i>	24
<i>Equipment</i>	24
<i>Procedure</i>	25
<i>Calculations</i>	25
<i>Example</i>	27
<i>Example</i>	28
<i>Water Content</i>	29
<i>Wet (Total) Unit Weight</i>	29
<i>Dry Unit Weight</i>	29
<i>Discussion</i>	29
<i>Determining Total Unit Weight using the Eley Volumeter</i>	30
3 Density (Unit Weight) of Solids (Specific Gravity)	33
<i>Introduction</i>	33
<i>Standard</i>	33
<i>Equipment</i>	34
<i>Preparation</i>	34
<i>Calibration of Pycnometer</i>	35
<i>Procedure</i>	35
<i>Calculations</i>	36
<i>Example</i>	36

<i>Discussion</i>	37
<i>Unit Weight of water</i>	38
<i>Unit Weight of solids</i>	38
<i>Reference</i>	39

4 Grain-Size Distribution 41

<i>Background</i>	41
<i>Coarse Fraction – Sieve Analysis</i>	42
<i>Introduction</i>	42
<i>Standard</i>	42
<i>Equipment</i>	42
<i>Procedure</i>	42
<i>Calculations</i>	44
<i>Example</i>	45
<i>Discussion</i>	46
<i>Fine Fraction – Hydrometer Analysis</i>	47
<i>Introduction</i>	47
<i>Standard</i>	48
<i>Equipment</i>	48
<i>Procedure</i>	48
<i>Calculations</i>	50
<i>Example</i>	50
<i>Discussion</i>	51
<i>Fine Fraction – Pipette Analysis</i>	51
<i>Introduction</i>	51
<i>Standard</i>	52
<i>Equipment</i>	52
<i>Procedure</i>	52
<i>Calculations</i>	54
<i>Example</i>	55
<i>Discussion</i>	55
<i>References</i>	57
<i>Additional Reading</i>	58

5 Organic Content 59

<i>Background</i>	59
<i>Organic Content by Loss-on-Ignition (LOI)</i>	61
<i>Introduction</i>	61
<i>Standard</i>	61
<i>Equipment</i>	61
<i>Procedure</i>	62
<i>Calculations</i>	62

<i>Example</i>	63
<i>Discussion</i>	63
<i>Organic Content by Hydrogen Peroxide</i>	64
<i>Introduction</i>	64
<i>Standard</i>	65
<i>Equipment</i>	65
<i>Procedure</i>	65
<i>Calculations</i>	66
<i>Example</i>	66
<i>Discussion</i>	66
<i>References</i>	67
<i>Additional Reading</i>	68

6 Carbonate Content

71

<i>Background</i>	71
<i>Carbonate Content by Rapid Carbonate Analyzer</i>	72
<i>Introduction</i>	72
<i>Standard</i>	72
<i>Equipment</i>	73
<i>Calibration of the Carbonate Analyzer</i>	73
<i>Procedure</i>	75
<i>Calculations</i>	75
<i>Example</i>	76
<i>Discussion</i>	76
<i>Carbonate Content by Chittick Apparatus</i>	76
<i>Introduction</i>	76
<i>Equipment</i>	76
<i>Setup</i>	77
<i>Reservoir fluid</i>	77
<i>Dilute hydrochloric acid</i>	77
<i>Procedure</i>	79
<i>Calculations</i>	79
<i>Example</i>	80
<i>Discussion</i>	80
<i>References</i>	82
<i>Additional Reading</i>	82

7 pH of Soils

85

<i>Introduction</i>	85
<i>Standard</i>	85
<i>Equipment</i>	86
<i>Procedure</i>	86

<i>Calculations</i>	86
<i>Discussion</i>	87
<i>Reference</i>	88
<i>Additional Reading</i>	88
8 Cation Exchange Capacity	91
<i>Introduction</i>	91
<i>Standard</i>	92
<i>Equipment</i>	92
<i>Reagents</i>	92
<i>Procedure</i>	93
<i>Calculations</i>	94
<i>Discussion</i>	94
<i>References</i>	95
<i>Additional Reading</i>	96
9 Specific Surface Area	97
<i>Introduction</i>	97
<i>Standard</i>	98
<i>Preparation</i>	98
<i>Equipment</i>	98
<i>Procedure</i>	99
<i>Calculations</i>	100
<i>Example</i>	101
<i>Discussion</i>	101
<i>Kaolinite</i>	104
<i>Montmorillonite</i>	105
<i>References</i>	106
<i>Additional Reading</i>	108
10 Methylene Blue Test	111
<i>Introduction</i>	111
<i>Standard</i>	111
<i>Equipment</i>	111
<i>Preparation</i>	112
<i>Procedure</i>	112
<i>Calculations</i>	113
<i>Example</i>	113
<i>Discussion</i>	114
<i>References</i>	114
<i>Additional Reading</i>	115

11 Pore Fluid Salinity 117

- Introduction* 117
- Pore Fluid Salinity by Refractometer* 118
 - Standard* 118
 - Equipment* 118
 - Preparation* 120
 - Procedure* 120
 - Part 1: Extracting pore fluid* 120
 - Part 2: Measurement* 120
 - Calculations* 121
 - Discussion* 122
- Pore Fluid Salinity by Electrical Conductivity* 122
 - Standard* 124
 - Equipment* 124
 - Preparation* 124
 - Calibration of the cell* 124
 - Extracting pore fluid using a soil press* 124
 - Extracting pore fluid using a centrifuge* 125
 - Procedure* 125
 - Calculations* 125
 - Discussion* 126
- References* 127
- Additional Reading* 128

PART II

Determination of Behavioral Characteristics 131

12 Consistency of Fine-Grained Soils: Atterberg Liquid and Plastic Limits 133

- Background: The Atterberg Concept* 133
- Liquid Limit by Casagrande Drop Cup* 134
 - Introduction* 134
 - Standard* 134
 - Equipment* 135
 - Calibration of Casagrande Drop Cup* 135
 - Procedure* 136
 - Calculations* 137
 - Example* 137
 - Discussion* 138
- Liquid Limit by Fall Cone* 139
 - Introduction* 139

Standard	141
Equipment	141
Procedure	142
Calculations	142
Example	143
Discussion	144
Plastic Limit by Rolling Thread	147
Introduction	147
Standard	148
Equipment	148
Procedure	148
Calculations	150
Example	150
Discussion	150
Plastic Limit by Fall Cone	150
Introduction	150
Standard	151
Equipment	151
Procedure	151
Calculations	152
Example	152
Discussion	152
One-Point Liquid Limit tests	153
Discussion of using Atterberg Limits	154
Atterberg Limits and Unified Soil Classification	155
Activity	158
Plasticity Ratio	158
Discussion	159
References	160
Additional Reading	163

13 Shrinkage Limit

165

Background	165
Shrinkage Limit by Mercury Method	166
Standard	166
Equipment	167
Calibration of Shrinkage Limit Dish	167
Procedure	168
Calculations	170
Example	170
Discussion	171
Shrinkage Limit by Wax Method	171

<i>Introduction</i>	171
<i>Standard</i>	171
<i>Equipment</i>	172
<i>Calibration of Shrinkage Limit Dish</i>	172
<i>Procedure</i>	173
<i>Calculations</i>	174
<i>Discussion</i>	175
<i>Shrinkage Limit by Direct Measurement Method</i>	175
<i>Introduction</i>	175
<i>Standard</i>	175
<i>Equipment</i>	175
<i>Procedure</i>	176
<i>Calculations</i>	176
<i>Example</i>	177
<i>Discussion</i>	178
<i>References</i>	178
<i>Additional Reading</i>	179

14 Linear Shrinkage

181

<i>Introduction</i>	181
<i>Standard</i>	181
<i>Equipment</i>	182
<i>Procedure</i>	182
<i>Calculations</i>	184
<i>Example</i>	185
<i>Discussion</i>	185
<i>Linear Shrinkage by Coefficient of Linear Extensibility (COLE):</i>	187
<i>References</i>	188
<i>Additional Reading</i>	189

15 Shrink Test

191

<i>Introduction</i>	191
<i>Standard</i>	191
<i>Equipment</i>	192
<i>Procedure</i>	192
<i>Calculations</i>	194
<i>Example</i>	194
<i>Discussion</i>	196
<i>References</i>	196
<i>Additional Reading</i>	196

16 Free-Swell Index Tests	197
<i>Background</i>	197
<i>Free-Swell Index (FSI)</i>	198
<i>Introduction</i>	198
<i>Standard</i>	199
<i>Equipment</i>	199
<i>Procedure</i>	200
<i>Calculations</i>	200
<i>Example</i>	202
<i>Discussion</i>	202
<i>Differential Free-Swell Index (DFSI) and Free-Swell Ratio (FSR)</i>	203
<i>Introduction</i>	203
<i>Standard</i>	203
<i>Equipment</i>	203
<i>Procedure</i>	204
<i>Calculations</i>	204
<i>Example</i>	204
<i>Discussion</i>	205
<i>References</i>	207
<i>Additional Reading</i>	207
17 Dispersion	209
<i>Background</i>	209
<i>Dispersion by Double Hydrometer Test</i>	210
<i>Introduction</i>	210
<i>Standard</i>	210
<i>Equipment</i>	210
<i>Procedure</i>	210
<i>Calculations</i>	211
<i>Example</i>	212
<i>Discussion</i>	212
<i>Dispersion by Pinhole Test</i>	212
<i>Introduction</i>	212
<i>Standard</i>	213
<i>Equipment</i>	213
<i>Procedure</i>	214
<i>Calculations</i>	215
<i>Example</i>	215
<i>Discussion</i>	215
<i>Dispersion by Crumb Test</i>	218
<i>Introduction</i>	218

<i>Standard</i>	218
<i>Equipment</i>	218
<i>Procedure</i>	218
<i>Calculations</i>	219
<i>Discussion</i>	219
<i>References</i>	219
<i>Additional Reading</i>	220

18 Initial Consumption of Lime **221**

<i>Background</i>	221
<i>Introduction</i>	222
<i>Standard</i>	222
<i>Equipment</i>	222
<i>Procedure</i>	222
<i>Calculations</i>	223
<i>Example</i>	223
<i>Discussion</i>	224
<i>Reference</i>	225
<i>Additional Reading</i>	225

19 Lime Fixation Point **227**

<i>Introduction</i>	227
<i>Standard</i>	227
<i>Equipment</i>	227
<i>Procedure</i>	228
<i>Calculations</i>	228
<i>Example</i>	228
<i>Discussion</i>	229
<i>References</i>	230
<i>Additional Reading</i>	230

20 Hygroscopic Water Content **231**

<i>Introduction</i>	231
<i>Standard</i>	231
<i>Equipment</i>	231
<i>Preparation of Humidity Chamber</i>	232
<i>Procedure</i>	232
<i>Calculations</i>	232
<i>Example</i>	233
<i>Discussion</i>	233
<i>References</i>	235
<i>Additional Reading</i>	236

21 Soil Suction Using Filter Paper	237
<i>Introduction</i>	237
<i>Standard</i>	237
<i>Equipment</i>	238
<i>Filter Paper Calibration</i>	238
<i>Procedure</i>	239
<i>Calculations</i>	240
<i>Example</i>	241
<i>Discussion</i>	241
<i>References</i>	243
<i>Additional Reading</i>	243
 22 Thermal Conductivity	 245
<i>Introduction</i>	245
<i>Standard</i>	246
<i>Equipment</i>	247
<i>Calibration of Thermal Needle</i>	247
<i>Procedure</i>	247
<i>Calculations</i>	248
<i>Example</i>	248
<i>Discussion</i>	249
<i>References</i>	250
<i>Additional Reading</i>	252
 23 Electrical Resistivity	 255
<i>Introduction</i>	255
<i>Standard</i>	258
<i>Equipment</i>	258
<i>Calibration</i>	258
<i>Procedure – Four Electrode Method</i>	259
<i>Calculations</i>	260
<i>Procedure – Two Electrode Method:</i>	260
<i>Calculations</i>	260
<i>Discussion</i>	261
<i>References</i>	266
<i>Additional Reading</i>	268
 24 Index Strength Tests and Sensitivity	 271
<i>Introduction</i>	271
<i>Pocket Penetrometer</i>	271
<i>Standard</i>	272

<i>Equipment</i>	273
<i>Procedure</i>	273
<i>Calculations</i>	275
<i>Pocket Hand Vane (Torvane)</i>	276
<i>Introduction</i>	276
<i>Standard</i>	277
<i>Equipment</i>	277
<i>Procedure</i>	278
<i>Calculations</i>	279
<i>Laboratory Vane</i>	279
<i>Introduction</i>	279
<i>Standard</i>	281
<i>Equipment</i>	281
<i>Procedure</i>	282
<i>Calculations</i>	283
<i>Fall Cone</i>	284
<i>Introduction</i>	284
<i>Standard</i>	284
<i>Equipment</i>	284
<i>Procedure</i>	285
<i>Calculations</i>	287
<i>Sensitivity</i>	288
<i>Sensitivity and Liquidity Index</i>	288
<i>Discussion</i>	290
<i>References</i>	292
<i>Additional Reading</i>	294
 25 Thixotropy	 295
<i>Introduction</i>	295
<i>Standard</i>	296
<i>Equipment</i>	297
<i>Procedure</i>	297
<i>Preparation of Test Specimens</i>	297
<i>Measurement of Undrained Shear Strength</i>	299
<i>Calculations</i>	300
<i>Discussion</i>	300
<i>References</i>	301
<i>Additional Reading</i>	302
 <i>Index</i>	 305