

Table of contents

6 Design strength parameters

Undrained flow and instability of anisotropically consolidated sand <i>Y.Tsukamoto, K.Ishihara, S.Nakayama & Y.Nosaka</i>	675
Model test on granular soil slope and determination of strength parameters under low confining stresses near slope surface <i>H.Matsuoka, S.H.Liu & T.Ohashi</i>	681
Determination of shear strength parameters of unsaturated sedimentary residual soils for slope stability analyses <i>S.Mariappan, F.H.Ali & L.T.Huat</i>	687
The characteristics of landslides caused by the hydrothermal metamorphic clay <i>H.Yamashita, M.Saga, H.Fujita, K.Yokota & R.Yatabe</i>	693
Influence of clay minerals on strength characteristics of landslide clay in Mikabu <i>T.Ishii, R.Yatabe, N.Yagi & K.Yokota</i>	697
Strength of landslide clay from mineralogical point of view <i>N.Yagi, R.Yatabe, K.Yokota & N.P.Bhandary</i>	701
Role of soil composition on collapsible behavior of natural and stabilized slopes <i>V.R.Ouhadi</i>	705
Deformation characteristics of a compacted clay in wetting tests under isotropic and triaxial stress state <i>S.Kato & K.Kawai</i>	709
Development of an automatic cyclic direct shear test apparatus for landslide slope stability analysis <i>M.Okawara, T.Mitachi & M.Tanada</i>	715
Strength and deformation characteristics of clay subjected to pore water pressure increment <i>T.Umezaki, M.Suzuki & T.Yamamoto</i>	721
Parameters for curvilinear residual strength envelope <i>S.Gibo & S.Nakamura</i>	727
Pore water pressure loading tests of a clay <i>S.Ohtsuka, Y.Miyata & H.Toyota</i>	731

Shear behavior of clay subjected to change of normal stress <i>M.Suzuki, T.Umezaki & T.Yamamoto</i>	735
A simple model to predict pore water pressures during shearing along undulating surfaces <i>D.J.Petley & P.Taylor</i>	741
Modelling rapid shearing of cohesive soils along undulating shear surfaces <i>D.J.Petley & P.Taylor</i>	745
Apparent cohesion of unsaturated soils as correlated with suction <i>Y.Huang & K.Ishihara</i>	751
Unconfined compression shear strength of an unsaturated silty soil subjected to high total suctions <i>T.Nishimura & D.G.Fredlund</i>	757
Shear strength mobilization in shear box test under constant volume <i>I.Kobayashi, A.Iizuka, H.Ohta & M.Hirata</i>	763
Undrained shear strength of unsaturated compacted clays <i>V.Sivakumar & I.G.Doran</i>	769
Landslide at Malakasa, Greece: Investigation, analysis, remedial works <i>R.J.Chandler & S.Schina</i>	775
Method for determining design strength parameters for slope stability analysis <i>T.Mitachi, M.Okawara & T.Kawaguchi</i>	781
Evaluation of the shear strength for stability analysis of a heavily weathered tertiary rock <i>K.Tsuji, K.Suzuki & H.Hanzawa</i>	787
Effect of degradation on the strength of rock <i>A.Kobayashi, K.Yamamoto & K.Fujii</i>	793
Some considerations of Patton model on rock joint shear strength <i>M.Doi & S.Ohtsuka</i>	799
Behavior of jointed model material under biaxial compression <i>A.K.Tyagi, K.S.Rao & A.S.Gupta</i>	805

7 Slope stability of landfills and waste materials

Stability of slopes of hydraulic-fill dams <i>A.Zh.Zhusupbekov, A.S.Zhakulin & M.R.Nurguzhin</i>	811
Stability of embankment dams based on minimum-experience of safety factor <i>T.Morii, K.Shimada & T.Hasegawa</i>	817
Stability of embankment using foam composite lightweight soil <i>Y.Watanabe & T.Kaino</i>	823
Slope stability of embankment model composed of municipal bottom ash: Centrifuge model tests and FDM analysis <i>K.Gotoh, M.Yamanaka, T.Ikuta & T.Ogawa</i>	827

Comparison of deformation of a fill with results from a new elastoplastic method <i>T.Harada, A.Mochizuki & T.Kaneda</i>	831
Evaluation of slope stability incorporating pre-compression characteristics of cohesive soils <i>M.Yamaguchi, K.Narita & Y.Ohne</i>	837
Earth pressure acting on the side of core block in high embankment <i>K.Nomoto, T.Sugimoto & T.Fujiwara</i>	841
Case study of a liquefiable mine tailing sand deposit <i>W.Wehr, I.Herle, P.Kudella & G.Gudehus</i>	847
Bilinear model for stability calculation of domestic waste landfills <i>G.Ziehmman</i>	853
The stabilization of frozen technogenic dumps <i>V.I.Grebenets, S.N.Titkov, A.G.-o. Kerimov & V.M.Anishin</i>	859
Stability of MSW mass: Use of an improved limit equilibrium analysis <i>A.Bouazza & I.B.Donald</i>	863
Stability of bentonite wall by the unified method of molecular dynamics and homogenization analysis <i>Y.Ichikawa, K.Kawamura, M.Nakano, T.Seiki & T.Nattavut</i>	869
 8 <i>Stabilization and remedial works</i>	
Model tests of a new deep pile system for landslide prevention at Kamenose landslide area <i>K.Nishiyama, S.Tochimoto, H.Fujita, S.Kinoshita, S.Sakajo, M.Ohno, K.Ugai & M.Kimura</i>	877
Stability of slope reinforced with piles <i>F.Cai & K.Ugai</i>	883
Numerical study of landslide of bridge abutment in Surabaya, Indonesia <i>V.Tandjiria</i>	889
Application of FEM as a design method for slope stability and landslide prevention pile work <i>M.Gotoh & Y.Ohnishi</i>	895
Design and constructional aspects of an anchored slope and gabion revetment system <i>M.H.Kabir & A.M.Hamid</i>	901
Evaluation of pull-out capacity of repeat-grouting type ground anchor by in-situ and laboratory tests <i>H.Wada, H.Ochiai, K.Omine & Y.Maeda</i>	907
Design and observation of the prevention works for crystalline schist slope <i>N.Shintani, K.Kawahara, A.Ueda, K.Oka & T.Yamamoto</i>	913
Case study on slips in soft laterite cut-slopes on BG rail link in Southern Peninsular India <i>V.K.Jain & K.Keshav</i>	919
Hydrodynamic seeding with the use of sewage sludge and fly-ash for slope protection <i>M.Głazewski & J.Kalotka</i>	925
Investigation and stabilization of a sliding hillside <i>J.Farkas</i>	931

Stability reinforcement of the old embankment sanitary landfills for remediation works <i>E. Koda</i>	937
Stabilization and remedial works on some failed slopes along the East-West highway, Malaysia <i>A. Jamaludin & A. N. Hussein</i>	943
Landslide controlling measures at construction sites nearby King's palace at Narendra Nagar <i>D. Mukherjee, K. Kishor & O. P. Yadav</i>	949
Reduction of land cutting effects by the application of lightweight embankments <i>J. Nakano, H. Miki, H. Kohashi & A. Fujii</i>	955
Relaxation effect in retaining wall on passive mode <i>Erizal, T. Sakai & S. Miyauchi</i>	959
Stabilization and geoenvironmental restoration of the main central channel in the Fucino plain, Italy – A case history <i>G. Totani, P. Monaco, M. Leopardi, A. Farroni & A. R. Spena</i>	965
Slope stabilization in residual soils of Peru <i>A. Carrillo-Gil & A. Carrillo-Acevedo</i>	971
Case study of a cut slope failure in diatom earth <i>A. Yashima, H. Shigematsu, S. Okuzono & M. Nishio</i>	977
 9 Stability of reinforced slopes	
Centrifuge model testing of reinforced soil slopes in the perspective of Kanto Loam <i>G. Pokharel, A. Fujii & H. Miki</i>	985
Dynamic behavior of vertical geogrid-reinforced soil during earthquake <i>A. Takahashi, J. Takemura & J. Izawa</i>	991
Model tests on some geosynthetics-reinforced steep earth fills <i>Y. Tanabashi, T. Hirai, J. Noshimura, K. Yasuhara & K. Suyama</i>	997
Field behavior of a reinforced steep slope with a cohesive residual soil backfill <i>A. Kasa, F. H. Ali & Z. Chik</i>	1003
Full-scale model test on deformation of reinforced steep slopes <i>T. Nagayoshi, S. Tayama, K. Ogata & M. Tada</i>	1009
Relation between wall displacement and optimum amount of reinforcements on the reinforced retaining wall <i>K. Okabayashi & M. Kawamura</i>	1015
Stability analysis of reinforced slopes using a strain-based FEM <i>T. Matsui, K. C. San & A. Porbaha</i>	1021
Numerical analysis on the stability of GHD-reinforced clay embankment <i>M. Kamon, M. Mimura, N. Takeo & T. Akai</i>	1027
New design method of composite fabrics – Reinforced earth fill <i>Y. Tanabashi, N. Wakuda, K. Suyama, K. Yasuhara, T. Hirai & J. Nishimura</i>	1033

Design method for steel grid reinforced earth structure considering bearing resistance <i>T.Matsui, Y.Nabeshima, S.G.Zhou & N.Ogawa</i>	1039
A promising approach for progressive failure analysis of reinforced slopes <i>T.Yamagami, S.Yamabe, J.-C.Jiang & Y.A.Khan</i>	1043
3-D stability analyses for asymmetrical and heterogeneous nailed slopes <i>C.C.Huang, C.C.Tsai & M.Tateyama</i>	1049
Numerical analysis of reinforced soil slopes under working stress conditions <i>B.T.Dantas & M.Ehrlich</i>	1055
Design method of vertical reinforced slopes under rotational failure mechanism <i>X.Q.Yang, S.X.He & Z.D.Liu</i>	1061
Reinforcement mechanism in soil nailing for stabilization of steep slopes <i>T.Nishigata & K.Nishida</i>	1065
The study of direct shear tests of woven geotextiles with granular soils <i>M.Matys, T.Ayele & S.Hric</i>	1071
 <i>10 Probabilistic slope stability</i>	
Localized probabilistic site characterization in geotechnical engineering <i>S.Pumjan & D.S.Young</i>	1079
A localized probabilistic approach for slope stability analysis <i>D.S.Young & S.Pumjan</i>	1085
Probabilistic analysis of structured rock/soil slopes – Several methods compared <i>D.Xu & R.Chowdhury</i>	1089
Reliability analysis and risk evaluation of the slopes of open pit mine <i>Q.Yang, J.Jiao, M.Luan & D.Shi</i>	1095
Risk evaluation for slope failure based on geographical information data <i>Y.Kitazono, A.Suzuki, N.Nakasone & T.Terazono</i>	1101
Gray system evaluation for slope stability engineering <i>H.-C.Wu, T.Bao, X.-B.Zhang & X.Hu</i>	1105
Statistical variability of ring shear test results on a shear zone in London Clay <i>E.N.Bromhead, A.J.Harris & M-L.Ibsen</i>	1109
Overall stability of anchored retaining walls with the probabilistic method <i>L.Belabed</i>	1115
 <i>11 Landslide investigations</i>	
Methodological study of judgement on landslide occurrence <i>M.-B.Su, L.-C.Chan & G.-S.Lee</i>	1123
The retrogressive slide at Nipigon River, Ontario, Canada <i>K.T.Law & C.F.Lee</i>	1129

Simplified model for estimating a scale of sliding debris <i>M.Fukuda & S.Suwa</i>	1135
Landslide prediction using nonlinear dynamics model based on state variable friction law <i>K.T.Chau</i>	1139
Characteristic weathering profiles as basic causes of shallow landslides <i>M.Chigira & E.Ito</i>	1145
Long-term movements of an earthflow in tectonised clay shales <i>L.Picarelli, C.Russo & A.Mandolini</i>	1151
Characteristics of groundwater quality in fracture zone landslides at Shikoku area <i>F.Nishimura, R.Yatabe, N.Yagi, K.Yokota & T.Shibata</i>	1159
Use of H ₂ O(+) for landslide investigations and mapping <i>U.de S.Jayawardena, E.Izawa & K.Watanabe</i>	1165
The mechanism of creep movement caused by landslide activity and underground erosion in crystalline schist, Zentoku, Shikoku, Japan <i>G.Furuya, K.Sassa, H.Hiura & H.Fukuoka</i>	1169
Mechanism of large-scale collapse at Tue Valley in the Shikoku mountainous region, Japan <i>F.Ochiai, H.Sokobiki, T.Noro & S.Nakayama</i>	1175
Causes and mechanisms of slope instability in Dessie town, Ethiopia <i>L.Ayalew & A.Vernier</i>	1181
Structural deterioration of residual soils and the effect on landslides <i>J.Suárez</i>	1187
Study of a huge block slide with relevance to failure mechanism <i>I.Lazányi, I.Kabai & B.Vizi</i>	1193
Landslide clay behavior and countermeasures works at the fractured zone of Median Tectonic Line <i>R.Yatabe, N.Yagi, K.Yokota & N.P.Bhandary</i>	1199
Geological and soil mechanical study of Sawatari landslide in Ehime <i>H.Kono, M.Tani, R.Yatabe, N.Yagi & K.Yokota</i>	1203
The general characteristics of landslide along the Median Tectonic Line due to the road construction <i>Y.Momiyama, K.Kumano, M.Tanaka & T.Ishii</i>	1207
An investigation on the stability of two adjacent slope movements <i>G.Gottardi & L.Tonni</i>	1211
Evaluation of stream-like landslide activity based on the monitoring results <i>L.Petro, P.Wagner & E.Polaščinová</i>	1217
Snow induced landslides in Japan <i>T.Ito</i>	1223
Physical properties of clay from landslides in large fracture zones <i>N.Ogita, Y.Kito, T.Kimizu & R.Yatabe</i>	1229

Investigation of landslide damage in Korea, 1998 <i>D.Park, K.Oh & B.Park</i>	1233
Monitoring of the Vallcebre landslide, Eastern Pyrenees, Spain <i>J.Corominas, J.Moya, A.Ledesma, J.Rius, J.A.Gili & A.Lloret</i>	1239
 <i>12 Landslide inventory, landslide hazard zonation and rockfall</i>	
Disaster prevention and sustainable development in Central America <i>S.Mora</i>	1247
Preliminary landslide hazard mapping along a hill road in western Nepal <i>B.P.Mainalee, N.Morishima & H.Fujimura</i>	1253
Hazard evaluation of landslide in Iran <i>G.R.Lashkaripour</i>	1259
Zonation of areas susceptible to rain-induced embankment failure in Japan railways <i>K.Okada, T.Sugiyama, H.Muraishi & T.Noguchi</i>	1263
An estimation of slope failures based on erosion front and weathering front <i>H.Inagaki & T.Yunohara</i>	1269
Typical case study on destabilization and genetic mechanism of urban slopes in China <i>Y.Liu, F.Niu & Z.Cheng</i>	1275
Estimation of the slope failure using remote sensing data <i>S.Shima & H.Yoshikuni</i>	1281
Application of hazard and risk maps for highway slopes management and maintenance <i>Y.A.O.Fiener & F.H.Ali</i>	1287
Application of hazard and risk mapping to a mountainous highway in Malaysia <i>A.Jamaludin, Z.Muda, S.Alias & N.M.Yusof</i>	1291
A landslide risk assessment in a hydropower plant area <i>D.Paunescu & D.Deacu</i>	1297
Applications of quantitative landslide risk assessment in Hong Kong <i>C.K.M.Wong & C.K.T.Lee</i>	1303
Landslide risk assessment – Development of a hazard-consequence approach <i>C.K.Ko, P.Flentje & R.Chowdhury</i>	1309
Data-bases and the management of landslides <i>R.M.Faure</i>	1317
Seismicity in the development of the geological process in the Republic of Tajikistan <i>S.Vinnichenko</i>	1331
Evaluating rockfall hazard from carbonate slopes in the Sele Valley, Southern Italy <i>M.Parise</i>	1337
Effect of soil slope gradient on motion of rockfall <i>S.Kawahara & T.Muro</i>	1343

Study of accidents caused by rockfall in Kochi Prefecture <i>T.Ushiro, Y.Matsumoto, N.Akesaka & N.Yagi</i>	1349
The coefficient of restitution for boulders falling onto soil slopes with various values of dry density and water content <i>K.T.Chau, J.J.Wu, R.H.C.Wong & C.F.Lee</i>	1355
The May 5th 1998 landsliding event in Campania, Southern Italy: Inventory of slope movements in the Quindici area <i>D.Calcatterra, M.Parise, B.Palma & L.Pelella</i>	1361
 13 <i>Simulation and analysis of debris flow</i>	
A proposed methodology for rock avalanche analysis <i>R.Couture, S.G.Evans, J.Locat, J.Hadjigeorgiou & P.Antoine</i>	1369
The Otari debris flow disaster occurred in December 1996 <i>H.Kawakami, H.Suwa, H.Marui, O.Sato & K.Izumi</i>	1379
Dimensional analysis of a flume design for laboratory debris flow simulation <i>L.C.P.Chan & K.T.Chau</i>	1385
Shear characteristics at the occurrence and motion of debris flow <i>Y.Yamashita, N.Yagi, R.Yatabe & K.Yokota</i>	1391
Three-dimensional numerical modeling of muddy debris flows <i>H.Chen & C.F.Lee</i>	1397
Mechanism of soil deformations during the displacements of flow slides <i>O.V.Zerkal & V.N.Sokolov</i>	1403
Author index	1409