
Contents

<i>Preface</i>	xiii
<i>Authors</i>	xv
1 Introduction to rheology	1
1.1 <i>The Subject and Object of Rheology</i>	1
1.2 <i>Basic Principles of Rheology</i>	7
1.2.1 <i>Definition of viscosity</i>	7
1.2.2 <i>Newtonian flow</i>	8
1.2.3 <i>Non-Newtonian flow</i>	9
1.2.4 <i>Thixotropy</i>	11
1.2.5 <i>Anti-thixotropy (rheopexy)</i>	13
1.3 <i>Cement-Based Materials</i>	13
1.3.1 <i>History of cement and concrete</i>	13
1.3.2 <i>Fresh properties of cement-based materials</i>	16
1.4 <i>The Scope of This Book</i>	20
<i>References</i>	21
2 Rheology for cement paste	25
2.1 <i>Interaction between Particles in the Paste</i>	25
2.1.1 <i>Colloidal interaction</i>	25
2.1.1.1 <i>Van der Waals force</i>	26
2.1.1.2 <i>Electrostatic repulsion</i>	26
2.1.1.3 <i>Steric hinder force</i>	26
2.1.2 <i>Brownian forces</i>	26
2.1.3 <i>Hydrodynamic force</i>	27
2.2 <i>Effect of Compositions on Rheology</i>	27
2.2.1 <i>Volume fraction</i>	27
2.2.2 <i>Interstitial solution</i>	29
2.2.3 <i>Cement</i>	30
2.2.4 <i>Mineral admixture</i>	31
2.2.4.1 <i>Fly ash</i>	31
2.2.4.2 <i>Ground blast furnace slag</i>	33
2.2.4.3 <i>Silica fume</i>	34

2.2.4.4	Limestone powder	36
2.2.4.5	Ternary binder system	37
2.2.5	Chemical admixtures	38
2.2.5.1	Superplasticizer	38
2.2.5.2	Viscosity-modifying agent	39
2.2.5.3	Air-entraining agent	40
2.3	Effect of Temperature on Rheology	41
2.4	Effect of Shearing on Rheology	41
2.5	Effect of Pressure on Rheology	42
2.6	Summary	43
	References	43
3	Rheological properties of fresh concrete materials	51
3.1	General Considerations for Granular Materials	51
3.2	Flow Regimes of Concrete	51
3.2.1	Relationships between aggregate volume fraction and concrete rheology	52
3.2.1.1	Viscosity vs aggregate volume fraction	52
3.2.1.2	Yield stress vs aggregate volume fraction	53
3.2.2	Excess paste theory	56
3.3	Influence of Aggregate Characteristics	59
3.3.1	Aggregate volume fraction	59
3.3.2	Gradation and particle size	60
3.3.3	Particle morphology	62
3.4	Effect of External Factors	67
3.4.1	Mixing process	67
3.4.2	Shear history	69
3.4.3	Measuring geometry	69
3.5	Summary	69
	References	70
4	Empirical techniques evaluating concrete rheology	75
4.1	Introduction	75
4.2	Slump: ASTM Abrams Cone	75
4.2.1	Geometry	76
4.2.2	Testing procedure and parameters	76
4.2.3	Data interpretation	77
4.3	Slump Flow and T_{50}	80
4.3.1	Geometry and testing procedure	81
4.3.2	Data interpretation	82
4.4	V-Funnel Test Flow Time	82
4.4.1	Geometry	83
4.4.2	Testing procedure	84
4.4.3	Data interpretation	84

- 4.5 *Other Methods* 85
 - 4.5.1 *L-box* 85
 - 4.5.2 *LCPC box* 87
 - 4.5.3 *V-funnel coupled with a horizontal channel* 88
 - 4.5.4 *J-ring* 89
- 4.6 *Summary* 91
- References* 91

5 Paste rheometers

95

- 5.1 *Introduction to the Rheology of Cement Paste* 95
- 5.2 *Rheometers for Cement Paste* 96
 - 5.2.1 *Narrow gap coaxial cylinder rheometer* 96
 - 5.2.1.1 *Geometry* 96
 - 5.2.1.2 *Measurement principle* 96
 - 5.2.1.3 *Measuring errors and artifacts* 98
 - 5.2.2 *Plate-plate rheometer* 99
 - 5.2.2.1 *Geometry* 99
 - 5.2.2.2 *Measurement principle* 101
 - 5.2.2.3 *Measuring errors and artifacts* 102
 - 5.2.3 *Other rheometers* 104
 - 5.2.3.1 *Capillary viscometer* 104
 - 5.2.3.2 *Falling sphere viscometer* 107
- 5.3 *Measuring Procedures* 109
 - 5.3.1 *Flow curves test* 109
 - 5.3.2 *Static yield stress test* 110
 - 5.3.3 *Oscillatory shear test* 111
 - 5.3.3.1 *Description of SAOS and LAOS* 111
 - 5.3.3.2 *Measurement principle* 112
 - 5.3.3.3 *Application to cement paste* 115
- 5.4 *Summary* 117
- References* 117

6 Concrete rheometers

123

- 6.1 *Introduction* 123
- 6.2 *Tests Methods and Principles* 124
 - 6.2.1 *Coaxial cylinder rheometer* 125
 - 6.2.1.1 *Searle rheometer* 126
 - 6.2.1.2 *Couette rheometer* 126
 - 6.2.1.3 *Principle* 128
 - 6.2.1.4 *Measuring errors and artifacts* 131
 - 6.2.2 *Parallel-plate rheometer* 137
 - 6.2.2.1 *Geometry* 137
 - 6.2.2.2 *Principle* 138
 - 6.2.2.3 *Measuring errors and artifacts* 139

6.2.3	<i>Other rheometers</i>	140
6.2.3.1	<i>CEMAGREF-IMG rheometer</i>	140
6.2.3.2	<i>Viskomat XL</i>	140
6.2.3.3	<i>The IBB rheometer</i>	140
6.2.3.4	<i>Rheometer developed in China</i>	142
6.2.3.5	<i>The modifications of the BTRHEOM rheometer</i>	142
6.2.3.6	<i>Other instruments</i>	143
6.3	<i>Measuring Procedures</i>	143
6.3.1	<i>Preparation of specimen</i>	143
6.3.2	<i>The testing procedures of ICAR</i>	143
6.3.3	<i>The testing procedures of ConTec Viscometer 5</i>	145
6.3.4	<i>The testing procedures of the BTRHEOM rheometer</i>	147
6.4	<i>Data Collection and Processing</i>	148
6.4.1	<i>Static yield stress test</i>	148
6.4.2	<i>The flow curve test</i>	149
6.4.3	<i>Thixotropy test</i>	150
6.5	<i>Relation of Rheological Parameters Measured by Different Rheometers</i>	150
6.6	<i>Summary</i>	152
	<i>References</i>	152
7	Mixture design of concrete based on rheology	155
7.1	<i>Introduction</i>	155
7.2	<i>Principles of Mixture Design Methods Based on Rheology</i>	156
7.2.1	<i>Vectorized-rheograph approach</i>	156
7.2.2	<i>Paste rheology criteria</i>	158
7.2.3	<i>Concrete rheology method</i>	164
7.2.4	<i>Excess paste theory</i>	166
7.2.5	<i>Simplex centroid design method</i>	167
7.3	<i>Typical Examples of Mixture Design</i>	169
7.3.1	<i>Paste rheology criteria proposed by Wu and An</i>	169
7.3.2	<i>Paste rheology model proposed by Ferrara et al.</i>	169
7.3.3	<i>Concrete rheology method of Abo Dhaheer et al.</i>	173
7.3.4	<i>Simplex centroid design method proposed by Jiao et al.</i>	176
7.4	<i>Summary</i>	178
	<i>References</i>	178
8	Rheology and self-compacting concrete	183
8.1	<i>Introduction to SCC</i>	183
8.1.1	<i>Brief history of SCC</i>	183
8.1.2	<i>Raw materials of SCC</i>	184
8.1.2.1	<i>Powder</i>	184
8.1.2.2	<i>Chemical admixtures</i>	185
8.1.2.3	<i>Aggregates</i>	185
8.1.2.4	<i>Water</i>	186

8.1.3	Mix proportion of SCC	186
8.1.3.1	Laboratory experiments and empirical parameters	186
8.1.3.2	Statistical method	187
8.1.3.3	Maximum packing density	187
8.1.3.4	Other methods	188
8.1.4	Application of SCC	188
8.2	Rheology of SCC	190
8.2.1	Factors affecting rheology of SCC	190
8.2.1.1	Fly ash	190
8.2.1.2	Rice husk ash	190
8.2.1.3	Silica fume	191
8.2.1.4	Metakaolin	192
8.2.1.5	Blast furnace slag	192
8.2.1.6	Fibers	192
8.2.1.7	Air-entraining agent	193
8.2.1.8	Superplasticizer	193
8.2.1.9	Recycled concrete aggregates	195
8.2.1.10	Binary and ternary binder system	197
8.2.1.11	Other constituents	197
8.2.2	Special rheological behaviors	198
8.2.2.1	Thixotropy	198
8.2.2.2	Shear-thinning or shear-thickening behavior	199
8.3	Formwork Pressure of SCC	200
8.3.1	Factors affecting formwork pressure	201
8.3.2	Formwork pressure prediction	201
8.3.2.1	Method proposed by Gardner (Gardner et al., 2012)	202
8.3.2.2	Method proposed by Khayat (Khayat and Omran, 2010)	202
8.4	Stability of SCC	204
8.4.1	Static stability	204
8.4.2	Dynamic stability	206
8.5	Summary	208
	References	209

9 Rheology of other cement-based materials

215

9.1	Rheology of Alkali-Activated Materials (AAMs)	215
9.1.1	Introduction	215
9.1.2	Effect of alkaline activators on rheology of AAMs	217
9.1.2.1	Na/KOH	217
9.1.2.2	Na/K-silicates	219
9.1.3	Effect of precursors on the rheology of AAMs	223
9.1.3.1	Chemical and physical properties of precursors	223
9.1.4	Effects of chemical admixtures on the rheology of AAMs	225
9.1.4.1	Water-reducing admixtures	225
9.1.4.2	Other chemical admixtures	231

9.1.5	<i>Effects of mineral additions on the rheology of AAMs</i>	232
9.1.5.1	<i>Reactive mineral additions</i>	232
9.1.5.2	<i>Inert mineral additions</i>	233
9.1.6	<i>Effect of aggregates on the rheology of AAMs</i>	233
9.2	<i>Rheology of Cement Paste Backfilling (CPB)</i>	234
9.2.1	<i>Introduction</i>	234
9.2.2	<i>Factors affecting the rheological properties of CPB</i>	235
9.2.2.1	<i>Cement</i>	235
9.2.2.2	<i>Solid concentration</i>	236
9.2.2.3	<i>Mixing intensity</i>	237
9.2.2.4	<i>Particle size</i>	237
9.2.2.5	<i>High-range water reducer (HRWR)</i>	238
9.2.2.6	<i>Temperature</i>	239
9.2.2.7	<i>Other constituents</i>	239
9.3	<i>Rheology of Fiber-Reinforced, Cement-Based Materials</i>	240
9.3.1	<i>Introduction</i>	240
9.3.2	<i>Influence of fiber on the rheology of FRCs</i>	242
9.3.2.1	<i>Fiber orientation</i>	242
9.3.2.2	<i>Fiber length</i>	243
9.3.2.3	<i>Types of fiber</i>	244
9.3.3	<i>Effect of fibers on the rheology of AAMs</i>	246
9.3.4	<i>Prediction of the yield stress of FRC</i>	248
9.3.5	<i>Prediction of plastic viscosity</i>	248
9.4	<i>Summary</i>	249
9.4.1	<i>AAMs</i>	249
9.4.2	<i>Cement paste backfilling</i>	250
9.4.3	<i>Fiber-reinforced, cement-based materials</i>	251
	<i>References</i>	251

10 Rheology and Pumping

259

10.1	<i>Introduction</i>	259
10.2	<i>Characterization of Pumpability</i>	260
10.2.1	<i>Definition of pumpability</i>	260
10.2.2	<i>Determination of pumpability</i>	261
10.3	<i>Lubrication Layer</i>	261
10.3.1	<i>The formation of the lubrication layer</i>	261
10.3.2	<i>The determination of the lubrication layer</i>	262
10.3.2.1	<i>Tribometer</i>	262
10.3.2.2	<i>Sliding pipe</i>	263
10.3.2.3	<i>Other methods</i>	264
10.4	<i>Prediction of Pumping</i>	264
10.4.1	<i>Empirical model for pumping prediction</i>	265
10.4.2	<i>Numerical model for pumping prediction</i>	266
10.4.3	<i>Computer simulations for pressure loss predictions</i>	267

10.5	<i>Effect of Pumping on the Fresh Properties of Concrete</i>	268
10.5.1	<i>Air content</i>	268
10.5.2	<i>Rheology</i>	273
10.5.2.1	<i>Yield stress and plastic viscosity</i>	273
10.5.2.2	<i>Thixotropy</i>	278
10.5.2.3	<i>Supplementary cementitious materials (SCMs)</i>	281
10.5.2.4	<i>Water absorption by aggregates</i>	283
10.5.2.5	<i>Water-reducing agent</i>	284
10.6	<i>Summary</i>	284
	<i>References</i>	285

11	Rheology and 3D printing	291
11.1	<i>Introduction to 3D-Printing Concrete</i>	291
11.1.1	<i>Development of 3D printing technology</i>	291
11.1.2	<i>Requirement for 3D printing concrete</i>	295
11.2	<i>Printability of 3D Printing Concrete</i>	296
11.2.1	<i>The definition of printability</i>	296
11.2.2	<i>The test for printability</i>	297
11.2.3	<i>Criteria to evaluate the loading bearing capacity</i>	299
11.2.4	<i>Printable cement-based materials</i>	301
11.3	<i>Interlayer Bonding and Rheology</i>	303
11.3.1	<i>The characterization of interlayer bonding</i>	303
11.3.2	<i>The effect of rheological properties on interlayer bonding</i>	305
11.3.3	<i>The effect of rheological properties on interface durability</i>	308
11.3.4	<i>The effect of rheological properties on interface microstructure</i>	309
11.4	<i>Summary</i>	311
	<i>References</i>	311
	<i>Index</i>	317