

# TABLE OF CONTENTS

|          |                                                                              |           |
|----------|------------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>INTRODUCTION.....</b>                                                     | <b>13</b> |
| <b>2</b> | <b>DYNAMIC ROUTING PROTOCOLS.....</b>                                        | <b>17</b> |
| 2.1      | BROADCAST DOMAINS, AN INTRODUCTION TO THE ROUTING.....                       | 17        |
| 2.2      | BASIC CONCEPTS OF ROUTING .....                                              | 20        |
| 2.2.1    | <i>Neighbor Routers .....</i>                                                | 20        |
| 2.2.2    | <i>Directly Connected Network.....</i>                                       | 20        |
| 2.2.3    | <i>The Code of Source of the Routing Information .....</i>                   | 21        |
| 2.2.4    | <i>Administrative Distance .....</i>                                         | 22        |
| 2.2.5    | <i>Routing Metric.....</i>                                                   | 23        |
| 2.2.6    | <i>Routing Table .....</i>                                                   | 24        |
| 2.2.7    | <i>Routing Updates.....</i>                                                  | 25        |
| 2.2.8    | <i>Routes Summarization .....</i>                                            | 25        |
| 2.2.9    | <i>Split Horizon .....</i>                                                   | 26        |
| 2.3      | RIPV1 PROTOCOL .....                                                         | 29        |
| 2.3.1    | <i>Basic Features of the RIPv1 Protocol.....</i>                             | 29        |
| 2.3.2    | <i>Configuring IP Addresses for Interfaces .....</i>                         | 30        |
| 2.3.3    | <i>RIP Protocol Configuration via Config Tab .....</i>                       | 30        |
| 2.3.4    | <i>RIP Protocol Configuration via IOS Commands .....</i>                     | 32        |
| 2.3.5    | <i>Automatic Network Summarization.....</i>                                  | 33        |
| 2.3.6    | <i>RIP Protocol Configuration Check.....</i>                                 | 33        |
| 2.3.7    | <i>Display of Existing Routes in the Routing Table .....</i>                 | 34        |
| 2.3.8    | <i>Display of Current RIP Protocol Settings.....</i>                         | 34        |
| 2.3.9    | <i>Configuring the Timers for the RIP Protocol.....</i>                      | 35        |
| 2.4      | RIPV2 PROTOCOL .....                                                         | 37        |
| 2.4.1    | <i>Common Features of RIP Protocol Version 1 and 2 .....</i>                 | 37        |
| 2.4.2    | <i>Differences between Protocols RIP v1 and RIP v2 .....</i>                 | 38        |
| 2.5      | EIGRP PROTOCOL .....                                                         | 38        |
| 2.5.1    | <i>Introduction to EIGRP .....</i>                                           | 38        |
| 2.5.2    | <i>Basic Concepts on EIGRP .....</i>                                         | 38        |
| 2.5.3    | <i>Basic Configuration and Verification Commands.....</i>                    | 39        |
| 2.5.4    | <i>Example of Configuring and Checking the EIGRP Protocol .....</i>          | 40        |
| 2.5.5    | <i>Selecting the Best Route in the EIGRP Protocol.....</i>                   | 45        |
| 2.5.6    | <i>Configuration of Parameters for Interfaces in the EIGRP Protocol.....</i> | 49        |
| 2.6      | OSPFV2 PROTOCOL .....                                                        | 50        |
| 2.6.1    | <i>Introduction to OSPFv2.....</i>                                           | 50        |
| 2.6.2    | <i>Basic Concepts of OSPFv2.....</i>                                         | 51        |
| 2.6.3    | <i>SPF Algorithm .....</i>                                                   | 52        |

## Table of Contents

|          |                                                                               |           |
|----------|-------------------------------------------------------------------------------|-----------|
| 2.6.4    | <i>Selection of Routers DR and BDR in OSPFV2 .....</i>                        | 57        |
| 2.6.5    | <i>Configuring Protocol OSPFV2 .....</i>                                      | 57        |
| 2.6.6    | <i>Display Existing OSPF Routes in the Routing Table .....</i>                | 60        |
| 2.6.7    | <i>Route Distributions between Different Protocols.....</i>                   | 60        |
| 2.6.8    | <i>Route Distributions between RIPV2 and OSPF Protocols.....</i>              | 61        |
| 2.6.9    | <i>Route Distributions between OSPF protocols with different process ID..</i> | 62        |
| 2.7      | <b>BGPV4 PROTOCOL .....</b>                                                   | 63        |
| 2.7.1    | <i>Introduction to BGPv4 .....</i>                                            | 63        |
| 2.7.2    | <i>Basic IOS Commands Configuring eBGPv4 .....</i>                            | 64        |
| 2.7.3    | <i>Configuring protocol eBGPv4 .....</i>                                      | 65        |
| <b>3</b> | <b>STATIC ROUTING .....</b>                                                   | <b>73</b> |
| 3.1      | <b>INTRODUCTION TO STATIC ROUTING .....</b>                                   | 73        |
| 3.2      | <b>BASIC CONCEPTS OF STATIC ROUTING .....</b>                                 | 73        |
| 3.3      | <b>STATIC ROUTES CONFIGURATION TYPES .....</b>                                | 74        |
| 3.4      | <b>CONFIGURING ROUTES USING NEXT HOP ADDRESS .....</b>                        | 75        |
| 3.5      | <b>CONFIGURING ROUTES USING THE OUTPUT INTERFACE .....</b>                    | 78        |
| 3.6      | <b>CONFIGURING MULTIPLE STATIC ROUTES .....</b>                               | 81        |
| 3.7      | <b>CONFIGURING BACKUP ROUTES .....</b>                                        | 85        |
| 3.8      | <b>CONFIGURING THE DEFAULT ROUTE.....</b>                                     | 87        |
| <b>4</b> | <b>ACCESS CONTROL LISTS.....</b>                                              | <b>93</b> |
| 4.1      | <b>INTRODUCTION .....</b>                                                     | 93        |
| 4.2      | <b>TYPES OF ACL .....</b>                                                     | 94        |
| 4.2.1    | <i>Standard ACL.....</i>                                                      | 94        |
| 4.2.2    | <i>Extended ACL.....</i>                                                      | 94        |
| 4.2.3    | <i>Named ACL.....</i>                                                         | 95        |
| 4.3      | <b>RULES FOR CREATING ACCESS CONTROL LISTS .....</b>                          | 95        |
| 4.4      | <b>PLANNING ACCESS CONTROL LISTS .....</b>                                    | 96        |
| 4.5      | <b>MOST COMMON MISTAKES .....</b>                                             | 97        |
| 4.5.1    | <i>Wrong Sequence of Introduced Rules .....</i>                               | 97        |
| 4.5.2    | <i>Incomplete Rules .....</i>                                                 | 99        |
| 4.5.3    | <i>Wrong Choice of Interface or Direction of the Introduced ACL .....</i>     | 100       |
| 4.6      | <b>ACCESS CONTROL LIST NUMBERING.....</b>                                     | 101       |
| 4.7      | <b>STANDARD ACL.....</b>                                                      | 102       |
| 4.7.1    | <i>Syntax of a Standard ACL .....</i>                                         | 102       |
| 4.7.2    | <i>Using Standard ACLs .....</i>                                              | 102       |
| 4.8      | <b>EXTENDED ACL.....</b>                                                      | 106       |
| 4.8.1    | <i>Syntax of the Extended ACLs .....</i>                                      | 106       |
| 4.8.2    | <i>Use of Extended ACLs .....</i>                                             | 108       |

|          |                                                                    |            |
|----------|--------------------------------------------------------------------|------------|
| 4.8.2.1  | Blocking Subnets .....                                             | 108        |
| 4.8.2.2  | Blocking the WWW Service .....                                     | 111        |
| 4.8.2.3  | Blocking the FTP Service .....                                     | 113        |
| 4.8.2.4  | Blocking the Ping Command .....                                    | 116        |
| 4.8.2.5  | Use of Extended Named ACLs .....                                   | 119        |
| <b>5</b> | <b>THE VOIP TECHNOLOGY .....</b>                                   | <b>125</b> |
| 5.1      | INTRODUCTION TO THE VOIP TECHNOLOGY .....                          | 125        |
| 5.2      | IP PHONE END DEVICE .....                                          | 125        |
| 5.3      | PREPARING THE IP TELEPHONE FOR OPERATION .....                     | 126        |
| 5.4      | CALL MANAGER EXPRESS .....                                         | 129        |
| 5.5      | CONFIGURING A SIMPLE VOIP NETWORK .....                            | 130        |
| 5.6      | COMMUNICATION BETWEEN TWO VOIP EXCHANGES .....                     | 136        |
| <b>6</b> | <b>STP PROTOCOL .....</b>                                          | <b>147</b> |
| 6.1      | INTRODUCTION TO STP PROTOCOL .....                                 | 147        |
| 6.2      | BASIC STP CONCEPTS .....                                           | 147        |
| 6.3      | MAIN PRINCIPLES OF THE STA .....                                   | 149        |
| 6.3.1    | <i>Determining the BID and Root BID Sent by the Switches .....</i> | <i>149</i> |
| 6.3.2    | <i>Root Bridge Switch Election .....</i>                           | <i>150</i> |
| 6.3.3    | <i>Establishing the Role of the Root .....</i>                     | <i>151</i> |
| 6.3.4    | <i>Determining the Role of a Designated Port .....</i>             | <i>151</i> |
| 6.4      | OBSERVATION OF THE STP PROTOCOL OPERATION .....                    | 152        |
| 6.4.1    | <i>First Case of Link Failure .....</i>                            | <i>153</i> |
| 6.4.2    | <i>Second Case of Link Failure .....</i>                           | <i>155</i> |
| 6.5      | DESCRIPTION OF THE RSTP .....                                      | 156        |
| 6.6      | COMPARISON OF RSTP AND STP PERFORMANCE .....                       | 156        |
| 6.6.1    | <i>Enabling the RSTP Protocol .....</i>                            | <i>157</i> |
| 6.6.2    | <i>Disabling the RSTP Protocol .....</i>                           | <i>157</i> |
| <b>7</b> | <b>VTP PROTOCOL .....</b>                                          | <b>161</b> |
| 7.1      | INTRODUCTION TO VTP PROTOCOL .....                                 | 161        |
| 7.2      | CONFIGURING OF VTP AND RSTP PROTOCOL .....                         | 162        |
| 7.2.1    | <i>Configuring the RSTP Protocol without Using VTP .....</i>       | <i>162</i> |
| 7.2.2    | <i>Configuring RSTP without Using VTP .....</i>                    | <i>168</i> |
| <b>8</b> | <b>FRAME RELAY TECHNOLOGY .....</b>                                | <b>175</b> |
| 8.1      | BRIEF DESCRIPTION OF FRAME RELAY TECHNOLOGY .....                  | 175        |
| 8.2      | FRAME RELAY OPERATING PRINCIPLE .....                              | 176        |
| 8.2.1    | <i>Frame Relay Operating Principle .....</i>                       | <i>176</i> |

## Table of Contents

---

|           |                                                                      |            |
|-----------|----------------------------------------------------------------------|------------|
| 8.2.2     | Frame Relay Frame Format.....                                        | 178        |
| 8.2.3     | Network Congestion and the Role of CIR, CBIR Parameters in the FR... | 178        |
| 8.3       | FRAME RELAY ADDRESS MAPPING.....                                     | 179        |
| 8.3.1     | Inverse ARP Protocol .....                                           | 179        |
| 8.3.2     | Frame Relay Connection Status.....                                   | 180        |
| 8.3.3     | DLCI Reserved Numbers .....                                          | 180        |
| 8.4       | CONFIGURING FRAME RELAY NETWORKS.....                                | 181        |
| <b>9</b>  | <b>PPP PROTOCOL .....</b>                                            | <b>189</b> |
| 9.1       | INTRODUCTION TO PPP PROTOCOL .....                                   | 189        |
| 9.1.1     | PPP Protocol Characteristics.....                                    | 189        |
| 9.1.2     | NCP Sublayer (NCP Protocol).....                                     | 189        |
| 9.1.3     | LCP Sublayer (LCP Protocol).....                                     | 189        |
| 9.2       | AUTHENTICATION TYPES IN THE PPP PROTOCOL .....                       | 190        |
| 9.2.1     | Configuring PPP with PAP Authentication.....                         | 190        |
| 9.2.2     | Configuring PPP with CHAP Authentication .....                       | 192        |
| <b>10</b> | <b>RADIUS PROTOCOL .....</b>                                         | <b>199</b> |
| 10.1      | SHORT INTRODUCTION TO RADIUS PROTOCOL .....                          | 199        |
| 10.2      | CONFIGURING RADIUS PROTOCOL .....                                    | 199        |
| <b>11</b> | <b>NETFLOW TECHNOLOGY.....</b>                                       | <b>205</b> |
| 11.1      | INTRODUCTION TO NETFLOW TECHNOLOGY.....                              | 205        |
| 11.2      | NETFLOW OPERATION.....                                               | 205        |
| 11.3      | CONFIGURING NETFLOW.....                                             | 206        |
| <b>12</b> | <b>ADDRESS TRANSLATION USING NAT.....</b>                            | <b>213</b> |
| 12.1      | INTRODUCTION TO NAT .....                                            | 213        |
| 12.1.1    | Reasons for Using the NAT Technique.....                             | 213        |
| 12.1.2    | NAT Technique Terminology .....                                      | 213        |
| 12.2      | NAT OPERATING DIAGRAM .....                                          | 214        |
| 12.3      | NAT TRANSLATION TYPES .....                                          | 215        |
| 12.3.1    | Static Translation (Static NAT) .....                                | 215        |
| 12.3.2    | Dynamic NAT Translation.....                                         | 215        |
| <b>13</b> | <b>ADDRESS TRANSLATION USING L2NAT .....</b>                         | <b>221</b> |
| 13.1      | INTRODUCTION TO L2NAT .....                                          | 221        |
| 13.2      | L2NAT OPERATING DIAGRAM .....                                        | 222        |
| 13.2.1    | Example of the Simple L2NAT Configuration.....                       | 224        |
| 13.2.2    | Handling repeating IP addresses in L2NAT.....                        | 225        |

|           |                                                                                    |            |
|-----------|------------------------------------------------------------------------------------|------------|
| <b>14</b> | <b>VIRTUAL PRIVATE NETWORKS.....</b>                                               | <b>231</b> |
| 14.1      | BASIC CONCEPTS.....                                                                | 231        |
| 14.2      | BASIC PROTOCOLS, ENCRYPTION AND AUTHENTICATION METHODS.....                        | 232        |
| 14.3      | CONFIGURING REMOTE ACCESS VPN.....                                                 | 233        |
| 14.4      | CONFIGURING A SITE-TO-SITE VPN TUNNEL USING IPSEC .....                            | 243        |
| <b>15</b> | <b>MULTILAYER SWITCHES.....</b>                                                    | <b>251</b> |
| 15.1      | INTRODUCTION TO NETWORK LAYER SWITCHING.....                                       | 251        |
| 15.2      | MULTILAYER SWITCH MODELS IN PACKET TRACER.....                                     | 251        |
| 15.3      | RESETTING THE SWITCH.....                                                          | 253        |
| 15.4      | CONFIGURATION OF THE 3560 24PS MULTILAYER SWITCH .....                             | 253        |
| 15.4.1    | <i>Example of the Router-Switch Topology .....</i>                                 | <i>254</i> |
| 15.4.2    | <i>Example of L3 Switch - L2 Switch topology. ....</i>                             | <i>257</i> |
| 15.5      | CONFIGURATION OF THE 3650-24PS MULTILAYER SWITCH.....                              | 261        |
| 15.5.1    | <i>Introductory Note for the 3650-24PS Switch.....</i>                             | <i>261</i> |
| 15.5.2    | <i>Example of L3 Switch - L2 Switches Topology .....</i>                           | <i>263</i> |
| 15.5.3    | <i>Example of Topology with Fiber-based L3 Switches.....</i>                       | <i>267</i> |
| <b>16</b> | <b>EXERCISES.....</b>                                                              | <b>281</b> |
| 16.1      | RIP PROTOCOL .....                                                                 | 281        |
| 16.1.1    | <i>Exercise (No. 1) – Configuring RIP v2.....</i>                                  | <i>281</i> |
| 16.1.2    | <i>Exercise (No. 2) – Configuring RIP v2.....</i>                                  | <i>282</i> |
| 16.1.3    | <i>Exercise (No. 3) – Configuring RIP v2 with Static Routing .....</i>             | <i>283</i> |
| 16.1.4    | <i>Exercise (No. 4) – Exporting the RIP v2 Protocol Configuration .....</i>        | <i>284</i> |
| 16.1.5    | <i>Exercise (No. 5) – Incorrect Local Subnet Addressing.....</i>                   | <i>284</i> |
| 16.1.6    | <i>Exercise (No. 6) – Incorrect Protocol Configuration .....</i>                   | <i>285</i> |
| 16.1.7    | <i>Exercise (No. 7) – Incorrect Configuration of Interfaces and RIP Vers... ..</i> | <i>286</i> |
| 16.2      | EIGRP PROTOCOL .....                                                               | 288        |
| 16.2.1    | <i>Exercise (No. 8) – Configuring EIGRP.....</i>                                   | <i>288</i> |
| 16.2.2    | <i>Exercise (No. 9) – EIGRP Configuring and Testing .....</i>                      | <i>289</i> |
| 16.2.3    | <i>Exercise (No. 10) – Configuring and Verifying Secure EIGRP.....</i>             | <i>290</i> |
| 16.2.4    | <i>Exercise (No. 11) – Configuring Packet Metrics and Path in EIGRP.....</i>       | <i>291</i> |
| 16.2.5    | <i>Exercise (No. 12) – Incorrect Configuration of Adjacent Networks .....</i>      | <i>292</i> |
| 16.2.6    | <i>Exercise (No. 13) – Wrong Wildcard Mask.....</i>                                | <i>293</i> |
| 16.2.7    | <i>Exercise (No. 14) – Incorrect EIGRP Process Number .....</i>                    | <i>294</i> |
| 16.3      | OSPF PROTOCOL.....                                                                 | 295        |
| 16.3.1    | <i>Exercise (No. 15) – Basic Configuration of OSPF .....</i>                       | <i>295</i> |
| 16.3.2    | <i>Exercise (No. 17) – OSPF Configuration with Change of Link Costs.....</i>       | <i>296</i> |
| 16.3.3    | <i>Exercise (No. 18) – Configuring OSPF Based on the Loopback Address.....</i>     | <i>297</i> |

## Table of Contents

|         |                                                                               |     |
|---------|-------------------------------------------------------------------------------|-----|
| 16.3.4  | <i>Exercise (No. 19) – Configuring OSPF Based on Priority</i> .....           | 299 |
| 16.3.5  | <i>Exercise (No. 20) – Wrong Area Number</i> .....                            | 300 |
| 16.3.6  | <i>Exercise (No. 21) – Wrong Wildcard Mask</i> .....                          | 301 |
| 16.3.7  | <i>Exercise (No. 22) – Incorrect Interface Configuration</i> .....            | 302 |
| 16.4    | <b>EBCP PROTOCOL</b> .....                                                    | 303 |
| 16.4.1  | <i>Exercise (No. 23) – Configuring eBCP with the Loopback Address</i> .....   | 303 |
| 16.4.2  | <i>Exercise (No. 24) – Configuring eBCP with the Router ID</i> .....          | 304 |
| 16.4.3  | <i>Exercise (No. 25) – No Entries for BCP Neighbors</i> .....                 | 305 |
| 16.4.4  | <i>Exercise (No. 26) – No Entry for Local Network</i> .....                   | 306 |
| 16.5    | <b>STATIC ROUTING</b> .....                                                   | 308 |
| 16.5.1  | <i>Exercise (No. 27) – Static Routing Using the Next Hop</i> .....            | 308 |
| 16.5.2  | <i>Exercise (No. 28) – Static Routing Using the Output Interface</i> .....    | 309 |
| 16.5.3  | <i>Exercise (No. 29) – Packet Routing (Static Routing)</i> .....              | 310 |
| 16.5.4  | <i>Exercise (No. 30) – Creating Routing Using the Next Hop</i> .....          | 311 |
| 16.5.5  | <i>Exercise (No. 31) – Incorrect Subnet Mask</i> .....                        | 313 |
| 16.5.6  | <i>Exercise (No. 32) – Incorrect IP Address of Next Hop</i> .....             | 314 |
| 16.6    | <b>ACCESS CONTROL LISTS</b> .....                                             | 315 |
| 16.6.1  | <i>Exercise (No. 33) – Configuring the Basic ACL</i> .....                    | 315 |
| 16.6.2  | <i>Exercise (No. 34) – Configuring the Extended ACLs</i> .....                | 316 |
| 16.6.3  | <i>Exercise (No. 35) - Configuring the Extended ACLs and EIGRP</i> .....      | 317 |
| 16.6.4  | <i>Exercise (No. 36) - Named ACLs and OSPF Routing Protocol</i> .....         | 319 |
| 16.7    | <b>VOIP TECHNOLOGY</b> .....                                                  | 320 |
| 16.7.1  | <i>Exercise (No. 37) – Configuring VoIP Phones and Routers as a PBX</i> ..... | 320 |
| 16.7.2  | <i>Exercise (No. 38) - Configuring VoIP Phones in Two Networks</i> .....      | 322 |
| 16.8    | <b>STP PROTOCOL</b> .....                                                     | 323 |
| 16.8.1  | <i>Exercise (No. 39) – Configuring Rapid-PVST and VLANs</i> .....             | 323 |
| 16.8.2  | <i>Exercise (No. 40) – Rapid-PVST, VLANs and Port Fast Functions</i> .....    | 324 |
| 16.8.3  | <i>Exercise (No. 41) – STP Switch Server</i> .....                            | 326 |
| 16.8.4  | <i>Exercise (No. 42) – PVST, VTP and Routing between VLANs</i> .....          | 328 |
| 16.9    | <b>VTP PROTOCOL</b> .....                                                     | 329 |
| 16.9.1  | <i>Exercise (No. 43) – Configuring VTP without Routing between VLANs</i> .    | 329 |
| 16.9.2  | <i>Exercise (No. 44) – Configuring VTP and Routing between VLANs</i> .....    | 338 |
| 16.10   | <b>FRAME RELAY PROTOCOL</b> .....                                             | 346 |
| 16.10.1 | <i>Exercise (No. 45) – Configuring the Frame Relay Protocol</i> .....         | 346 |
| 16.10.2 | <i>Exercise (No. 46) – Configuring the Frame Relay Protocol</i> .....         | 357 |
| 16.10.3 | <i>Exercise (No. 47) – Configuring Frame Relay Using Subinterfaces</i> .....  | 364 |
| 16.11   | <b>PPP PROTOCOL</b> .....                                                     | 369 |
| 16.11.1 | <i>Exercise (No. 48) – Configuring PPP with PAP Authentication.</i> .....     | 369 |
| 16.11.2 | <i>Exercise (No. 49) – Configuring PPP with CHAP Authentication</i> .....     | 372 |

|           |                                                                               |            |
|-----------|-------------------------------------------------------------------------------|------------|
| 16.12     | RADIUS PROTOCOL .....                                                         | 376        |
| 16.12.1   | <i>Exercise (No. 50) – Configuring RADIUS Protocol.....</i>                   | 376        |
| 16.13     | NETFLOW TECHNOLOGY .....                                                      | 380        |
| 16.13.1   | <i>Exercise (No. 51) – Testing Traffic Using Traditional NETFLOW.....</i>     | 380        |
| 16.13.2   | <i>Exercise (No. 52) - Testing Traffic Using Flexible NETFLOW.....</i>        | 383        |
| 16.14     | ADDRESS TRANSLATION USING NAT AND L2NAT .....                                 | 389        |
| 16.14.1   | <i>Exercise (No. 53) – Configuring Static NAT Translation.....</i>            | 389        |
| 16.14.2   | <i>Exercise (No. 54) - Configuring Dynamic and Static NAT Translation. ..</i> | 391        |
| 16.14.3   | <i>Exercise (No. 55) – Configuring L2NAT Translation .....</i>                | 394        |
| 16.15     | VIRTUAL PRIVATE NETWORKS.....                                                 | 399        |
| 16.15.1   | <i>Exercise (No. 56) – Configuring a Simple VPN (Remote Access).....</i>      | 399        |
| 16.16     | MULTILAYER SWITCHES 3560 AND 3650 .....                                       | 402        |
| 16.16.1   | <i>Exercise (No. 57) - Configuring Network with 3560 Switches.....</i>        | 403        |
| 16.16.2   | <i>Exercise (No. 58) – Configuring Network with a Single 3560 Switch.....</i> | 412        |
| 16.16.3   | <i>Exercise (No. 59) - Configuring Network with 3650 Switches.....</i>        | 417        |
| <b>17</b> | <b>APPENDICES.....</b>                                                        | <b>427</b> |
| 17.1      | GLOSSARY OF THE KEY TERMS .....                                               | 427        |
| 17.2      | SHORTENED IOS COMMANDS .....                                                  | 430        |
| 17.2.1    | <i>Introduction to IOS shortcut commands .....</i>                            | 430        |
| 17.2.2    | <i>Table of commonly used commands .....</i>                                  | 430        |
| <b>18</b> | <b>FILE LIST.....</b>                                                         | <b>437</b> |
| 18.1      | EXAMPLES .....                                                                | 437        |
| 18.2      | EXERCISES.....                                                                | 439        |