

# Contents

**Preface** *xvii*

**List of Symbols** *xxi*

**Abbreviations** *xxxi*

## Part I Fundamentals of Viscoelastic Damping 1

### 1 Vibration Damping 3

- 1.1 Overview 3
- 1.2 Passive, Active, and Hybrid Vibration Control 3
  - 1.2.1 Passive Damping 3
    - 1.2.1.1 Free and Constrained Damping Layers 3
    - 1.2.1.2 Shunted Piezoelectric Treatments 4
    - 1.2.1.3 Damping Layers with Shunted Piezoelectric Treatments 5
    - 1.2.1.4 Magnetic Constrained Layer Damping (MCLD) 5
    - 1.2.1.5 Damping with Shape Memory Fibers 6
  - 1.2.2 Active Damping 6
  - 1.2.3 Hybrid Damping 7
    - 1.2.3.1 Active Constrained Layer Damping (ACLD) 7
    - 1.2.3.2 Active Piezoelectric Damping Composites (APDC) 7
    - 1.2.3.3 Electromagnetic Damping Composites (EMDC) 8
    - 1.2.3.4 Active Shunted Piezoelectric Networks 8
- 1.3 Summary 9
- References 9

### 2 Viscoelastic Damping 11

- 2.1 Introduction 11
- 2.2 Classical Models of Viscoelastic Materials 11
  - 2.2.1 Characteristics in the Time Domain 11
  - 2.2.2 Basics for Time Domain Analysis 12
  - 2.2.3 Detailed Time Response of Maxwell and Kelvin–Voigt Models 14
  - 2.2.4 Detailed Time Response of the Poynting–Thomson Model 17
- 2.3 Creep Compliance and Relaxation Modulus 20
  - 2.3.1 Direct Laplace Transformation Approach 22
  - 2.3.2 Approach of Simultaneous Solution of a Linear Set of Equilibrium, Kinematic, and Constitutive Equations 23

|         |   |    |
|---------|---|----|
| 2.4     | Characteristics of the VEM in the Frequency Domain                          | 25 |
| 2.5     | Hysteresis and Energy Dissipation Characteristics of Viscoelastic Materials | 27 |
| 2.5.1   | Hysteresis Characteristics  | 27 |
| 2.5.2   | Energy Dissipation  | 28 |
| 2.5.3   | Loss Factor   | 28 |
| 2.5.3.1 | Relationship Between Dissipation and Stored Elastic Energies                | 28 |
| 2.5.3.2 | Relationship Between Different Strains                                      | 29 |
| 2.5.4   | Storage Modulus   | 29 |
| 2.6     | Fractional Derivative Models of Viscoelastic Materials                      | 32 |
| 2.6.1   | Basic Building Block of Fractional Derivative Models                        | 32 |
| 2.6.2   | Basic Fractional Derivative Models  | 33 |
| 2.6.3   | Other Common Fractional Derivative Models                                   | 36 |
| 2.7     | Viscoelastic Versus Other Types of Damping Mechanisms                       | 38 |
| 2.8     | Summary   | 40 |
|         | References  | 40 |

### **3 Characterization of the Properties of Viscoelastic Materials 57**

|         |  |    |
|---------|--|----|
| 3.1     | Introduction   | 57 |
| 3.2     | Typical Behavior of Viscoelastic Materials   | 57 |
| 3.3     | Frequency Domain Measurement Techniques of the Dynamic Properties of Viscoelastic Material | 59 |
| 3.3.1   | Dynamic, Mechanical, and Thermal Analyzer  | 60 |
| 3.3.2   | Oberst Test Beam Method  | 64 |
| 3.3.2.1 | Set-Up and Beam Configurations   | 64 |
| 3.3.2.2 | Parameter Extraction   | 66 |
| 3.4     | Master Curves of Viscoelastic Materials  | 68 |
| 3.4.1   | The Principle of Temperature-Frequency Superposition                                       | 68 |
| 3.4.2   | The Use of the Master Curves   | 71 |
| 3.4.3   | The Constant Temperature Lines   | 71 |
| 3.5     | Time-Domain Measurement Techniques of the Dynamic Properties of Viscoelastic Materials     | 72 |
| 3.5.1   | Creep and Relaxation Measurement Methods   | 73 |
| 3.5.1.1 | Testing Equipment  | 73 |
| 3.5.1.2 | Typical Creep and Relaxation Behavior  | 74 |
| 3.5.1.3 | Time-Temperature Superposition   | 76 |
| 3.5.1.4 | Boltzmann Superposition Principle  | 78 |
| 3.5.1.5 | Relationship Between the Relaxation Modulus and Complex Modulus                            | 80 |
| 3.5.1.6 | Relationship Between the Creep Compliance and Complex Compliance                           | 81 |
| 3.5.1.7 | Relationship Between the Creep Compliance and Relaxation Modulus                           | 83 |
| 3.5.1.8 | Alternative Relationship Between the Creep Compliance and Complex Compliance               | 83 |
| 3.5.1.9 | Alternative Relationship Between the Relaxation Modulus and Complex Modulus                | 84 |

|          |   |            |
|----------|---|------------|
| 3.5.1.10 | Summary of the Basic Interconversion Relationship                     | 85         |
| 3.5.1.11 | Practical Issues in Implementation of Interconversion Relationships   | 86         |
| 3.5.2    | Split Hopkinson Pressure Bar Method                                   | 94         |
| 3.5.2.1  | Overview  | 94         |
| 3.5.2.2  | Theory of 1D SHPB   | 95         |
| 3.5.2.3  | Complex Modulus of a VEM from SHPB Measurements                       | 98         |
| 3.5.3    | Wave Propagation Method   | 105        |
| 3.5.4    | Ultrasonic Wave Propagation Method                                    | 109        |
| 3.5.4.1  | Overview  | 109        |
| 3.5.4.2  | Theory  | 109        |
| 3.5.4.3  | Measurement of the Phase Velocity and Attenuation Factor              | 111        |
| 3.5.4.4  | Typical Attenuation Factors   | 113        |
| 3.6      | Summary   | 115        |
|          | References  | 116        |
| <b>4</b> | <b>Viscoelastic Materials</b>   | <b>127</b> |
| 4.1      | Introduction  | 127        |
| 4.2      | Golla–Hughes–McTavish (GHM) Model                                     | 127        |
| 4.2.1    | Motivation of the GHM Model   | 128        |
| 4.2.2    | Computation of the Parameters of the GHM Mini-Oscillators             | 132        |
| 4.2.3    | On the Structure of the GHM Model                                     | 135        |
| 4.2.3.1  | Other Forms of GHM Structures   | 135        |
| 4.2.3.2  | Relaxation Modulus of the GHM Model                                   | 135        |
| 4.2.4    | Structural Finite Element Models of Rods Treated with VEM             | 137        |
| 4.2.4.1  | Unconstrained Layer Damping   | 138        |
| 4.2.4.2  | Constrained Layer Damping   | 142        |
| 4.3      | Structural Finite Element Models of Beams Treated with VEM            | 150        |
| 4.3.1    | Degrees of Freedom  | 150        |
| 4.3.2    | Basic Kinematic Relationships   | 151        |
| 4.3.3    | Stiffness and Mass Matrices of the Beam/VEM Element                   | 152        |
| 4.3.4    | Equations of Motion of the Beam/VEM Element                           | 153        |
| 4.4      | Generalized Maxwell Model (GMM)                                       | 155        |
| 4.4.1    | Overview  | 155        |
| 4.4.2    | Internal Variable Representation of the GMM                           | 157        |
| 4.4.2.1  | Single-DOF System   | 157        |
| 4.4.2.2  | Multi-Degree of Freedom System  | 158        |
| 4.4.2.3  | Condensation of the Internal Degrees of Freedom                       | 159        |
| 4.4.2.4  | Direct Solution of Coupled Structural and Internal Degrees of Freedom | 160        |
| 4.5      | Augmenting Thermodynamic Field (ATF) Model                            | 163        |
| 4.5.1    | Overview  | 163        |
| 4.5.2    | Equivalent Damping Ratio of the ATF Model                             | 164        |
| 4.5.3    | Multi-degree of Freedom ATF Model                                     | 165        |
| 4.5.4    | Integration with a Finite Element Model                               | 165        |
| 4.6      | Fractional Derivative (FD) Models                                     | 167        |
| 4.6.1    | Overview  | 167        |

|         |  |     |
|---------|--|-----|
| 4.6.2   | Internal Degrees of Freedom of Fractional Derivative Models                      | 169 |
| 4.6.3   | Grunwald Approximation of Fractional Derivative                                  | 169 |
| 4.6.4   | Integration Fractional Derivative Approximation with Finite Element              | 170 |
| 4.6.4.1 | Viscoelastic Rod   | 170 |
| 4.6.4.2 | Beam with Passive Constrained Layer Damping (PCLD) Treatment                     | 172 |
| 4.7     | Finite Element Modeling of Plates Treated with Passive Constrained Layer Damping | 176 |
| 4.7.1   | Overview   | 176 |
| 4.7.2   | The Stress and Strain Characteristics  | 178 |
| 4.7.2.1 | The Plate and the Constraining Layers  | 178 |
| 4.7.2.2 | The VEM Layer  | 179 |
| 4.7.3   | The Potential and Kinetic Energies   | 179 |
| 4.7.4   | The Shape Functions  | 179 |
| 4.7.5   | The Stiffness Matrices   | 181 |
| 4.7.6   | The Mass Matrices  | 181 |
| 4.7.7   | The Element and Overall Equations of Motion                                      | 182 |
| 4.8     | Finite Element Modeling of Shells Treated with Passive Constrained Layer Damping | 185 |
| 4.8.1   | Overview   | 185 |
| 4.8.2   | Stress–Strain Relationships  | 186 |
| 4.8.2.1 | Shell and Constraining Layer   | 186 |
| 4.8.2.2 | Viscoelastic Layer   | 187 |
| 4.8.3   | Kinetic and Potential Energies   | 189 |
| 4.8.4   | The Shape Functions  | 189 |
| 4.8.5   | The Stiffness Matrices   | 189 |
| 4.8.6   | The Mass Matrices  | 190 |
| 4.8.7   | The Element and Overall Equations of Motion                                      | 191 |
| 4.9     | Summary  | 192 |
|         | References   | 196 |

## 5 Finite Element Modeling of Viscoelastic Damping by Modal Strain Energy Method 205

|         |  |     |
|---------|--|-----|
| 5.1     | Introduction   | 205 |
| 5.2     | Modal Strain Energy (MSE) Method                                 | 205 |
| 5.3     | Modified Modal Strain Energy (MSE) Methods                       | 210 |
| 5.3.1   | Weighted Stiffness Matrix Method (WSM)                           | 210 |
| 5.3.2   | Weighted Storage Modulus Method (WSTM)                           | 211 |
| 5.3.3   | Improved Reduction System Method (IRS)                           | 211 |
| 5.3.4   | Low Frequency Approximation Method (LFA)                         | 213 |
| 5.4     | Summary of Modal Strain Energy Methods                           | 215 |
| 5.5     | Modal Strain Energy as a Metric for Design of Damping Treatments | 215 |
| 5.6     | Perforated Damping Treatments                                    | 220 |
| 5.6.1   | Overview   | 220 |
| 5.6.2   | Finite Element Modeling  | 222 |
| 5.6.2.1 | Element Energies   | 224 |

|          |   |            |
|----------|---|------------|
| 5.6.2.2  | Topology Optimization of Unconstrained Layer Damping                            | 227        |
| 5.6.2.3  | Sensitivity Analysis  | 228        |
| 5.7      | Summary   | 234        |
|          | References  | 234        |
| <b>6</b> | <b>Energy Dissipation in Damping Treatments</b>                                 | <b>243</b> |
| 6.1      | Introduction  | 243        |
| 6.2      | Passive Damping Treatments of Rods  | 243        |
| 6.2.1    | Passive Constrained Layer Damping   | 243        |
| 6.2.1.1  | Equation of Motion  | 243        |
| 6.2.1.2  | Energy Dissipation  | 247        |
| 6.2.2    | Passive Unconstrained Layer Damping   | 248        |
| 6.3      | Active Constrained Layer Damping Treatments of Rods                             | 251        |
| 6.3.1    | Equation of Motion  | 251        |
| 6.3.2    | Boundary Control Strategy   | 253        |
| 6.3.3    | Energy Dissipation  | 254        |
| 6.4      | Passive Constrained Layer Damping Treatments of Beams                           | 257        |
| 6.4.1    | Basic Equations of Damped Beams   | 257        |
| 6.4.2    | Bending Energy of Beams   | 258        |
| 6.4.3    | Energy Dissipated in Beams with Passive Constrained Layer Damping               | 258        |
| 6.5      | Active Constrained Layer Damping Treatments of Beams                            | 264        |
| 6.6      | Passive and Active Constrained Layer Damping Treatments of Plates               | 267        |
| 6.6.1    | Kinematic Relationships   | 268        |
| 6.6.2    | Energies of the PCLD and ACLD Treatments  | 269        |
| 6.6.2.1  | The Potential Energies  | 269        |
| 6.6.2.2  | The Kinetic Energy  | 269        |
| 6.6.2.3  | Work Done   | 269        |
| 6.6.3    | The Models of the PCLD and ACLD Treatments                                      | 270        |
| 6.6.4    | Boundary Control of Plates with ACLD Treatments                                 | 270        |
| 6.6.5    | Energy Dissipation and Loss Factors of Plates with PCLD and ACLD Treatments     | 271        |
| 6.7      | Passive and Active Constrained Layer Damping Treatments of Axi-Symmetric Shells | 274        |
| 6.7.1    | Background  | 275        |
| 6.7.2    | The Concept of the Active Constrained Layer Damping                             | 276        |
| 6.7.3    | Variational Modeling of the Shell/ACLD System                                   | 276        |
| 6.7.3.1  | Main Assumptions of the Model   | 276        |
| 6.7.3.2  | Kinematic Relationships   | 276        |
| 6.7.3.3  | Stress-Strain Relationships   | 277        |
| 6.7.3.4  | Energies of Shell/ACLD System   | 279        |
| 6.7.3.5  | The Model   | 280        |
| 6.7.4    | Boundary Control Strategy   | 282        |
| 6.7.4.1  | Overview  | 282        |
| 6.7.4.2  | Control Strategy  | 282        |
| 6.7.4.3  | Implementation of the Boundary Control Strategy                                 | 283        |

|         |  |     |
|---------|--|-----|
| 6.7.4.4 | Transverse Compliance and Longitudinal Deflection                    | 283 |
| 6.7.5   | Energy Dissipated in the ACLD Treatment of an Axi-Symmetric<br>Shell | 287 |
| 6.8     | Summary  | 288 |
|         | References   | 290 |

## Part II Advanced Damping Treatments 301

|          |   |            |
|----------|---|------------|
| <b>7</b> | <b>Vibration Damping of Structures Using Active Constrained Layer<br/>Damping</b> | <b>303</b> |
| 7.1      | Introduction  | 303        |
| 7.2      | Motivation for Using Passive and Active Constrained Layer Damping                 | 303        |
| 7.2.1    | Base Structure  | 304        |
| 7.2.2    | Structure Treated with Unconstrained Passive Layer Damping                        | 306        |
| 7.2.3    | Structure Treated with Constrained Passive Layer Damping                          | 308        |
| 7.2.4    | Structure Treated with Active Constrained Passive Layer Damping                   | 311        |
| 7.3      | Active Constrained Layer Damping for Beams  | 316        |
| 7.3.1    | Introduction  | 316        |
| 7.3.2    | Concept of Active Constrained Layer Damping                                       | 316        |
| 7.3.3    | Finite Element Modeling of a Beam/ACLD Assembly                                   | 318        |
| 7.3.3.1  | The Model   | 319        |
| 7.3.3.2  | Equations of Motion   | 322        |
| 7.3.4    | Distributed-Parameter Modeling of a Beam/ACLD Assembly                            | 328        |
| 7.3.4.1  | Overview  | 328        |
| 7.3.4.2  | The Energies and Work Done on the Beam/ACLD<br>Assembly                           | 328        |
| 7.3.4.3  | The Distributed-Parameter Model   | 331        |
| 7.3.4.4  | Globally Stable Boundary Control Strategy   | 333        |
| 7.3.4.5  | Implementation of the Globally Stable Boundary Control<br>Strategy                | 333        |
| 7.3.4.6  | Response of the Beam/ACLD Assembly  | 334        |
| 7.4      | Active Constrained Layer Damping for Plates                                       | 336        |
| 7.4.1    | Control Forces and Moments Generated by the Active Constraining<br>Layer          | 337        |
| 7.4.1.1  | The In-Plane Piezoelectric Forces   | 337        |
| 7.4.1.2  | The Piezoelectric Moments   | 338        |
| 7.4.1.3  | Piezoelectric Sensor  | 338        |
| 7.4.1.4  | Control Voltage to Piezoelectric Constraining Layer                               | 339        |
| 7.4.2    | Equations of Motion   | 339        |
| 7.5      | Active Constrained Layer Damping for Shells                                       | 344        |
| 7.5.1    | Control Forces and Moments Generated by the Active Constraining<br>Layer          | 344        |
| 7.5.2    | Equations of Motion   | 344        |
| 7.6      | Summary   | 348        |
|          | References  | 351        |

|                                      |  |
|--------------------------------------|--|
| <b>8 Advanced Damping Treatments</b> | <b>361</b>   |
| 8.1                                  | Introduction 361   |
| 8.2                                  | Stand-Off Damping Treatments 362   |
| 8.2.1                                | Background of Stand-Off Damping Treatments 362   |
| 8.2.2                                | The Stand-Off Damping Treatments 362   |
| 8.2.3                                | Distributed-Parameter Model of the Stand-Off Layer Damping Treatment 364                                       |
| 8.2.3.1                              | Kinematic Equations 364  |
| 8.2.3.2                              | Constitutive Equations 365   |
| 8.2.4                                | Distributed Transfer Function Method 369   |
| 8.2.5                                | Finite Element Model 370   |
| 8.2.6                                | Summary 375  |
| 8.3                                  | Functionally Graded Damping Treatments 375   |
| 8.3.1                                | Background of Functionally Graded Constrained Layer Damping 375  |
| 8.3.2                                | Concept of Constrained Layer Damping with Functionally Graded Viscoelastic Cores 376                           |
| 8.3.3                                | Finite Element Model 377   |
| 8.3.3.1                              | Quasi-Static Model of the Passive Constrained Damping Layer of Plunkett and Lee (1970) 377                     |
| 8.3.3.2                              | Dispersion Characteristics of Passive Constrained Damping Layer with Uniform and Functionally Graded Cores 383 |
| 8.3.4                                | Summary 390  |
| 8.4                                  | Passive and Active Damping Composite Treatments 390  |
| 8.4.1                                | Passive Composite Damping Treatments 390   |
| 8.4.2                                | Active Composite Damping Treatments 394  |
| 8.4.3                                | Finite Element Modeling of Beam with APDC 396  |
| 8.4.3.1                              | Model and Main Assumptions 396   |
| 8.4.3.2                              | Kinematics 397   |
| 8.4.3.3                              | Degrees of Freedom and Shape Functions 398   |
| 8.4.3.4                              | System Energies 398  |
| 8.4.3.5                              | Equations of Motion 400  |
| 8.4.3.6                              | Control Law 400  |
| 8.4.4                                | Summary 408  |
| 8.5                                  | Magnetic Damping Treatments 410  |
| 8.5.1                                | Magnetic Constrained Layer Damping Treatments 410  |
| 8.5.2                                | Analysis of Magnetic Constrained Layer Damping Treatments 412  |
| 8.5.2.1                              | Equation of Motion 412   |
| 8.5.2.2                              | Response of the MCLD Treatment 414   |
| 8.5.3                                | Passive Magnetic Composites 415  |
| 8.5.3.1                              | Concept of Passive Magnetic Composite Treatment 417  |
| 8.5.3.2                              | Finite Element Modeling of Beams with PMC Treatment 417  |
| 8.5.4                                | Summary 430  |
| 8.6                                  | Negative Stiffness Composites 430  |
| 8.6.1                                | Motivation to Negative Stiffness Composites 431  |
| 8.6.1.1                              | Sinusoidal Excitation 431  |

|          |   |            |
|----------|---|------------|
| 8.6.1.2  | Impact Loading  | 436        |
| 8.6.1.3  | Magnetic Composite with Negative Stiffness Inclusions                       | 438        |
| 8.7      | Summary   | 445        |
|          | References  | 445        |
| <b>9</b> | <b>Vibration Damping with Shunted Piezoelectric Networks</b>                | <b>469</b> |
| 9.1      | Introduction  | 469        |
| 9.2      | Shunted Piezoelectric Patches   | 469        |
| 9.2.1    | Basics of Piezoelectricity  | 469        |
| 9.2.1.1  | Effect of Electrical Boundary Conditions                                    | 471        |
| 9.2.1.2  | Effect of Mechanical Boundary Conditions                                    | 471        |
| 9.2.2    | Basics of Shunted Piezo-Networks  | 472        |
| 9.2.2.1  | Resistive-Shunted Circuit   | 474        |
| 9.2.2.2  | Resistive and Inductive Shunted Circuit                                     | 475        |
| 9.2.2.3  | Resistive, Capacitive, and Inductive Shunted Circuit                        | 477        |
| 9.2.3    | Electronic Synthesis of Inductances and Negative Capacitances               | 479        |
| 9.2.3.1  | Synthesis of Inductors  | 479        |
| 9.2.3.2  | Synthesis of Negative Capacitances  | 480        |
| 9.2.4    | Why Negative Capacitance Is Effective?                                      | 480        |
| 9.2.5    | Effectiveness of the Negative Capacitance from a Control System Perspective | 482        |
| 9.2.6    | Electrical Analogy of Shunted Piezoelectric Networks                        | 485        |
| 9.3      | Finite Element Modeling of Structures Treated with Shunted Piezo-Networks   | 487        |
| 9.3.1    | Equivalent Complex Modulus Approach of Shunted Piezo-Networks               | 487        |
| 9.3.2    | Coupled Electromechanical Field Approach of Shunted Piezo-Networks          | 491        |
| 9.4      | Active Shunted Piezoelectric Networks                                       | 496        |
| 9.4.1    | Basic Configurations  | 496        |
| 9.4.2    | Dynamic Equations   | 498        |
| 9.4.2.1  | Short-Circuit Configuration   | 498        |
| 9.4.2.2  | Open-Circuit Configuration  | 498        |
| 9.4.2.3  | Resistive-Shunted Configuration   | 498        |
| 9.4.3    | More on the Resistive Shunting Configuration                                | 498        |
| 9.4.4    | Open-Circuit to Resistive Shunting (OC-RS) Configuration                    | 500        |
| 9.4.4.1  | Dynamic Equations   | 500        |
| 9.4.4.2  | Switching Between OC and RS Modes   | 500        |
| 9.4.5    | Energy Dissipation of Different Shunting Configurations                     | 503        |
| 9.4.5.1  | Energy Dissipation with Resistive Shunting                                  | 503        |
| 9.4.5.2  | Energy Dissipation with OC-RS Switched Shunting                             | 503        |
| 9.5      | Multi-Mode Vibration Control with Shunted Piezoelectric Networks            | 504        |
| 9.5.1    | Multi-Mode Shunting Approaches  | 504        |
| 9.5.2    | Parameters of Behrens et al.'s Multi-Mode Shunting Network                  | 507        |
| 9.5.2.1  | Components of the Current Flowing Branches                                  | 507        |
| 9.5.2.2  | Components of the Shunting Branches   | 507        |
| 9.6      | Summary   | 510        |
|          | References  | 511        |

|           |   |     |
|-----------|---|-----|
| <b>10</b> | <b>Vibration Control with Periodic Structures</b>                       | 523 |
| 10.1      | Introduction  | 523 |
| 10.2      | Basics of Periodic Structures   | 524 |
| 10.2.1    | Overview  | 524 |
| 10.2.2    | Transfer Matrix Method  | 525 |
| 10.2.2.1  | The Transfer Matrix   | 525 |
| 10.2.2.2  | Basic Properties of the Transfer Matrix                                 | 526 |
| 10.3      | Filtering Characteristics of Passive Periodic Structures                | 533 |
| 10.3.1    | Overview  | 533 |
| 10.3.2    | Periodic Rods in Longitudinal Vibrations                                | 534 |
| 10.4      | Natural Frequencies, Mode Shapes, and Response of Periodic Structures   | 535 |
| 10.4.1    | Natural Frequencies and Response  | 535 |
| 10.4.2    | Mode Shapes   | 539 |
| 10.5      | Active Periodic Structures  | 541 |
| 10.5.1    | Modeling of Active Periodic Structures                                  | 543 |
| 10.5.2    | Dynamics of One Cell  | 543 |
| 10.5.2.1  | Dynamics of the Passive Sub-Cell  | 543 |
| 10.5.2.2  | Dynamics of the Active Sub-Cell   | 543 |
| 10.5.2.3  | Dynamics of the Entire Cell   | 545 |
| 10.5.2.4  | Dynamics of the Entire Periodic Structure                               | 546 |
| 10.6      | Localization Characteristics of Passive and Active Aperiodic Structures | 549 |
| 10.6.1    | Overview  | 549 |
| 10.6.2    | Localization Factor   | 550 |
| 10.7      | Periodic Rod with Periodic Shunted Piezoelectric Patches                | 559 |
| 10.7.1    | Transfer Matrix of a Plain Rod Element                                  | 559 |
| 10.7.2    | Transfer Matrix of a Rod/Piezo-Patch Element                            | 560 |
| 10.7.3    | Transfer Matrix of a Unit Cell  | 561 |
| 10.8      | Two-Dimensional Active Periodic Structure                               | 562 |
| 10.8.1    | Dynamics of Unit Cell   | 562 |
| 10.8.2    | Formulation of Phase Constant Surfaces                                  | 566 |
| 10.8.3    | Filtering Characteristics   | 568 |
| 10.9      | Periodic Structures with Internal Resonances                            | 569 |
| 10.9.1    | Dynamics of Conventional Periodic Structure                             | 570 |
| 10.9.2    | Dynamics of Periodic Structure with Internal Resonances                 | 572 |
| 10.9.2.1  | Equivalent Mass. Of the Mass-In-Mass Arrangement                        | 572 |
| 10.9.2.2  | Transfer Matrix of the Mass-In-Mass Arrangement                         | 572 |
| 10.10     | Summary   | 578 |
|           | References  | 578 |
| <b>11</b> | <b>Nanoparticle Damping Composites</b>                                  | 589 |
| 11.1      | Introduction  | 589 |
| 11.2      | Nanoparticle-Filled Polymer Composites                                  | 590 |
| 11.2.1    | Composites with Unidirectional Inclusions                               | 591 |
| 11.2.2    | Arbitrarily Oriented Inclusion Composites                               | 599 |
| 11.3      | Comparisons with Classical Filler Reinforcement Methods                 | 607 |

|                 |   |            |
|-----------------|---|------------|
| 11.4            | Applications of Carbon Black/Polymer Composites   | 614        |
| 11.4.1          | Basic Physical Characteristics  | 614        |
| 11.4.2          | Modeling of the Piezo-Resistance of CB/Polymer Composites   | 617        |
| 11.4.3          | The Piezo-Resistivity of CB/Polymer Composites  | 619        |
| 11.5            | CB/Polymer Composite as a Shunting Resistance of Piezoelectric Layers                                       | 620        |
| 11.5.1          | Finite Element Model  | 620        |
| 11.5.2          | Condensed Model of a Unit Cell  | 624        |
| 11.6            | Hybrid Composites with Shunted Piezoelectric Particles  | 629        |
| 11.6.1          | Composite Description and Assumptions   | 629        |
| 11.6.2          | Shunted Piezoelectric Inclusions  | 631        |
| 11.6.3          | Typical Performance Characteristics of Hybrid Composites  | 631        |
| 11.7            | Summary   | 636        |
|                 | References  | 636        |
| <b>12</b>       | <b>Power Flow in Damped Structures</b>  | <b>651</b> |
| 12.1            | Introduction  | 651        |
| 12.2            | Vibrational Power   | 651        |
| 12.2.1          | Basic Definitions   | 651        |
| 12.2.2          | Relationship to System Energies   | 652        |
| 12.2.3          | Basic Characteristics of the Power Flow   | 653        |
| 12.3            | Vibrational Power Flow in Beams   | 656        |
| 12.4            | Vibrational Power of Plates   | 661        |
| 12.4.1          | Basic Equations of Vibrating Plates   | 661        |
| 12.4.2          | Power Flow and Structural Intensity   | 662        |
| 12.4.3          | Control of the Power Flow and Structural Intensity  | 668        |
| 12.4.4          | Power Flow and Structural Intensity for Plates with Passive and Active Constrained Layer Damping Treatments | 671        |
| 12.5            | Power Flow and Structural Intensity for Shells  | 679        |
| 12.6            | Summary   | 682        |
|                 | References  | 682        |
| <b>Glossary</b> | <b>699</b>  |            |
| <b>Appendix</b> | <b>703</b>  |            |
| <b>Index</b>    | <b>715</b>  |            |