

Contents

I	Polymers and Geopolymers	1
1	Introduction	3
1.1	Geopolymer technology	4
1.1.1	The invention of the first mineral resin, October 1975 . .	6
1.2	The scope of the book	11
1.3	Early observations	11
1.4	Phosphate-based geopolymer	14
1.4.1	Phosphate geopolymers	14
1.4.2	High-molecular phosphate-based geopolymers: cristobalitic AlPO_4	15
1.5	Organic-mineral geopolymers	16
1.5.1	Silicone	16
1.5.2	Humic-acid based: kerogen geopolymer	16
2	The mineral polymer concept: silicones and geopolymers	21
2.1	The polymeric character of silicones	22
2.2	The dispute over ionic or covalent bonding in silicates	23
2.3	Covalent bonding in aluminosilicates / silico-aluminates	28
2.4	Tetra-coordinated Al or tetra-valent Al?	29
2.5	Terminology	30
2.5.1	Poly(siloxo) / poly(siloxonate) / poly(silanol)	30
2.5.2	Poly(sialate)	32
2.6	Polymeric character of geopolymers: geopolymeric micelle	34
3	Macromolecular structure of natural silicates and aluminosilicates	39
3.1	Silicate ionic and covalent structural representations	40
3.2	Ortho-silicate, $1[\text{SiO}_4]$, ortho-siloxonate, Zircon ZrSiO_4	42
3.3	Di-silicate, di-siloxonate, Epidote	43
3.4	Tri-silicate, tri-siloxonate, ring silicate, Benitoite	43
3.5	Tetra-silicate, $4[\text{SiO}_4]$, ring silicate $[\text{Si}_4\text{O}_{12}]$	44
3.6	Hexa-silicate, hexa-siloxonate, ring silicate, Beryl	44
3.7	Linear poly-silicate, poly(siloxonate), chain silicate, Pyroxene, Wollastonite	45
3.8	Branched poly-silicate, poly(siloxonate), ribbon structure, Amphibole $[\text{Si}_4\text{O}_{11}]_n$	47

3.9	Sheet silicate, $[\text{Si}_2\text{O}_5]_n$, 2D-poly(siloxo), composite sheet	48
3.9.1	Kaolinite, poly(siloxo-aluminumhydroxyl)	49
3.9.2	Pyrophyllite $\text{Al}_4(\text{OH})_4[\text{Si}_8\text{O}_{20}]$, poly(siloxo-intra-sialate)	49
3.9.3	Muscovite $\text{K}_2\text{Al}_4[\text{Si}_6\text{Al}_2\text{O}_{20}](\text{OH})_4$, poly(siloxo-intra-sialate)	50
3.10	Other sheet silicates, Melilite, Gehlenite, Akermanite, pentagonal arrangement.	51
3.11	Framework silicate, Quartz, Tridymite, SiO_2	52
3.11.1	Structure of Quartz	52
3.11.2	Structure of Tridymite	53
3.12	Framework silicate, Nepheline $\text{Na}[\text{AlSiO}_4]$ and Kalsilite $\text{K}[\text{AlSiO}_4]$	54
3.13	Framework silicate, Leucite $\text{K}[\text{AlSi}_2\text{O}_6]$	54
3.14	Framework silicate, Feldspar double-crankshaft chain $[(\text{Si},\text{Al})_4\text{O}_8]_n$	55
3.14.1	Anorthite $\text{Ca}[\text{Al}_2\text{Si}_2\text{O}_8]$	56
3.14.2	Sanidine $\text{K}[\text{AlSi}_3\text{O}_8]$	56
3.15	Framework silicate, Feldspathoid, Sodalite $\text{Na}[\text{AlSiO}_4]$	57
3.16	Framework silicate, zeolite group	58

II The synthesis of aluminosilicate mineral geopolymers 61

4	Scientific Tools, X-rays, FTIR, NMR	63
4.1	X-ray diffraction	63
4.2	FTIR, infra-red spectroscopy	68
4.3	MAS-NMR spectroscopy	70
4.3.1	^{27}Al MAS-NMR spectroscopy	70
4.3.2	^{29}Si MAS-NMR Spectroscopy	73
5	Poly(siloxonate) and polysilicate, soluble silicate, $\text{Si}:\text{Al}=1:0$	79
5.1	History of soluble silicates	79
5.2	Chemical composition of soluble silicates	81
5.3	Manufacture of soluble (Na,K)-poly(siloxonate), soluble silicates	82
5.3.1	Chemical mechanism	82
5.3.2	Furnace route	84
5.3.3	Hydrothermal process	87
5.3.4	Silica fume dissolution	87
5.4	Structure of solid poly(siloxonate), (Na,K)-silicate glasses	87
5.4.1	Molecular structure of poly(siloxonate), alkali silicate glasses	89
5.4.2	Molecular structure of poly(siloxonate), alkali-tridymite glasses	91
5.5	Poly(siloxonate) in solution. Hydrolysis, depolymerization of solid silicates	97
5.6	Structure of poly(siloxonate) solutions, soluble alkali silicates	98
5.6.1	Early studies	98
5.6.2	NMR spectroscopy: identification of soluble species	99
5.6.3	Hydrolysis of poly(siloxonate) alkali-glass into water soluble molecules	101

5.7	Density, specific gravity	106
5.8	Viscosity	107
5.9	pH value and stability of alkali silicate solutions	107
5.10	Powdered poly(siloxonates), soluble hydrous alkali silicate powders	108
5.11	Poly(siloxonate) MR=1, Na-metasilicate	109
5.12	Replacement of poly(siloxonate) solution with powdered equivalent product.	110
6	Chemistry of (Na,K)-oligo-sialates: hydrous aluminosilicate gels and zeolites	115
6.1	Zeolite Synthesis	115
6.2	Hypothetical or real oligo-sialates: polymerization mechanism into poly(sialate)	118
6.3	Examples of poly(sialate-multisiloxo) gels	122
6.3.1	Poly(sialate-disiloxo) gel	122
6.3.2	Poly(siloxonate-intra-sialate) gels	124
7	Kaolinite / Hydrosodalite based geopolymer, poly(sialate) with Si:Al=1:1	129
7.1	Geopolymerization mechanism of kaolinite under ionic concept.	130
7.2	Ultra rapid in situ geopolymerization of kaolinite in hydrosodalite, Na-poly(sialate).	134
7.3	Geopolymerization mechanism of kaolinite under covalent bonding concept	139
7.4	Hydrosodalite Na-poly(sialate) and Zeolite A formation with calcined kaolin	143
8	Metakaolin MK-750 based geopolymer, poly(sialate-siloxo) with Si:Al=2:1	149
8.1	(Na,K)-poly(sialate-siloxo)	149
8.2	Aluminosilicate oxide: dehydroxylated kaolinite, MK-750	156
8.2.1	Characteristic of kaolinite and dehydroxylated kaolinite	157
8.2.2	IV-fold coordination of Al in dehydroxylated kaolinite, earlier studies.	158
8.2.3	MAS-NMR spectroscopy of dehydroxylated kaolinite	159
8.2.4	Dehydroxylation mechanism of kaolinite	163
8.2.5	Reactivity of MK-750, geopolymerization into (Na,K)-poly(sialate-siloxo)	167
8.2.6	Exothermic geopolymerization	169
8.2.7	Geopolymerization into poly(sialate-siloxo), a function of Al(V) content	172
8.2.8	Geopolymerization of poly(sialate-siloxo), function of SiO ₂ :M ₂ O MR ratio	174
8.2.9	Geopolymerization of poly(sialate-siloxo), function of curing temperature	175
8.3	Chemical mechanism: formation of ortho-sialate (OH) ₃ -Si-O-Al-(OH) ₃	175
8.3.1	Chemical mechanism with Al(V) -Al=O alumoxyl.	176
8.3.2	Chemical mechanism in Al-O-Al-OH geopolymerization	177

8.4	Kinetics of chemical attack	177
8.5	Chemical mechanism for Na-based sialate: poly(sialate), poly(sialate-siloxo) and poly(sialate-disiloxo)	179
8.5.1	Nepheline framework Si:Al=1, Na-poly(sialate)	180
8.5.2	Albite framework with Q ₁ di-siloxonate, Si:Al=3, Na-poly(sialate-disiloxo)	181
8.5.3	Phillipsite framework with Q ₀ siloxonate, Si:Al=2, Na-poly(sialate-siloxo)	182
8.6	Chemical mechanism for K-based sialate: poly(sialate), poly(sialate-siloxo)	184
8.6.1	Kalsilite framework, Si:Al=1, K-poly(sialate)	187
8.6.2	Leucite framework with Q ₀ siloxonate, Si:Al=2, K-poly(sialate-siloxo)	189
8.7	Simplified structural model for (Na,K)-based geopolymers	191
8.8	Al-O-Al bond formation in geopolymers	194
8.9	Synthesis of MK-750 type molecules	196
9	Calcium based geopolymer, (Ca, K, Na)-sialate, Si:Al=1, 2, 3	201
9.1	Ca-poly(alumino-sialate), gehlenite hydrate Ca ₂ Al ₂ SiO ₇ , H ₂ O	201
9.1.1	Opus Signinum	201
9.1.2	Ca-poly(alumino-sialate), gehlenite synthesis with MK-750	202
9.2	(Ca)-poly(alumino-sialate) + (Na,K)-poly(sialate)	205
9.3	Ca-poly(alumino-sialate), gehlenite based blast furnace slag	207
9.3.1	The manufacture of iron blast furnace slag glass	208
9.3.2	Chemical and mineral composition of gehlenite based slag.	209
9.4	Alkalinization of Ca-poly(alumino-sialate) glassy slag with NaOH and KOH	211
9.4.1	Alkalinization mechanism study with MAS-NMR spectroscopy	211
9.4.2	Alkali-Activated slag	215
9.5	MK-750 / slag based geopolymer	216
9.5.1	Excerpt from Davidovits J. / Sawyer J.L. US Patent 4,509,985, 1985, filed February 22, 1984	216
9.5.2	Which chemical reaction for MK-750 / slag-based geopolymer?	222
9.5.3	Formation of soluble calcium disilicate?	223
9.6	Chemistry mechanism of MK-750 / slag Ca-based geopolymer matrix	231
9.6.1	MAS-NMR Spectroscopy	231
9.6.2	Electron microscopy	234
9.6.3	Chemistry mechanism, solid solution in Ca-based geopolymer matrix	237
9.6.4	Structural molecular model for Ca-based geopolymer matrix	238
10	Rock-based geopolymer, poly(sialate-multisiloxo) 1<Si:Al<5	245
10.1	Alkalinization and dissolution of rock forming minerals	246
10.1.1	Congruent dissolution and ionic bonding concept	247

10.1.2	Incongruent dissolution and covalent bonding concept . . .	247
10.2	(Na,K)-poly(sialate) matrix for rock based geopolymerization . .	250
10.3	(K,Ca)-poly(sialate-multisiloxo) matrix for rock-based geopoly- mers	254
11	Silica-based geopolymer, sialate link and siloxo link in poly(siloxonate)	
	Si:Al>5	263
11.1	A 5000 year-old technique	263
11.2	Silica Flour	267
11.3	Nano-silica, micro-silica, silica fume SiO ₂	267
11.3.1	Fume silica SiO ₂	268
11.3.2	Silica Fume / Microsilica	268
11.4	Rice Husk Ash	270
11.5	Applications of SiO ₂ nano-particles and rice husk ash	271
11.6	Poly(siloxo) and poly(sialate) cross-links, nanocomposite geopo- lymer	272
11.6.1	Nano-poly(siloxo) geopolymer	273
11.6.2	²⁹ Si MAS-NMR studies on the transition nano-poly(silanol) to nano-poly(siloxo)	274
11.6.3	¹ H MAS-NMR studies	275
11.6.4	K-nano-poly(sialate) geopolymer composite	278
11.7	Possible health hazards of SiO ₂ nanoparticles	280
12	Fly ash-based geopolymer	283
12.1	Production of fly ashes	284
12.1.1	Types of fly ash, composition	285
12.1.2	Morphology	287
12.2	Alkalinization, dissolution and zeolite formation	287
12.3	Geopolymerization in high alkaline milieu (corrosive system) . . .	289
12.3.1	First production of fly ash-based cement	289
12.3.2	Fly ash geopolymerization without soluble silicate? . . .	292
12.3.3	Fly ash geopolymerization with addition of soluble silicate. .	294
12.4	Geopolymerization in low alkaline milieu (user-friendly)	296
12.4.1	NMR spectroscopy	297
12.5	The GEOASH research project	299
12.5.1	Alkali-activation and geopolymerization	302
12.5.2	Compressive strength	303
12.5.3	X-ray diffraction	307
12.5.4	Leaching properties	309
12.5.5	(Ca,K)-based geopolymer matrix: composition and struc- ture	309
12.6	The future with gasifier slag technology	311
13	Phosphate-based geopolymers	315
13.1	A 4500 year-old Egyptian technology!	315
13.2	Brief survey of phosphate chemistry	317
13.2.1	Ortho-, di-, tri- and poly-phosphoric acid	317
13.2.2	Polyphosphate linear chains	318
13.3	Low-molecular phosphate-based geopolymers	320

13.4	Poly(sialate-siloxo) / phosphate composites	321
13.5	Phospho-siloxonate geopolymer, -Si-O-P-O-Si-	322
13.5.1	Ca-phospho-silicate	324
13.6	AlPO ₄ -based geopolymers	328
13.6.1	Polymeric structures of AlPO ₄ -geopolymers: ²⁷ Al and ³¹ P NMR.	329
13.6.2	Synthesis of AlPO ₄ -geopolymers: the solution and sol-gel routes	330
13.6.3	Synthesis of AlPO ₄ -geopolymers: the modified Al ₂ O ₃ routes	332
13.6.4	MK-750 metakaolin-based AlPO ₄ -geopolymer	333
14	Organic-mineral geopolymer	337
14.1	Poly-organo-siloxanes / silicones	337
14.1.1	Geopolymeric identity	337
14.1.2	Two polymerization mechanisms: acidic and basic	338
14.1.3	Depolymerization and cleavage	340
14.1.4	Properties of technical silicones	340
14.2	Kerogen-geopolymer	343
14.3	Organo-geopolymer compounds	345
14.3.1	Inclusion of hydrophilic polymers, poly(ethylene glycol)	346
14.3.2	Reaction with isocyanate R-N=C=O	347
14.3.3	Reaction with poly(acrylic acid) R-C(=O)-OH	348
14.3.4	Reaction with aqueous phenolic resin and poly(styrene butadiene) latex	348

III Properties

353

15	Physical properties of condensed geopolymers	355
15.1	Density and softening temperature	355
15.2	Thermal behavior, shrinkage on dehydroxylation	356
15.2.1	DTA-TGA and Shrinkage on dehydration and dehydroxylation	356
15.2.2	Yield of the conversion of kaolinite into Na-poly(sialate) Na-PS	359
15.3	Thermal Expansion C.T.E.	360
15.3.1	C.T.E. Coefficient of Thermal Expansion	361
15.3.2	Mean linear thermal expansion, the major role of ceramic fillers	362
15.4	Water and moisture absorption	364
15.5	Electrical values: resistivity and dielectric properties	366
15.6	Adhesion	368
15.6.1	Adhesion on natural stone; geopolymer with Si:Al=2	368
15.6.2	Adhesion on steel and glass, Geopolymer with Si:Al=2	368
15.6.3	Adhesion on metal, Geopolymer with Si:Al>20	370
15.7	Practical physical properties	371

16 Chemical Properties of condensed geopolymers	375
16.1 Acid resistance	377
16.1.1 Influence of acid on incompletely condensed Na-poly(sialate-siloxo)	378
16.1.2 Acid resistance of geopolymer cement towards sulfuric acid	380
16.1.3 Sulfate resistance of geopolymer cement	383
16.2 Alkali-aggregate reaction	383
16.3 Corrosion of metal bars	385
16.4 Practical chemical properties	386
16.4.1 pH values	386
16.4.2 (K,Ca)-poly(sialate-siloxo) and (K,Ca)-poly(sialate-disiloxo) cements:	386
17 Long-term durability, archaeological analogues, geological analogues	389
17.1 The oldest geopolymer artifact: 25000 year-old ceramic Venus from Dolní Věstonice	390
17.2 Chemicals extracted from plant ashes	391
17.3 Egyptian Pyramid stone, re-agglomerated limestone concrete, 2700 B.C.	392
17.3.1 Chemistry of the core blocks	395
17.3.2 Chemistry of the casing stones	396
17.3.3 The experimentation: manufacturing 14 tonnes of pyramid stones	397
17.4 Ancient Roman cements and concretes	398
17.4.1 Cements and concretes	399
17.4.2 The second high-performance Roman cement, with Carbunculus.	400
17.4.3 Comparison between Roman and modern geopolymer cements	401
17.5 Geological analogues	406
IV Applications	409
18 Quality control	413
18.1 Raw-materials	413
18.1.1 Solid elemental composition	413
18.1.2 pH determination of the raw-materials	415
18.1.3 Granulometry	417
18.2 Determination of the geopolymeric reactivity	418
18.3 Working time (pot-life), resin and paste	420
18.3.1 Working time (pot-life)	420
18.3.2 Role of additional water	421
18.3.3 Control on the hardening paste: penetrometer	423
18.3.4 Plasticizers and retarders	424
18.4 Compressive strength and tensile strength	425

18.4.1	Compressive strength	425
18.4.2	Tensile strength	427
18.5	Additional fast testing on hardened geopolymers	428
18.5.1	Boiling water / steam	428
18.5.2	Freeze-Thaw / Wet-Dry	428
18.5.3	Thermal behavior, expansion at 250°C, thermal dilatometry	429
19	Development of user-friendly systems	433
19.1	Definitions	433
19.2	The need for user-friendly systems	434
19.3	The position of civil engineers	437
19.4	The pH values of geopolymers	438
19.5	K ⁺ versus Na ⁺	440
20	Castable geopolymer, industrial and decorative applications	445
20.1	The 5000 year-old Egyptian stone vases	445
20.2	K-poly(sialate-siloxo) for castable artifacts.	449
20.3	Tooling materials and techniques	454
20.3.1	Advanced geopolymer tooling	454
20.3.2	Instruction for use	455
20.4	Modern geopolymer stone artifacts	458
20.5	Decorative stone tiles for floor and wall	459
20.6	Restoration of ceramic works of art	460
21	Geopolymer – fiber composites	463
21.1	Fundamental remarks on heat and fire resistance	464
21.1.1	Heat resistance applications in racing cars	464
21.1.2	Review of carbon/geopolymer and other ceramic-ceramic composites	466
21.2	The development of high performance geopolymer matrices	468
21.2.1	K-poly(sialate) K-PS/K-PSS matrix	468
21.2.2	Improvement of the matrices: K-PSDS, F,M-PSDS and K-nano-PSS	471
21.2.3	Improvement with high-temperature post-treatment of the matrices K-PS / K-PSS	473
21.3	Principles in geopolymer-composite manufacture	474
21.3.1	Hand lay-up	475
21.3.2	Vacuum bagging	475
21.3.3	Filament winding	476
21.3.4	Resin Transfer Molding, RTM (injection molding)	476
21.3.5	Infusion (infiltration) process	477
21.3.6	Autoclave curing	477
21.4	Geopolymer-composite tools fabrication	478
21.5	Fire resistance with K-nano-poly(sialate) laminates	481
21.5.1	Fabrication of K-nano-poly(sialate) carbon composite for fire-resistance testing	481
21.5.2	Flammability of organic and geopolymer composites	483
21.5.3	Flashover temperature	484

21.5.4	Residual strength after fire exposure	485
21.6	Fatigue loading of K-nano-poly(sialate) / carbon composite	486
21.7	K-nano-poly(sialate) / carbon / E-glass composite	487
21.8	Geopolymer composite sandwiches for heat barrier	488
21.9	Geopolymer composite for strengthening concrete structures	489
21.10	Geopolymer composite for fire resistant structural elements	491
22	Foamed geopolymer	497
22.1	Geopolymer foam fabrication	498
22.1.1	Foaming with Na perborate	498
22.1.2	Foaming with H ₂ O ₂	499
22.1.3	Insulating value of geopolymer foam	500
22.2	High-temperature insulation	501
22.3	Passive cooling of buildings in hot / arid climate	502
22.4	Passive Cooling in big cities	504
23	Geopolymers in ceramic processing	507
23.1	Low Temperature Geopolymeric Setting of ceramic, LTGS	507
23.1.1	Geopolymeric setting at room temperature below 65°C	508
23.1.2	Geopolymeric setting at temperatures ranging between 80°C and 450°C	510
23.1.3	Resistance to water	510
23.2	Archaeological ceramics	510
23.2.1	Evidence of LTGS in ancient ceramics	511
23.2.2	The making of Etruscan Ceramic (Bucchero Nero) in 600–700 B.C.	512
23.2.3	The making of Ceramic with black or brown-black finish in a wood campfire, at temperature lower than 500°C	515
23.2.4	User-friendly LTGS	518
23.3	Low-energy modern ceramic processing and sustainable develop- ment	518
23.4	The making of foamed clay bricks	522
23.5	Ceramics with no clay?	523
23.6	The geopolymer route to high-temperature ceramics	524
23.6.1	High-tech Leucite and Kalsilite from geopolymer pre- cursors	524
23.6.2	High-tech Pollucite, β -Spodumene, Liebenbergite from geopolymer precursors	526
23.6.3	Gallium-, Germanium-based geopolymers	528
24	The manufacture of geopolymer cements	533
24.1	Greenhouse CO ₂ mitigation fosters the development of geopoly- mer cements	534
24.1.1	Cement CO ₂ emissions in developing countries	535
24.1.2	Comparison between CaO, Na ₂ O and K ₂ O cementitious systems	537
24.1.3	Examples of low-CO ₂ mitigation with geopolymer cements	539
24.1.4	Geopolymer cement for CO ₂ storage and sequestration	540
24.2	Additional Raw-Materials from industrial wastes	542

24.2.1	Muscovite based mine tailings	542
24.2.2	Kaolinitic shale wastes	542
24.2.3	Coal-waste mine tailings	542
24.2.4	Coal honeycomb briquette ash	544
24.2.5	Public water reservoir sludge	545
24.2.6	Ferronickel slag	545
24.3	The need for dry mix geopolymer cement	546
24.3.1	The use of solid silica + solid alkalis	546
24.3.2	Manufacture of powdered K-silicate with MR $\text{SiO}_2\text{:K}_2\text{O}$ < 2	547
24.3.3	Not realistic for mass production of geopolymer cements	548
24.4	Replacement of (Na,K) soluble silicates with synthetic lavas . . .	549
24.4.1	The manufacture of synthetic lavas	549
24.4.2	Molecular structure of synthetic lava	552
24.4.3	The molecular structure of lava-based geopolymer cement	554
24.4.4	Geopolymer cement mass production with synthetic lava?	556
25	Geopolymer concrete	561
25.1	Mixture proportions of fly ash-based geopolymer concrete	561
25.2	Mixing, casting, and compaction of fly ash-based geopolymer concrete	563
25.3	Curing of fly ash-based geopolymer concrete	564
25.4	Design of fly ash-based geopolymer concrete mixtures	566
25.5	Short-term properties of fly ash-based geopolymer concrete . . .	568
25.5.1	Behavior in compression	568
25.5.2	Compressive strength of aggregates weaker than geopo- lymer matrix	569
25.5.3	Indirect tensile strength	570
25.5.4	Unit-weight	571
25.6	Long-term properties of fly ash-based geopolymer concrete . . .	571
25.6.1	Compressive strength	571
25.6.2	Creep and drying shrinkage	573
25.7	Reinforced geopolymer concrete beams and columns	576
25.8	Better than Portland cement concrete?	581
26	Geopolymers in toxic waste management	585
26.1	Containment with barriers	588
26.2	Waste encapsulation requires MK-750-based geopolymers	589
26.2.1	Structural model for safe encapsulation	589
26.2.2	Safe chemical bonding with MK-750-based geopolymers	590
26.3	Heavy metals in mine tailings	591
26.3.1	Solidification procedure	592
26.3.2	Leachate testing	592
26.4	The use of geopolymers for paint sludge disposal	595
26.4.1	Experimental	595
26.4.2	Results	596
26.5	Treatment of arsenic-bearing wastes	597
26.5.1	Nature of the Problem	597
26.5.2	Geopolymeric Solidification	598

26.6	Uranium mining waste treatment	600
26.6.1	Specificity of uranium immobilization	601
26.6.2	The uranium waste sludge	602
26.6.3	Two-Step solidification technology	603
26.6.4	Results	603
26.6.5	Pilot-scale experimentation	606
26.7	Geopolymers in other toxic-radioactive waste management ap- plications	608