
Contents

<i>Preface</i>	xv
<i>About the authors</i>	xix

PART I

Materials and test methods I

1 Introduction 3

- 1.1 *Background* 3
- 1.2 *FRP reinforcement* 4
- 1.3 *FRP reinforced concrete* 5
- 1.4 *Acceptance by building officials* 8
 - 1.4.1 *Premise on code adoption* 8
 - 1.4.2 *The role of acceptance criteria from ICC-ES* 9
- 1.5 *Applications* 10
- References* 21

2 Material properties 23

- 2.1 *Introduction* 23
- 2.2 *FRP bar* 23
- 2.3 *Constituent materials: Fibers and resin matrices* 23
 - 2.3.1 *Fibers* 24
 - 2.3.1.1 *Glass fiber* 24
 - 2.3.1.2 *Carbon fiber* 24
 - 2.3.1.3 *Aramid fiber* 24
 - 2.3.1.4 *Basalt fiber* 26
 - 2.3.2 *Matrices* 26
 - 2.3.2.1 *Epoxies* 26
 - 2.3.2.2 *Polyesters* 28
 - 2.3.2.3 *Vinyl esters* 28

- 2.4 *Manufacturing by pultrusion* 28
 - 2.4.1 *Gel time and peak exothermic temperature* 31
- References* 32

3 FRP bar properties 35

- 3.1 *Physical and mechanical properties of FRP bars* 35
- 3.2 *Test methods* 38
 - 3.2.1 *ASTM test methods* 38
 - 3.2.2 *ACI 440 test methods* 44
- 3.3 *Product certification and quality assurance* 50
 - 3.3.1 *Constituent materials* 51
 - 3.3.2 *Glass transition temperature (T_G)* 54
 - 3.3.3 *Bar size* 54
 - 3.3.4 *Mechanical properties* 55
 - 3.3.5 *Durability properties* 56
 - 3.3.6 *Bent bars* 57
- 3.4 *Performance of FRP RC under fire conditions* 57
- References* 58

PART II

Analysis and design 65

4 Flexural members 67

- Notation* 67
- 4.1 *Introduction* 71
- 4.2 *Structural analysis* 72
 - 4.2.1 *Loading conditions for ultimate and serviceability limit states* 72
 - 4.2.2 *Concrete properties* 72
 - 4.2.3 *Cross-sectional properties* 74
- 4.3 *Initial member proportioning* 75
- 4.4 *FRP design properties* 77
- 4.5 *Bending moment capacity* 78
 - 4.5.1 *Failure mode and flexural capacity* 79
 - 4.5.2 *Nominal bending moment capacity of bond-critical sections* 89
 - 4.5.3 *Minimum FRP reinforcement* 90
 - 4.5.4 *Maximum FRP reinforcement* 91
 - 4.5.5 *Examples—Flexural strength* 92

- 4.6 *Strength-reduction factors for flexure* 101
 - 4.6.1 *ACI 440.1R-06 approach* 101
 - 4.6.2 *New approach* 103
 - 4.6.3 *Examples—Flexural strength-reduction factor* 104
- 4.7 *Anchorage and development length* 108
- 4.8 *Special considerations* 110
 - 4.8.1 *Multiple layers of reinforcement* 110
 - 4.8.2 *Redistribution of moments* 112
 - 4.8.3 *Compression FRP in flexural members* 113
- 4.9 *Serviceability* 114
 - 4.9.1 *Control of crack width* 115
 - 4.9.2 *Control of deflections* 117
 - 4.9.2.1 *Elastic immediate deflections of one-way slabs and beams* 117
 - 4.9.2.2 *Elastic immediate deflections according to Bischoff* 122
 - 4.9.2.3 *Elastic immediate deflections of two-way slabs* 123
 - 4.9.2.4 *Concrete creep effects on deflections under sustained load* 123
 - 4.9.3 *FRP creep rupture and fatigue* 124
- 4.10 *Shear capacity* 125
 - 4.10.1 *Concrete contribution, V_c* 126
 - 4.10.2 *Shear reinforcement contribution, V_f* 130
 - 4.10.3 *Strength-reduction factor for shear* 133
 - 4.10.4 *Examples—One-way shear strength* 137
 - 4.10.5 *Examples—Two-way shear strength* 139
 - 4.10.6 *Shear friction* 140
 - 4.10.7 *Shear stresses due to torsion* 141
- 4.11 *Temperature and shrinkage reinforcement* 144
- 4.12 *Safety fire checks for bending moment capacity* 144
- References* 146

5 Members subjected to combined axial load and bending moment

151

Notation 151

- 5.1 *Introduction* 153
- 5.2 *FRP bars as compression reinforcement* 154
- 5.3 *Overall design limitations for FRP RC columns* 155

5.4	<i>Reinforced concrete columns subjected to axial load</i>	155
5.4.1	<i>Steel RC columns</i>	155
5.4.2	<i>FRP RC columns</i>	157
5.5	<i>Design recommendations for FRP RC columns</i>	160
5.5.1	<i>Minimum longitudinal reinforcement</i>	160
5.5.2	<i>Equivalency under compression between GFRP and concrete</i>	161
5.5.3	<i>Limit on maximum tensile strain in GFRP</i>	161
5.5.4	<i>Limit on maximum spacing of transverse reinforcement</i>	162
5.5.5	<i>Modified column stiffness</i>	163
5.5.6	<i>Slenderness effects</i>	165
5.6	<i>Bending moment and axial force</i>	166
5.6.1	<i>Interaction diagram for rectangular cross section</i>	166
5.6.2	<i>Interaction diagram for circular cross section</i>	169
5.6.3	<i>Example—P–M diagram</i>	171
5.7	<i>Strength-reduction factor for combined bending moment and axial force</i>	173
5.8	<i>Columns subjected to axial load and biaxial bending</i>	175
5.9	<i>Shear strength, V_n</i>	177
5.9.1	<i>Concrete contribution, V_c, for rectangular sections</i>	178
5.9.2	<i>Shear reinforcement contribution, V_s, for rectangular sections</i>	179
5.9.3	<i>Shear strength-reduction factor</i>	180
5.9.4	<i>Examples—Shear strength for square columns</i>	180
5.9.5	<i>Circular sections</i>	182
5.9.6	<i>Example—Shear strength for circular columns</i>	183
5.9.7	<i>Shear walls</i>	184
5.9.8	<i>Examples—Shear wall strength and shear friction</i>	186
	<i>References</i>	187

PART III

Design examples 191

6 Design of a one-way slab 193

6.1	<i>Introduction</i>	193
6.2	<i>Design summary</i>	193
6.3	<i>Step 1—Define slab geometry and concrete properties</i>	195
6.3.1	<i>Geometry</i>	195
6.3.2	<i>Concrete properties</i>	199

6.3.3	<i>Analytical approximations of concrete compressive stress-strain curve—Todeschini's model</i>	199
6.4	<i>Step 2—Compute the factored loads</i>	200
6.5	<i>Step 3—Compute bending moments and shear forces</i>	201
6.6	<i>Step 4—Design FRP primary reinforcement</i>	203
6.6.1	<i>Case 1—Exterior support</i>	205
6.6.2	<i>Case 2—Midspan</i>	213
6.6.3	<i>Case 3—Interior support</i>	219
6.6.4	<i>Ultimate bending moment diagram—Exterior bay</i>	226
6.6.5	<i>Ultimate bending moment diagram—Interior bay</i>	226
6.7	<i>Step 5—Check creep-rupture stress</i>	226
6.7.1	<i>Case 1—Exterior support</i>	226
6.7.2	<i>Case 2—Midspan</i>	228
6.7.3	<i>Case 3—Interior support</i>	229
6.8	<i>Step 6—Check crack width</i>	230
6.8.1	<i>Case 1—Exterior support</i>	230
6.8.2	<i>Case 2—Midspan</i>	231
6.8.3	<i>Case 3—Interior support</i>	232
6.9	<i>Step 7—Check maximum midspan deflection</i>	234
6.9.1	<i>Case 1—Exterior support</i>	235
6.9.2	<i>Case 2—Midspan</i>	235
6.9.3	<i>Case 3—Interior support</i>	235
6.10	<i>Step 8—Check shear capacity</i>	238
6.10.1	<i>Case 1—Exterior support</i>	238
6.10.2	<i>Case 2—Interior support</i>	238
6.11	<i>Step 9—Design the FRP reinforcement for shrinkage and temperature</i>	239
6.12	<i>Step 10—Fire safety check for flexural strength per Nigro et al.</i>	241
	<i>References</i>	244

7 Design of a T-beam

245

7.1	<i>Introduction</i>	245
7.2	<i>Design summary</i>	245
7.3	<i>Step 1—Define beam geometry and concrete properties</i>	247
7.3.1	<i>Geometry</i>	247
7.3.2	<i>Concrete properties</i>	251
7.3.3	<i>Analytical approximations of concrete compressive stress-strain curve—Todeschini's model</i>	251

- 7.4 Step 2—Compute factored loads 252
- 7.5 Step 3—Compute bending moments and shear forces 254
- 7.6 Step 4—Design FRP primary reinforcement for bending moment capacity 255
 - 7.6.1 Case 1—Exterior support 257
 - 7.6.2 Case 2—Midspan 268
 - 7.6.3 Case 3—Interior support 277
- 7.7 Step 5—Check creep-rupture stress 284
 - 7.7.1 Case 1—Exterior support 284
 - 7.7.2 Case 2—Midspan 286
 - 7.7.3 Case 3—Interior support 287
- 7.8 Step 6—Check crack width 288
 - 7.8.1 Case 1—Exterior support 288
 - 7.8.2 Case 2—Midspan 289
 - 7.8.3 Case 3—Interior support 290
- 7.9 Step 7—Check maximum midspan deflection 291
- 7.10 Step 8—Design FRP reinforcement for shear capacity 296
- 7.11 Step 9—Compute FRP contribution to torsional strength 300
- References 302

8 Design of a two-way slab

303

- 8.1 Introduction 303
- 8.2 Design summary 304
- 8.3 Step 1—Define slab geometry and concrete properties 307
 - 8.3.1 Geometry 307
 - 8.3.2 Concrete properties 308
 - 8.3.3 Analytical approximations of concrete compressive stress-strain curve—Todeschini's model 308
- 8.4 Step 2—Compute the factored loads 309
- 8.5 Step 3—Compute bending moments and shear forces 310
- 8.6 Step 4—Design FRP reinforcement for bending moment capacity 311
 - 8.6.1 Thickness control 313
 - 8.6.2 Temperature and shrinkage FRP reinforcement 314
 - 8.6.3 Bending moment capacity 315
 - 8.6.4 Flexural strength with newly proposed ϕ -factors 317
 - 8.6.5 Embedment length at exterior support 319
 - 8.6.6 Development length for positive moment reinforcement 322

- 8.6.7 *Tension lap splice* 322
- 8.6.8 *Special reinforcement at corners* 322
- 8.6.9 *Check for shear capacity* 323
- 8.7 *Step 5—Check creep-rupture stress* 323
- 8.8 *Step 6—Check crack width* 325
- 8.9 *Step 7—Check deflections* 326
- 8.10 *Step 8—Check for punching shear (no perimeter beams)* 327
 - 8.10.1 *Check at column A1* 327
 - 8.10.2 *Check at column B1* 328
 - 8.10.3 *Check at column B2* 329
- Reference* 330

9 Design of a column 331

- 9.1 *Introduction* 331
- 9.2 *Design summary* 333
- 9.3 *Step 1—Define column geometry and concrete properties* 338
 - 9.3.1 *Geometry* 338
 - 9.3.2 *Concrete properties* 339
- 9.4 *Step 2—Compute ultimate loads* 340
- 9.5 *Step 3—Design longitudinal FRP reinforcement* 341
 - 9.5.1 *Point 1—Pure compression* 344
 - 9.5.2 *Point 2—Neutral axis at the level of the lowest section fibers* 345
 - 9.5.3 *Point 3—Neutral axis within the cross section* 346
 - 9.5.4 *Point 4—Balanced conditions* 348
 - 9.5.5 *Point 5—Neutral axis at the level of the highest section fibers* 349
 - 9.5.6 *Point 6—Pure tension* 350
- 9.6 *Step 4—Design FRP shear reinforcement* 352
- 9.7 *Step 5—Check creep-rupture stress* 355

10 Design of square footing for a single column 357

- 10.1 *Introduction* 357
- 10.2 *Design summary* 358
- 10.3 *Step 1—Define concrete properties* 359
 - 10.3.1 *Concrete properties* 359
 - 10.3.2 *Analytical approximations of concrete compressive stress-strain curve—Todeschini's model* 362
- 10.4 *Step 2—Compute service axial loads and bending moments* 363

10.5	Step 3—Preliminary analysis	363
10.5.1	Design footing base area	363
10.5.2	Verify effects of eccentricity	364
10.5.3	Ultimate pressure under the footing	366
10.5.4	Design for depth	369
10.6	Step 4—Design FRP reinforcement for bending moment capacity	376
10.7	Step 5—Check creep-rupture stress	381
10.8	Step 6—Check crack width	382
10.9	Step 7—Recheck shear strength	383
	Reference	384

Index	385
-------	-----