

---

# Contents

---

|                        |      |
|------------------------|------|
| <i>Preface</i>         | xiii |
| <i>Acknowledgments</i> | xvii |
| <i>Authors</i>         | xix  |

## 1 Overview of surface wave methods 1

|         |                                                                        |    |
|---------|------------------------------------------------------------------------|----|
| 1.1     | <i>Seismic waves</i>                                                   | 2  |
| 1.1.1   | <i>Seismic tests for site characterization</i>                         | 3  |
| 1.2     | <i>Surface waves</i>                                                   | 5  |
| 1.2.1   | <i>Geometric dispersion</i>                                            | 6  |
| 1.3     | <i>Test methodology</i>                                                | 8  |
| 1.3.1   | <i>Acquisition</i>                                                     | 10 |
| 1.3.2   | <i>Processing</i>                                                      | 12 |
| 1.3.3   | <i>Inversion</i>                                                       | 13 |
| 1.4     | <i>Historical perspective</i>                                          | 15 |
| 1.4.1   | <i>Global seismology</i>                                               | 15 |
| 1.4.2   | <i>Exploration geophysics</i>                                          | 17 |
| 1.4.3   | <i>Near-surface applications</i>                                       | 18 |
| 1.4.3.1 | <i>Pioneering applications</i>                                         | 18 |
| 1.4.3.2 | <i>Spectral analysis of surface waves</i>                              | 19 |
| 1.4.3.3 | <i>Multistation approaches</i>                                         | 20 |
| 1.4.3.4 | <i>Microtremor surveys</i>                                             | 20 |
| 1.5     | <i>Challenges of surface wave methods</i>                              | 21 |
| 1.5.1   | <i>Sampling in space: Apparent phase velocity (mode superposition)</i> | 21 |
| 1.5.2   | <i>Near-field effects</i>                                              | 23 |
| 1.5.3   | <i>Model errors</i>                                                    | 24 |
| 1.5.4   | <i>Resolution and depth of investigation</i>                           | 26 |
| 1.6     | <i>Typical applications</i>                                            | 29 |
| 1.6.1   | <i>Site characterization</i>                                           | 29 |

- 1.6.2 Soil improvement 31
- 1.6.3 Nondestructive testing of pavements 31
- 1.6.4 Offshore and near-shore site characterization 32
- 1.6.5 Near-surface characterization in seismic exploration 32
- 1.6.6 Anomaly detection 34
- 1.7 Advantages and limitations 34

## **2 Linear wave propagation in vertically inhomogeneous continua**

37

- 2.1 Basic notions of wave propagation 38
  - 2.1.1 Two categories of wave motion 38
  - 2.1.2 Group velocity 41
  - 2.1.3 Body waves in unbounded, homogeneous, linear elastic, isotropic continua 43
- 2.2 Rayleigh waves in homogeneous elastic half-spaces 51
  - 2.2.1 Overview 51
  - 2.2.2 Dispersion relation of Rayleigh waves 53
- 2.3 Existence of love waves 60
- 2.4 Surface waves in vertically inhomogeneous elastic continua 65
  - 2.4.1 Eigenvalue problem associated with free surface waves 66
    - 2.4.1.1 Solutions by numerical techniques 72
  - 2.4.2 The source problem: Surface waves generated by a vertical point load 78
    - 2.4.2.1 Lamb's problem for time-harmonic, vertical point load 78
    - 2.4.2.2 Features of wave propagation in two dimensions 83
    - 2.4.2.3 Geometric spreading function for surface Rayleigh waves 84
    - 2.4.2.4 Apparent phase velocity of surface waves 90
- 2.5 Surface waves in vertically inhomogeneous, inelastic continua 96
  - 2.5.1 Constitutive modeling of linear dissipative materials 96
  - 2.5.2 Viscoelastic waves in unbounded homogeneous media 106

- 2.5.3 *Surface Rayleigh waves in dissipative half-spaces* 113
  - 2.5.3.1 *Surface Rayleigh waves in weakly dissipative half-spaces* 116

### 3 Measurement of surface waves 121

- 3.1 *Seismic data acquisition* 122
  - 3.1.1 *Seismic data* 122
  - 3.1.2 *Surface wave acquisition* 125
- 3.2 *The wave field as a signal in time and space* 126
- 3.3 *Acquisition of digital seismic signals* 130
  - 3.3.1 *Spectral analysis and wave field transforms* 130
  - 3.3.2 *Fourier series and Fourier transform* 131
    - 3.3.2.1 *Properties of the Fourier transform* 133
  - 3.3.3 *Sampling* 134
  - 3.3.4 *Interpolation and aliasing* 136
  - 3.3.5 *Windowing* 137
  - 3.3.6 *Quantization and analog-to-digital conversion* 140
  - 3.3.7 *Acquisition of 2D signals* 141
    - 3.3.7.1 *Effects of finite sampling* 143
- 3.4 *Acquisition of surface waves* 148
  - 3.4.1 *Noise* 149
    - 3.4.1.1 *Incoherent noise* 150
    - 3.4.1.2 *Increasing the SNR for incoherent noise* 154
    - 3.4.1.3 *Coherent noise* 158
    - 3.4.1.4 *Body waves* 159
    - 3.4.1.5 *Air blast* 160
    - 3.4.1.6 *Near-field* 160
    - 3.4.1.7 *Lateral variations* 162
    - 3.4.1.8 *Higher modes* 162
  - 3.4.2 *Sampling* 165
    - 3.4.2.1 *Spatial and temporal discrete and finite sampling* 165
    - 3.4.2.2 *Maximum wavenumber and spatial aliasing* 168
    - 3.4.2.3 *Spectral resolution and aperture* 169
    - 3.4.2.4 *Effects of side lobes* 173
  - 3.4.3 *Survey design* 174
    - 3.4.3.1 *Acquisition layout for active tests* 174
    - 3.4.3.2 *The two-station method* 178
    - 3.4.3.3 *Acquisition of passive surface wave data* 179

|         |                                                              |     |
|---------|--------------------------------------------------------------|-----|
| 3.5     | <i>Equipment</i>                                             | 182 |
| 3.5.1   | <i>Sources</i>                                               | 183 |
| 3.5.1.1 | <i>Impulsive sources</i>                                     | 184 |
| 3.5.1.2 | <i>Vibrating sources</i>                                     | 186 |
| 3.5.1.3 | <i>Sweep signals</i>                                         | 189 |
| 3.5.2   | <i>Receivers</i>                                             | 191 |
| 3.5.2.1 | <i>Geophones</i>                                             | 193 |
| 3.5.2.2 | <i>Accelerometers and MEMS</i>                               | 197 |
| 3.5.2.3 | <i>Receiver coupling and land streamers</i>                  | 198 |
| 3.5.2.4 | <i>Use of two-component receivers</i>                        | 199 |
| 3.5.2.5 | <i>Receivers for marine surveys</i>                          | 199 |
| 3.5.3   | <i>Data acquisition systems</i>                              | 202 |
| 4       | <b>Dispersion analysis</b>                                   | 205 |
| 4.1     | <i>Phase and group velocity</i>                              | 206 |
| 4.2     | <i>Steady-state method</i>                                   | 208 |
| 4.3     | <i>Spectral analysis of surface waves</i>                    | 211 |
| 4.4     | <i>Multi-offset phase analysis</i>                           | 220 |
| 4.5     | <i>Spatial autocorrelation</i>                               | 231 |
| 4.5.1   | <i>Single source</i>                                         | 231 |
| 4.5.2   | <i>Isotropic wave field</i>                                  | 232 |
| 4.6     | <i>Transform-based methods</i>                               | 235 |
| 4.6.1   | <i>Frequency–wavenumber domain</i>                           | 236 |
| 4.6.2   | <i>Frequency–slowness analysis (MASW)</i>                    | 241 |
| 4.6.3   | <i>Refraction microtremor method</i>                         | 244 |
| 4.7     | <i>Group velocity analysis</i>                               | 251 |
| 4.8     | <i>Errors and uncertainties in dispersion analyses</i>       | 253 |
| 5       | <b>Attenuation analysis</b>                                  | 255 |
| 5.1     | <i>Attenuation of surface waves</i>                          | 255 |
| 5.2     | <i>Univariate regression of amplitude versus offset data</i> | 258 |
| 5.3     | <i>Transfer function technique and complex wavenumbers</i>   | 261 |
| 5.4     | <i>Multichannel multimode complex wavenumber estimation</i>  | 265 |
| 5.5     | <i>Other simplified approaches</i>                           | 268 |
| 5.5.1   | <i>Half-power bandwidth method</i>                           | 268 |
| 5.5.2   | <i>Spatial decay of the Arias intensity</i>                  | 270 |
| 5.6     | <i>Uncertainty in the attenuation measurement</i>            | 270 |

## 6 Inversion

273

- 6.1 *Conceptual issues* 275
  - 6.1.1 *Forward and inverse problems in geophysics* 275
  - 6.1.2 *Ill-posedness of inverse problems* 277
  - 6.1.3 *Inversion strategies: Local versus global methods* 280
- 6.2 *Forward modeling* 282
- 6.3 *Surface wave inversion by empirical methods* 286
  - 6.3.1 *Numerical example* 287
  - 6.3.2 *Manual inversion* 289
- 6.4 *Surface wave inversion by analytical methods* 289
  - 6.4.1 *Measures of fitting goodness* 289
  - 6.4.2 *Linear inverse problem* 292
    - 6.4.2.1 *Singular-value decomposition and Moore–Penrose generalized inverse* 292
    - 6.4.2.2 *Instability of the solution and condition number* 296
    - 6.4.2.3 *Tikhonov regularization methods* 298
    - 6.4.2.4 *Other regularization methods* 301
    - 6.4.2.5 *Accuracy and resolution* 302
  - 6.4.3 *Nonlinear inverse problem* 303
    - 6.4.3.1 *Linearization by transformation of variables* 303
    - 6.4.3.2 *LS iterative methods and GS techniques* 306
    - 6.4.3.3 *Analytical versus numerical Jacobian* 310
    - 6.4.3.4 *An example of a LS iterative method: Occam's algorithm* 312
  - 6.4.4 *A priori information in surface wave inversion* 320
    - 6.4.4.1 *Borehole logs* 321
    - 6.4.4.2 *P-wave refraction survey* 321
    - 6.4.4.3 *Joint inversion of geophysical data* 323
- 6.5 *Uncertainty* 324
  - 6.5.1 *Inverse problems and measurement errors* 324
    - 6.5.1.1 *Linear problems with Gaussian data errors* 324
    - 6.5.1.2 *Normality assessment* 325
    - 6.5.1.3 *Nonlinear problems with Gaussian data errors* 327

|          |                                                                                |            |
|----------|--------------------------------------------------------------------------------|------------|
| 6.5.2    | <i>Uncertainty in surface wave measurements</i>                                | 329        |
| 6.5.2.1  | <i>Experimental dispersion curve</i>                                           | 330        |
| 6.5.2.2  | <i>Experimental attenuation curve</i>                                          | 333        |
| 6.5.2.3  | <i>Joint experimental dispersion and attenuation curves</i>                    | 336        |
| 6.5.3    | <i>Estimate of variance of model parameters</i>                                | 339        |
| 6.5.4    | <i>Trade-off between model resolution and uncertainty</i>                      | 344        |
| 6.5.5    | <i>Bayesian approach</i>                                                       | 349        |
| <b>7</b> | <b>Case histories</b>                                                          | <b>351</b> |
| 7.1      | <i>Comparison among processing techniques with active-source methods</i>       | 352        |
| 7.1.1    | <i>Two-station (spectral analysis of surface waves)</i>                        | 352        |
| 7.1.2    | <i>Frequency–wavenumber analysis</i>                                           | 355        |
| 7.2      | <i>Comparison among inversion strategies</i>                                   | 363        |
| 7.2.1    | <i>Experimental dataset</i>                                                    | 363        |
| 7.2.2    | <i>Empirical inversion</i>                                                     | 368        |
| 7.2.3    | <i>Deterministic approach (least squares)</i>                                  | 369        |
| 7.2.4    | <i>Stochastic approach (Monte Carlo)</i>                                       | 370        |
| 7.2.5    | <i>Deterministic approach with vertically heterogeneous medium</i>             | 374        |
| 7.3      | <i>Examples for determining <math>V_s</math> and <math>D_s</math> profiles</i> | 375        |
| 7.3.1    | <i>Memphis</i>                                                                 | 376        |
| 7.3.2    | <i>Pisa</i>                                                                    | 377        |
| 7.4      | <i>Dealing with higher modes</i>                                               | 380        |
| 7.5      | <i>Surface wave inversion of seismic reflection data</i>                       | 384        |
| 7.5.1    | <i>Application with engineering data in 2D</i>                                 | 385        |
| 7.5.2    | <i>Application with exploration data in 3D</i>                                 | 388        |
| <b>8</b> | <b>Advanced surface wave methods</b>                                           | <b>393</b> |
| 8.1      | <i>Love waves</i>                                                              | 393        |
| 8.1.1    | <i>The nature of Love waves</i>                                                | 394        |
| 8.1.2    | <i>Experimental configurations</i>                                             | 396        |
| 8.1.3    | <i>Real data example</i>                                                       | 400        |
| 8.2      | <i>Offshore and nearshore surface wave testing</i>                             | 402        |
| 8.2.1    | <i>Scholte waves</i>                                                           | 404        |
| 8.2.2    | <i>Guided waves</i>                                                            | 408        |
| 8.2.3    | <i>Example</i>                                                                 | 410        |



|         |                                                                                                                  |     |
|---------|------------------------------------------------------------------------------------------------------------------|-----|
| 8.3     | <i>Joint inversion with other geophysical data</i>                                                               | 413 |
| 8.3.1   | <i>Joint inversion</i>                                                                                           | 413 |
| 8.3.1.1 | <i>Geometrical joint inversion</i>                                                                               | 415 |
| 8.3.1.2 | <i>Petrophysical joint inversion</i>                                                                             | 416 |
| 8.3.2   | <i>Surface wave joint inversion</i>                                                                              | 416 |
| 8.3.2.1 | <i>Joint inversion with electrical and<br/>electromagnetic measurements</i>                                      | 417 |
| 8.3.2.2 | <i>Joint inversion with other seismic data</i>                                                                   | 419 |
| 8.3.2.3 | <i>Joint inversion of refracted<br/>and surface wave</i>                                                         | 420 |
| 8.4     | <i>Passive seismic interferometry</i>                                                                            | 426 |
| 8.5     | <i>Multicomponent surface wave analysis, polarization<br/>studies, and horizontal-to-vertical spectral ratio</i> | 430 |
| 8.5.1   | <i>Mode identification in the case<br/>of high velocity contrasts</i>                                            | 433 |
| 8.5.2   | <i>Passive H/V</i>                                                                                               | 433 |
| 8.5.3   | <i>How to compute the H/V</i>                                                                                    | 437 |
| 8.5.4   | <i>Interpretation of H/V</i>                                                                                     | 438 |

|                   |     |
|-------------------|-----|
| <i>References</i> | 441 |
| <i>Index</i>      | 459 |