

European foreword.....5

Introduction.....6

1 **Scope and conformance**9

1.1 Scope9

1.2 Conformance9

2 **Normative references**10

3 **Terms, definitions and abbreviations**10

3.1 Terms and definitions10

3.2 Abbreviations11

4 **Structure of the generic cabling system in office spaces**11

4.1 General.....11

4.2 Functional elements.....11

4.3 Structure and hierarchy12

4.4 Cabling subsystems.....14

 4.4.1 Office space cabling subsystems.....14

 4.4.2 Associated cabling subsystems14

4.5 Design objectives.....14

 4.5.1 General.....14

 4.5.2 Horizontal cabling15

 4.5.3 Backbone cabling16

 4.5.4 Tie cabling16

4.6 Accommodation of functional elements.....16

 4.6.1 General.....16

 4.6.2 Telecommunications Outlet assemblies.....16

 4.6.3 Distributors16

 4.6.4 Cables16

 4.6.5 Consolidation Points16

4.7 Interfaces.....17

 4.7.1 Equipment interfaces and test interfaces17

 4.7.2 Channels and links17

4.8 Dimensioning and configuration.....18

 4.8.1 Distributors18

 4.8.2 Cables19

 4.8.3 Connecting hardware.....19

 4.8.4 Cords.....19

 4.8.5 Telecommunications Outlets and Consolidation Points.....20

 4.8.6 External network interface21

5	Requirements for channels in office spaces	21
5.1	General.....	21
5.2	Environmental performance	22
5.3	Transmission performance	23
5.3.1	General.....	23
5.3.2	Balanced cabling	23
5.3.3	Optical fibre cabling	23
6	Reference implementations in office spaces	23
6.1	General.....	23
6.2	Balanced cabling	24
6.2.1	General.....	24
6.2.2	Horizontal cabling	24
6.2.3	Backbone cabling	27
6.3	Optical fibre cabling	27
6.3.1	Horizontal cabling	27
6.3.2	Backbone cabling	29
7	Requirements for cables in office spaces.....	30
7.1	General.....	30
7.2	Balanced cables of Category 6, 6A, 7, 7A, 8.1 and 8.2	30
7.3	Optical fibre cables of Category OM3, OM4, OM5, OS1a and OS2	30
8	Requirements for connecting hardware in office spaces	30
8.1	General requirements	30
8.2	Balanced connecting hardware	30
8.2.1	General requirements	30
8.2.2	Electrical, mechanical and environmental performance	31
8.3	Optical fibre connecting hardware.....	31
8.3.1	General requirements	31
8.3.2	Optical, mechanical and environmental performance.....	31
8.3.2.1	Connecting hardware at the Telecommunications Outlet.....	31
9	Requirements for cords and jumpers in office spaces	31
9.1	Jumpers.....	31
9.2	Balanced cords of Category 6, 6A, 7, 7A, 8.1 and 8.2.....	31
9.2.1	General.....	31
9.2.2	Additional requirements for certain cords.....	32
9.3	Optical fibre cords of Category OM3, OM4, OM5, OS1a and OS2.....	32

Annex A (normative) Link performance limits.....33

A.1 General.....33

A.2 Balanced cabling33

A.3 Optical fibre cabling34

Bibliography.....35

Figures

Figure 1 — Schematic relationship between the EN 50173 series and other relevant standards.....7

Figure 2 — Structure of generic cabling.....12

Figure 3 — Hierarchical topology of generic cabling.....13

Figure 4 — Structures for centralized generic cabling13

Figure 5 — Examples of cabling implementation to improve reliability15

Figure 6 — Accommodation of functional elements.....17

Figure 7 — Test and equipment interfaces17

Figure 8 — Example of a generic cabling system with combined BD and FD19

Figure 9 — Example of a horizontal cabling channel.....22

Figure 10 — Example of a system showing the location of cabling interfaces22

Figure 11 — Horizontal cabling models26

Figure 12 — Combined optical fibre backbone/horizontal channels.....29

Figure A.1 — Link options33

Tables

Table 1 — Contextual relationship between EN 50173 series and other standards relevant for information technology cabling systems7

Table 2 — Maximum channel lengths for reference implementations18

Table 3 — Horizontal channel equations27