

Table of contents

Table des matières

MAIN SESSION 1: Man-made deposits – recent and ancient

SÉANCE PLÉNIÈRE 1: Remblais récents et anciens

Dewatering a construction waste sludge and effect of washing using hydraulic consolidation <i>Akagi H., Ohwada T., Kusunoki K. & Yamaguchi H.</i>	3
Optimisation du travail technologique et de récultivation des dépôts non – productifs des mines <i>Alexandrova E. & Stoeva P.</i>	7
Geomechanical behaviour of Aznalcóllar tailings deposits <i>Alonso E., Lloret A., Gens A. & Rodriguez R.</i>	11
Evaluation of physical, chemical and microfabric characteristics of an expansive soil treated with cement by-pass dust and different slag types <i>Al-Rawas A.A., Taha R., Beit Al-Shab T., Al-Busaidi N. & Al-Siyabi H.</i>	17
Interpolation of solid waste shear wave velocity using geostatistics <i>Avsar M.S., Bouazza A., Kavazanjian E. Jr. & Ozturk C.A.</i>	21
Physical and mechanical resistance parameters for fly ashes crushed and deposited in dirt heaps as a dense fluid <i>Bogdan I., Boldurean I.P. & Boldurean A.</i>	27
Properties of unsaturated colliery clayfills in North-Western Bohemia <i>Boháč J., Herbstová V., Kořán P. & Vogel T.</i>	33
The problems related to the construction and exploitation of the tailings dams in Albania <i>Bozo L. & Goga K.</i>	37
Local site effects on the seismic response of MSW landfills <i>Bu S.</i>	45
Permanent deformations of a rockfill dam <i>Catalano A. & Russo C.</i>	51
Dislocation for the purposes of open pit coal mining of the "Temnica" river on the new designed embankment <i>Dimitrievski L., Tomov S. & Ilievski D.</i>	57
Twenty years of dredging sludge deposit in a man-made basin <i>Elprama R. & van Tol A.F.</i>	61
Maximising sludge depot space by means of sand separation <i>van Essen H.M., Polderman W.M. & Ringeling R.H.P.</i>	67
Permeability of well graded tills <i>Farrell E.R., Misstear B.D.R. & Orr T.L.L.</i>	71
Achieving a stable landform with mine tailings: opportunities offered by the Thickened Tailings technique <i>Fourie A.B.</i>	77
Landslide at waste disposal site Frohnleiten, Geological-geotechnical ground investigation and remediation measures <i>Garber E., Moyschewitz G. & Goriup H.</i>	83

Geotechnical characteristics of building wastes from 50 years old deposit and their use in flood embankment modernization <i>Garlikowski D., H. Orzeszyna, & Pawłowski A.</i>	89
Geotechnical properties of industrial waste deposits in Bulgaria <i>Germanov T.</i>	95
Value-added construction materials - a use for co-products <i>Glendinning S. & Clarke B.G.</i>	101
Vibratory deep compaction of hydraulic fills <i>Gökalp A. & Düzceer R.</i>	107
Study of a man-made deposit and its impact on the natural environment <i>Hawrysz M. & Konderla H.</i>	113
Geotechnical problems of Danube, Morava and Vah embankments <i>Hulla J., Šul'ovská M., Štefanek J., Minárik P., Slaninka V. & Virág P.</i>	119
On-line earthquake response tests for evaluating limit state and deformation of river dykes founded on saturated sandy deposits <i>Hyodo M., Takahashi N. & Fujii T.</i>	125
Investigation and testing of pore pressure, phreatic surface location and hydrodynamic pressure in Assarel tailings dam <i>Kaltchev I.S.</i>	131
Solution of deformation problems in open pit mining with hypoplasticity <i>Karcher Ch., Dahmen D., Gudehus G. & Bühler M.</i>	137
Aspects géotechniques spécifiques pour les dépôts de déchets industriels <i>Manea S., Batali L. & Olinic E.</i>	143
In situ study about deformability of a municipal solid waste landfill <i>Mateos T. & Sopena L.</i>	149
Changes of mechanical properties of fly ash and calcareous tailings with time <i>Matys M. & Potancok L.</i>	153
The influence of anthropogeneous factors to the geotechnical conditions of the soils <i>Mets M. & Torn H.</i>	159
Geotechnical aspects of dike failures in Carpathian basin <i>Nagy L.</i>	167
Deformation of soft tailings – Probabilistic analysis <i>Neher H.P., Vogler U., Peschl G.M., Schweiger H.F. & Oswald K.-D.</i>	173
TAILSAFE: Investigation and improvement of tailings facilities <i>Niederleithinger E., Meggyes T., McDonald C., Roehl K.E., Witt K.J. & Debreczeni A.</i>	179
Behaviour of a 14.5m high polystyrene embankment on weak industrial wastes <i>O'Brien A.S.</i>	183
Validation d'un modèle incrémental de prévision des tassements des déchets ménagers et assimilés à partir de quatre sites instrumentés <i>Olivier F., Gourc J.P., Munoz M.L., Budka A. & Denécheau P.</i>	189
Soil mechanical properties of bottom-ash from municipal solid waste incineration <i>Ott E. & Kempfert H.-G.</i>	195
Geotechnical aspects and construction quality assurance plans for MSW landfills recently built in Portugal <i>Pardo de Santayana F. & Lopes M.G.</i>	199

The prognosis of variation the effectiveness of a clay liner for a pond of aggressive wastewater <i>Pavilonsky V.M.</i>	205
Modelling permeability in consolidation <i>Ravaska O. & Aalto A.</i>	211
Mechanical behaviour of a tailing from nickel mining <i>Rodríguez R., Lloret A., Ledesma A. & Candela L.</i>	217
Permeability and pore size distribution changes of a bentonite-enhanced sand <i>Romero E., Hoffmann C. & Alonso E.E.</i>	223
Corrective measures for slope stabilisation in a sanitary landfill <i>Sánchez-Alciturri J.M. (†), Sagasetta C. & Barco J.A.</i>	229
Soil stabilization using various fly ashes <i>Şenol A., Edil T.B., Acosta H.A., Bin-Shafique M.S. & Benson C.H.</i>	235
Geo-environmental consequences of mine wastes <i>Stepanek M. & McAlpine H.F.</i>	241
Estimation géotechnique de l'état du matériaux argileux dans les dépôts non-productifs des mines <i>Stoeva P., Alexandrova E. & Karatcholov P.</i>	249
On the use of index tests in predicting the shear strength properties of waste material <i>Suchnicka H.B.</i>	253
Modele d'estimation de la stabilite et de conformite dans les terrils et les massifs de polycouche <i>Trapov G., Zlatanov P., Stoeva P. & Smilyanov A.</i>	259
Application of cone penetration test for identification and predicting the range of landslides from overburden soils deposited on dumping grounds of brown coal mine "Turów" <i>Tschuschke W., Młynarek Z., Kaczarewski T. & Milkowski D.</i>	263
Examples of the stability problems of waste disposals <i>Turček P. & Ravinger R.</i>	269
Investigation of restored opencast mine backfill: long term settlement <i>Watts K.S. & Charles J.A.</i>	273
Use of power by-products in ČEZ, a.s., Power Plant Ledvice, Czech Republic <i>Záleská O., Kos J., Kozák J. & Záleský J.</i>	279
Methods of monitoring of historical buildings and slopes <i>Záleský J., Lamboj L., Pruška J. & Vobořilová P.</i>	285

MAIN SESSION 2: Contaminated ground – remediation and preparation for new construction

SÉANCE PLÉNIÈRE 2: Sols contaminés – réhabilitation pour de nouvelles constructions

Measured and predicted long-term behaviour of a soil-mixed stabilised/solidified contaminated site in the UK <i>Al-Tabbaa A., Chitambira B., Perera S.R. & Boes N.</i>	293
An extensive test programme for permeable reactive barrier materials <i>Ambrosini G. & Hermanns Stengele R.</i>	297
Permeability of compacted soil barriers reinforced by geogrids <i>Berardi R. & Bovolenta R.</i>	303
Hydraulic properties of compacted calcareous and saline soils of Cyprus <i>Bilsel H.</i>	309
Permeability of a mineral liner mixed from ash and sludge <i>Boháč J.</i>	313
First application of sealed double ring infiltrometers on a test liner in Turkey <i>Bozbey I. & Güler E.</i>	317
Geoenvironmental problems and countermeasures for contamination by cement grouting <i>Chun B.S. & Kim K.M.</i>	323
Modelling advective, diffusive and osmotic transport with reference to the molecular scale. <i>Dominijanni A. & Manassero M.</i>	327
Selection and delivery of carbon substrates for in-situ bioremediation of chlorinated hydrocarbons <i>Dyer M.R.</i>	333
Utilization of sewage sludge and fly-ash for slope protection <i>Eymontt A., Głażewski M. & Wierzbicki K.</i>	339
Hydraulic efficiency of CB diaphragms made of differently aged mixtures <i>Fratalocchi E., Pasquali R. & Pasqualini E.</i>	345
Medium-scale laboratory model to assess soil contaminant dispersivity <i>Fripiat C., Servais T., Conde P., Talbaoui M. & Holeyman A.E.</i>	351
Modélisation physique du transport de polluants dans les sols <i>Garnier J., Thorel L. & Haza E.</i>	357
Gas in sludge layers, processes and detection methods <i>Greeuw G., van Ree C.C.D.F., Bisschop F. & Wichmann B.</i>	363
Geotechnical effect of heavy metals and salts pollution on liner materials <i>Guney Y. & Koyuncu H.</i>	369
Organic barriers on the slope of a sediment deposit <i>van der Hoek E., van der Zon W. & de Feijter J.</i>	375
Multiphase multicomponent pollutant transport analysis – Theory and practical implementation <i>Jendele L.</i>	379
Barrières et confinements actifs : un concept prometteur. Principes généraux <i>Kachrillo J.-J.</i>	385

Barrières et confinements actifs : un concept prometteur. Exemples d'application aux pollutions par hydrocarbures lourds et solvants chlorés <i>Kachrillo J.-J.</i>	391
Environmental assessment of a contaminated site by use of risk based methodologies <i>Kamon M., Inui T., Katsumi T. & Doi A.</i>	397
Numerical and experimental investigation of a large scale field test for an underground highly toxic waste disposal facility <i>Keßler W. & Schanz T.</i>	403
Quality control tests of vertical bentonite barriers for old sanitary landfill containment <i>Koda E. & Skutnik Z.</i>	409
Transient excess pore water pressures causing soil deformation and hydraulic failure <i>Köhler H.-J.</i>	415
The effect of pollutants on the shear strength and swelling characteristics of na-bentonite clay <i>Koyuncu H. & Guney Y.</i>	423
Assessment of risks following from the soil and groundwater contamination at the brownfield site – case study <i>Kozubek P., Veleba P. & Pešičková K.</i>	429
Measurement of chemico-osmotic parameters of clayey soils <i>Mazzieri F., Van Impe P.O., Van Impe W.F. & Constaes D.</i>	433
Geo-environmental site investigation at an industrial abandoned landfill using geophysics for zoning contaminated areas. <i>Miranda Neto M.I., Almeida M.S.S. & Barbosa M.C.</i>	439
Non-dig sealing of dams <i>Mosendz G.</i>	445
The behaviour of artificially flocculated clayey mine waste <i>Newson T.A., Duliere A. & Kainourgiaki G.</i>	451
Volume creep of salted clay soils <i>Orazaly E.E., Zhusupbekov A.Zh. & Zhakulin A.S.</i>	457
Complementing DNAPL site characterization with case study reviews and numerical simulations <i>Pantazidou M. & Liu K.</i>	461
L'influence du pH sur le transport advectif du Cu, du Cd et du Zn à travers des sols fins compactés <i>Roque A.J., Gomes Coelho A. & Didier G.</i>	467
A risk-based mass flux approach for source zone remediation evaluation <i>Soga K., Page J.W.E. & Kulasooriya I.H.</i>	475
PMRAM technology applied to evaluate the geo-environment pollution state and density when geo-engineering problems are solved <i>Susin O.A., Novik N.N. & Shokarev A.S.</i>	481
Perméabilité saturée d'une argile compactée pour barrières <i>Taibi S., Sayad C., Kheirbek-Saoud S. & Fleureau J.M.</i>	485
Geotechnical and geoenvironmental uses of very wet materials, dredgings and slurries <i>Tonks D.M.</i>	491
Hydraulic conductivity of Na bentonite as a function of dry density determined from the rate of consolidation <i>Vaniček I. & Košťál J.</i>	497

Parametric study of numerical modelling of contaminant spreading under transient ground water flow <i>Vaniček M.</i>	503
Multi-method investigation of contaminated sites for a sustainable land use <i>Wotschke P., Friedel S. & Hermanns Stengele R.</i>	509

MAIN SESSION 3: Construction on man-made and remediated brownfields Sites SÉANCE PLÉNIÈRE 3: Construction sur les remblais et les friches industrielles

Full scale tests in the field using dry mixing method <i>Aalto A.</i>	515
Performance of passive site remediation and pile group foundations subjected to seismically induced lateral spreading <i>Abdoun T., Ahmet P., Zimmie T. & Gallagher M.</i>	521
Statistical methods to determine the number of field tests required for a given accuracy as implemented on brown fields of former open-pit mining sites <i>Al Hamdan W. & Azzam R.</i>	527
Creep settlement of open-cast coal mine restorations <i>Anderson W.F., O'Neill M.A. & Goodwin A.K.</i>	533
The development of brownfield sites in Flanders, Belgium <i>Areias L. & Van Impe W.F.</i>	539
Building collapse by sudden bond solution in karstic debris <i>Arroyo M., Tapia J. & Ortuño L.</i>	545
Geosynthetic applications in a high-speed railway project <i>Arulrajah A., Affendi Abdullah & Kim Har L.Y.</i>	551
On the retention curves of geotextiles <i>Asanza E. & Cuéllar V.</i>	555
Performance of embankment on soft clay supported by geogrid and concrete piles <i>Atalar C., Shin E.C., Lee S.H. & Das B.M.</i>	559
Lime-cement stabilization of soft soils, an efficient method against train-induced ground vibrations <i>Bahrekazemi M., Bodare A. & Smekal A.</i>	565
Geotechnical trends in urban terrains evolution <i>Bartolomey A.A., Makovetsky O.A., Ponomaryov A.B. & Ofrikhter V.G.</i>	573
Statical analysis of reinforced slope <i>Batog A., Izbicki R.J. & Szcześniak K.</i>	579
Foundations for a light structure, placed on a man-made ground <i>Boldurean I.P., Bogdan I. & Boldurean A.</i>	585
Traitement de 45 hectares de remblais de forte épaisseur par compactage dynamique haute énergie <i>Bué J.P., Liausu Ph. & Robert J.</i>	589
Etude expérimentale du comportement de colonnes de chaux-ciment <i>Bustamante M., Gianceselli L. & Seher W.</i>	595
Behaviour of extruded geogrids under different loading conditions <i>Carrubba P., Moraci N. & Montanelli F.</i>	601

Construction on filled-in land of New York City <i>Cermak J. & Tamaro G.J.</i>	607
A generalised strategy for reuse of old foundations <i>Chapman T.J.P., Butcher A. & Fernie R.</i>	613
Utilization of finished municipal landfill as a construction site <i>Chun B.S. & Yeoh Y.H.</i>	619
Amélioration des sols des berges de Loire par inclusions rigides pour stabiliser les remblais d'accès d'un poste à quai <i>Combarieu O. & Frossard A.</i>	625
Experimental investigation on lime stabilised soils <i>Croce P. & Russo G.</i>	631
Brownfield site enabling works for Sportcity including the City of Manchester Stadium <i>Curtis D.C. & Lowe C.R.</i>	637
Performance of large-scale surface foundation on a blast furnace slag dump over a soft-soil layer <i>Dapena E., F. Román & San Salvador J.</i>	643
Design of foundation soil improvement for 9 story residential building in Ohrid, Macedonia <i>Dimitrievski L. & Tomov S.</i>	647
A case study on soil improvement with heavy dynamic compaction <i>Durgunoglu H.T., Varaksin S., Briet S. & Karadayilar T.</i>	651
Modified soil improvement techniques to consolidate waste deposits for construction <i>Falk E. & Thurner R.</i>	657
Construction on a refilled borrow pit at a brick factory <i>Farkas J.</i>	663
Behaviour of double-porosity geomaterials <i>Feda J.</i>	667
Effects of filling shallow room and pillar mines in weak pyroclastic rock <i>Federico F. & Screpanti S.</i>	673
Influence of fibres on properties of cement stabilised sands and clay <i>Ghataora G.S., Chapman D.N., Schad M. & Ast W.</i>	679
Stabilisation of weakly cemented soils of high void ratio <i>Glendinning S., Grine K. & Clarke B.G.</i>	685
Theory and practice of soil foundation bed reinforcement by high pressure injection <i>Golovko S.I., Shapoval V.G. & Schwetz V.B.</i>	691
Prediction of deformations due to various geotechnical actions by means of hypoplasticity <i>Gudehus G.</i>	695
Deterministic assessment of long term surface subsidence due to room and pillar mining <i>Hegazy Y.A. & Snow R.E.</i>	703
Numerical assessment of long-term non-uniform settlement of man-made island <i>Iizuka A., Kawai K. & Nishida H.</i>	709
Improvement the low bearing capacity of foundation soil with geosynthetics <i>Ilievska F. & Dimitrievski L.</i>	713
The effective use of waste ballast stabilized with geosynthetics in railway tracks <i>Indraratna B., Khabbaz H. & Salim W.</i>	719

Stability analysis of railroad embankments by using the enhanced concept of Experimental Statics	725
<i>Katzenbach R. & Fehsenfeld A.</i>	
Influences of water level change on the behavior of unsaturated zone	735
<i>Kawai K., Iizuka A., Umehara H., Wang W. & Kato S.</i>	
FE-simulation of soil compaction	739
<i>Kelm M. & Grabe J.</i>	
Soil oscillations prediction on the man-influenced sites considering random factors	743
<i>Kholmyansky M.L.</i>	
An interdisciplinary approach for brownfields	749
<i>Klapperich H., Aigner B. & Azzam R.</i>	
Monitoring of the test on the dike at Bergambacht: design and practice	755
<i>Koelewijn A.R. & Van M.A.</i>	
Application of the LIPIDUR binder based on fluidized fly ash for soil reinforcement and stabilization in road construction	761
<i>Kraszewski C. & Schomberg S.</i>	
A study of loess masses compacted with water-assisted explosions	767
<i>Kryvosheyev P.I. & Shokarev V.S.</i>	
Applications of environmentally safe waste materials as soil structure reinforcement	771
<i>Kuklik P., Šejnoha M., Janda T., Kos J. & Cunha R.P.</i>	
A case history of large strain consolidation	777
<i>Kvasnička P., Kovačević Zelić B., Znidarčić D., Matešić L. & Kavur B.</i>	
Exhaustive proof of the soil mechanical behaviour of loose rocks in stabilized extensive mining sites	783
<i>Lersow M.</i>	
Effects of specimen curing methods on the strength and deformation property of cement-mixed gravel	789
<i>Lohani T.N. & Tatsuoka F.</i>	
The behaviour of two unsaturated compacted soils used as construction materials	795
<i>Mancuso C., Vassallo R. & Vinale F.</i>	
Container terminal in Constanta South Port. Influence of the geotechnical parameters on the foundation solutions	801
<i>Manea S., Batali L., Olinic E. & Ciortan R.</i>	
Determination of sand - non woven geotextile friction angle using triaxial compression tests	805
<i>Markou I.N. & Sirkelis G.M.</i>	
Foundation reinforcement of a redesigned building at the Moncloa Presidential Complex	811
<i>Martínez Santamaría J.M., Santos Moreno A. & González-Gallego Rodríguez-Barbero F.J.</i>	
Assessment of dip stability of embankments made of coarse-fragmental soils	815
<i>Matsiy S.I., Shadunts K. Sh., Bezuglova E.V. & Ponomarev A.A.</i>	
Retours d'expérience et performances des modèles de remblais	821
<i>Mestat Ph., Bourgeois E. & Riou Y.</i>	
The contribution of stone columns to the improvement of the stability conditions of embankments on soft clays	827
<i>Mihalis I.K., Papadopoulos B.P., Anagnostopoulos A.G. & Vlavianos G.</i>	

Reconstruction of foundations of the building built over the remains of Roman thermae inside the Diocletian's palace in Split (Croatia) <i>Miščević P.</i>	833
Interface pullout behaviour of geogrids embedded in compacted granular soils <i>Moraci N., Romano G. & Montanelli F.</i>	837
Measuring interaction in reinforced soil <i>Mulabdić M., Minažek K. & Sesar S.</i>	843
Undrained shear strength and liquefaction potential of loose silty sand treated with microfine cement. <i>Naeini S.A. & Ziaie Moayed R.</i>	849
Compaction of freshly pluviated granulates under uniaxial and multiaxial cyclic loading <i>Niemunis A., Wichtmann T. & Triantafyllidis Th.</i>	855
Deformation and strength characteristics of improved sand by a grouting materials and its application to liquefaction analysis of man made island <i>Oka F., Kodaka T., Takyu T., Yamasaki N. & Ohno Y.</i>	861
Bearing capacity of soft reinforced water-saturated clayey foundation beds considering soil flow properties <i>Ruban O.A., Balashova Y.B. & Bausk A.E.</i>	867
Mechanical design of EPS in frost insulation and lightweight fills for pavements <i>Saarelainen S.</i>	871
Study and consolidation process of the land communication ways embankments with a reduced bearing capacity <i>Schein T. & Boldurean A.</i>	877
Utilisation de colonnes ballastées pour la construction d'un remblai routier sur un sol compressible <i>Six V., Mroueh H., Shahrour I. & Cuvillier A.</i>	883
Modelling creep behaviour of soils using Laplace transforms <i>Small J.C. & Bui H.N.</i>	889
Foundations of harbour caissons on soft ground <i>Soriano A., Valderrama Conde M. & González Galindo J.</i>	895
Effect of preloading on the liquefaction susceptibility and ground subsidence, based on results of a field test <i>Stamatopoulos C.A., Aneroussis S.G. & Petridis P.M.</i>	901
A probability based risk assessment of expansive slag heave and consequential remediation design <i>Statham I. & Turner A.</i>	907
Effect of cement, compaction and strength on slaking of cement stabilized clayey admixtures. <i>Stavridakis E.I.</i>	913
Stress related stiffness, crushing and creep of light-weight aggregates <i>Steenfelt J.S., Poulsen H.S., Lund W.P. & Andersen P.F.</i>	919
The urbanization and geoecological maintenance of building and reconstruction <i>Taranov V.G. & Nikitenko V.I.</i>	925
Geotechnical behaviour of an industrial sludge <i>Tennekoon J., Van Gemert D., Maertens J., Houtmeyers J. & D'haeyer J.</i>	929
Construction hazards and legal consequences of building on backfilled sites <i>Thompson R.P.</i>	935

Sustainability, maintenance & re-use of existing infrastructure – some geotechnical aspects <i>Tonks D.M., Needham A.D. & Nettleton I.M.</i>	941
Thermal strengthening of loess soils <i>Tregub A.S., Stepura I.V., Grechko V.F. & Markov A.I.</i>	947
Displacements and stability of a breakwater founded on recently deposited soft soils <i>Valore C. & Ziccarelli M.</i>	951
Some research results on lime/cement columns in alluvial soft soil <i>Verástegui F. R.D., Van Impe W.F. & Afschrift P.</i>	957
Full-scale tests and numerical simulation of interaction between foundations with tamped rigid process wastes widenings and soil environment <i>Zotsenko N.L., Klovanych S.F., Skola A.V. & Vynnykov Y.L.</i>	963