

# TABLE OF CONTENTS

|                                                                                     |             |
|-------------------------------------------------------------------------------------|-------------|
| <b>Preface</b>                                                                      | <b>xv</b>   |
| <b>Acknowledgment</b>                                                               | <b>xvii</b> |
| <b>1 INTRODUCTION</b>                                                               | <b>1</b>    |
| 1.1 Expectations from fillers                                                       | 1           |
| 1.2 Typical filler properties                                                       | 7           |
| 1.3 Definitions                                                                     | 8           |
| 1.4 Classification                                                                  | 11          |
| 1.5 Markets and trends                                                              | 12          |
| <i>References</i>                                                                   | 13          |
| <b>2 SOURCES OF FILLERS, THEIR CHEMICAL COMPOSITION, PROPERTIES, AND MORPHOLOGY</b> | <b>15</b>   |
| 2.1 Particulate fillers                                                             | 16          |
| 2.1.1 Aluminum flakes and powder                                                    | 16          |
| 2.1.2 Aluminum borate whiskers                                                      | 19          |
| 2.1.3 Aluminum oxide                                                                | 20          |
| 2.1.4 Aluminum trihydroxide                                                         | 22          |
| 2.1.5 Anthracite                                                                    | 25          |
| 2.1.6 Antimony of sodium                                                            | 26          |
| 2.1.7 Antimony pentoxide                                                            | 27          |
| 2.1.8 Antimony trioxide                                                             | 29          |
| 2.1.9 Apatite                                                                       | 31          |
| 2.1.10 Ash, fly                                                                     | 32          |
| 2.1.11 Attapulgite                                                                  | 33          |
| 2.1.12 Barium metaborate                                                            | 35          |
| 2.1.13 Barium sulfate                                                               | 36          |
| 2.1.14 Barium & strontium sulfates                                                  | 41          |
| 2.1.15 Barium titanate                                                              | 42          |
| 2.1.16 Bentonite                                                                    | 43          |
| 2.1.17 Beryllium oxide                                                              | 45          |
| 2.1.18 Boron nitride                                                                | 46          |
| 2.1.19 Calcium carbonate                                                            | 48          |
| 2.1.20 Calcium hydroxide                                                            | 58          |
| 2.1.21 Calcium sulfate                                                              | 60          |
| 2.1.22 Carbon black                                                                 | 62          |
| 2.1.23 Ceramic beads                                                                | 72          |

|          |                                       |     |
|----------|---------------------------------------|-----|
| 2.1.24   | Clay                                  | 75  |
| 2.1.25   | Copper                                | 77  |
| 2.1.26   | Cristobalite                          | 78  |
| 2.1.27   | Diatomaceous earth                    | 80  |
| 2.1.28   | Dolomite                              | 84  |
| 2.1.29   | Ferrites                              | 85  |
| 2.1.30   | Feldspar                              | 86  |
| 2.1.31   | Glass beads                           | 87  |
| 2.1.32   | Gold                                  | 91  |
| 2.1.33   | Graphite                              | 92  |
| 2.1.34   | Hydrous calcium silicate              | 96  |
| 2.1.35   | Iron oxide                            | 97  |
| 2.1.36   | Kaolin                                | 99  |
| 2.1.37   | Lithopone                             | 104 |
| 2.1.38   | Magnesium oxide                       | 105 |
| 2.1.39   | Magnesium hydroxide                   | 106 |
| 2.1.40   | Metal-containing conductive materials | 107 |
| 2.1.41   | Mica                                  | 112 |
| 2.1.42   | Molybdenum                            | 116 |
| 2.1.43   | Molybdenum disulfide                  | 117 |
| 2.1.44   | Nickel                                | 118 |
| 2.1.45   | Perlite                               | 120 |
| 2.1.46   | Polymeric fillers                     | 122 |
| 2.1.47   | Pumice                                | 127 |
| 2.1.48   | Pyrophyllite                          | 128 |
| 2.1.49   | Rubber particles                      | 129 |
| 2.1.50   | Sepiolite                             | 130 |
| 2.1.51   | Silica                                | 131 |
| 2.1.51.1 | Fumed silica                          | 132 |
| 2.1.51.2 | Fused silica                          | 138 |
| 2.1.51.3 | Precipitated silica                   | 139 |
| 2.1.51.4 | Quartz (tripoli)                      | 142 |
| 2.1.51.5 | Sand                                  | 144 |
| 2.1.51.6 | Silica gel                            | 146 |
| 2.1.52   | Silver powder and flakes              | 147 |
| 2.1.53   | Slate flour                           | 149 |
| 2.1.54   | Talc                                  | 150 |
| 2.1.55   | Titanium dioxide                      | 154 |
| 2.1.56   | Tungsten                              | 164 |
| 2.1.57   | Vermiculite                           | 165 |
| 2.1.58   | Wood flour and similar materials      | 166 |
| 2.1.59   | Wollastonite                          | 167 |

|        |                   |     |
|--------|-------------------|-----|
| 2.1.60 | Zeolites          | 170 |
| 2.1.61 | Zinc borate       | 171 |
| 2.1.62 | Zinc oxide        | 172 |
| 2.1.63 | Zinc stannate     | 175 |
| 2.1.64 | Zinc sulfide      | 176 |
| 2.2    | Fibers            | 178 |
| 2.2.1  | Aramid fibers     | 178 |
| 2.2.2  | Carbon fibers     | 180 |
| 2.2.3  | Cellulose fibers  | 184 |
| 2.2.4  | Glass fibers      | 187 |
| 2.2.5  | Other fibers      | 188 |
|        | <i>References</i> | 189 |

### **3 TRANSPORTATION, STORAGE, AND PROCESSING OF FILLERS** **203**

|      |                             |     |
|------|-----------------------------|-----|
| 3.1  | Filler packaging            | 203 |
| 3.2  | External transportation     | 205 |
| 3.3  | Filler receiving            | 206 |
| 3.4  | Storage                     | 208 |
| 3.5  | In-plant conveying          | 210 |
| 3.6  | Semi-bulk unloading systems | 214 |
| 3.7  | Bag handling equipment      | 215 |
| 3.8  | Blending                    | 216 |
| 3.9  | Feeding                     | 218 |
| 3.10 | Drying                      | 220 |
| 3.11 | Dispersion                  | 222 |
|      | <i>References</i>           | 229 |

### **4 QUALITY CONTROL OF FILLERS** **231**

|      |                                        |     |
|------|----------------------------------------|-----|
| 4.1  | Absorption coefficient                 | 231 |
| 4.2  | Acidity or alkalinity of water extract | 231 |
| 4.3  | Ash content                            | 231 |
| 4.4  | Brightness                             | 232 |
| 4.5  | Coarse particles                       | 232 |
| 4.6  | Color                                  | 232 |
| 4.7  | CTAB surface area                      | 232 |
| 4.8  | DBP absorption number                  | 233 |
| 4.9  | Density                                | 233 |
| 4.10 | Electrical properties                  | 233 |
| 4.11 | Extractables                           | 234 |
| 4.12 | Fines content                          | 234 |

|      |                                                |     |
|------|------------------------------------------------|-----|
| 4.13 | Heating loss                                   | 234 |
| 4.14 | Heat stability                                 | 234 |
| 4.15 | Hegman fineness                                | 234 |
| 4.16 | Hiding power                                   | 234 |
| 4.17 | Iodine absorption number                       | 235 |
| 4.18 | Lightening power of white pigments             | 235 |
| 4.19 | Loss on ignition                               | 235 |
| 4.20 | Mechanical and related properties              | 235 |
| 4.21 | Oil absorption                                 | 235 |
| 4.22 | Particle size                                  | 236 |
| 4.23 | Pellet strength                                | 236 |
| 4.24 | pH                                             | 236 |
| 4.25 | Resistance to light                            | 236 |
| 4.26 | Resistivity of aqueous extract                 | 236 |
| 4.27 | Sieve residue                                  | 237 |
| 4.28 | Soluble matter                                 | 237 |
| 4.29 | Specific surface area                          | 237 |
| 4.30 | Sulfur content                                 | 237 |
| 4.31 | Tamped volume                                  | 237 |
| 4.32 | Tinting strength                               | 238 |
| 4.33 | Volatile matter                                | 238 |
| 4.34 | Water content                                  | 238 |
| 4.35 | Water-soluble sulfates, chlorides and nitrates | 238 |
|      | <i>References</i>                              | 239 |

|          |                                                            |            |
|----------|------------------------------------------------------------|------------|
| <b>5</b> | <b>PHYSICAL PROPERTIES OF FILLERS AND FILLED MATERIALS</b> | <b>241</b> |
| 5.1      | Density                                                    | 241        |
| 5.2      | Particle size                                              | 245        |
| 5.3      | Particle size distribution                                 | 246        |
| 5.4      | Particle shape                                             | 251        |
| 5.5      | Particle surface morphology and roughness                  | 251        |
| 5.6      | Specific surface area                                      | 253        |
| 5.7      | Porosity                                                   | 254        |
| 5.8      | Particle-particle interaction and spacing                  | 255        |
| 5.9      | Agglomerates                                               | 257        |
| 5.10     | Aggregates and structure                                   | 259        |
| 5.11     | Flocculation and sedimentation                             | 261        |
| 5.12     | Aspect ratio                                               | 263        |
| 5.13     | Packing volume                                             | 264        |
| 5.14     | pH                                                         | 269        |
| 5.15     | $\zeta$ -potential                                         | 270        |

|      |                                     |     |
|------|-------------------------------------|-----|
| 5.16 | Surface energy                      | 271 |
| 5.17 | Moisture                            | 275 |
| 5.18 | Absorption of liquids and swelling  | 278 |
| 5.19 | Permeability and barrier properties | 280 |
| 5.20 | Oil absorption                      | 280 |
| 5.21 | Hydrophilic/hydrophobic properties  | 281 |
| 5.22 | Optical properties                  | 284 |
| 5.23 | Refractive index                    | 285 |
| 5.24 | Friction properties                 | 286 |
| 5.25 | Hardness                            | 287 |
| 5.26 | Intumescent properties              | 288 |
| 5.27 | Thermal conductivity                | 289 |
| 5.28 | Thermal expansion coefficient       | 290 |
| 5.29 | Melting temperature                 | 291 |
| 5.30 | Electrical properties               | 291 |
| 5.31 | Magnetic properties                 | 295 |
|      | <i>References</i>                   | 297 |

## **6 CHEMICAL PROPERTIES OF FILLERS AND FILLED MATERIALS 305**

|      |                                                      |     |
|------|------------------------------------------------------|-----|
| 6.1  | Reactivity                                           | 305 |
| 6.2  | Chemical groups on the filler surface                | 308 |
| 6.3  | Filler surface modification                          | 312 |
| 6.4  | Effect of filler modification on material properties | 324 |
| 6.5  | Resistance to various chemical materials             | 330 |
| 6.6  | Cure in filler's presence                            | 331 |
| 6.7  | Polymerization in filler's presence                  | 336 |
| 6.8  | Grafting                                             | 337 |
| 6.9  | Crosslink density                                    | 338 |
| 6.10 | Reaction kinetics                                    | 339 |
| 6.11 | Molecular mobility                                   | 341 |
|      | <i>References</i>                                    | 343 |

## **7 ORGANIZATION OF INTERFACE AND MATRIX CONTAINING FILLERS 347**

|     |                                            |     |
|-----|--------------------------------------------|-----|
| 7.1 | Particle distribution in matrix            | 347 |
| 7.2 | Orientation of filler particle in a matrix | 351 |
| 7.3 | Voids                                      | 356 |
| 7.4 | Matrix-filler interaction                  | 358 |
| 7.5 | Chemical interactions                      | 359 |
| 7.6 | Other interactions                         | 363 |
| 7.7 | Interphase organization                    | 367 |

|      |                                             |     |
|------|---------------------------------------------|-----|
| 7.8  | Interfacial adhesion                        | 369 |
| 7.9  | Interphase thickness                        | 370 |
| 7.10 | Filler-chain links                          | 372 |
| 7.11 | Chain dynamics                              | 373 |
| 7.12 | Bound rubber                                | 374 |
| 7.13 | Debonding                                   | 380 |
| 7.14 | Mechanisms of reinforcement                 | 384 |
| 7.15 | Benefits of organization on molecular level | 389 |
|      | <i>References</i>                           | 392 |

## **8 THE EFFECT OF FILLERS ON THE MECHANICAL PROPERTIES OF FILLED MATERIALS 395**

|      |                                 |     |
|------|---------------------------------|-----|
| 8.1  | Tensile strength and elongation | 395 |
| 8.2  | Tensile yield stress            | 402 |
| 8.3  | Elastic                         | 407 |
| 8.4  | Flexural strength and modulus   | 410 |
| 8.5  | Impact resistance               | 412 |
| 8.6  | Hardness                        | 414 |
| 8.7  | Tear strength                   | 417 |
| 8.8  | Compressive strength            | 418 |
| 8.9  | Fracture resistance             | 419 |
| 8.10 | Wear                            | 426 |
| 8.11 | Friction                        | 429 |
| 8.12 | Abrasion                        | 430 |
| 8.13 | Scratch resistance              | 432 |
| 8.14 | Fatigue                         | 433 |
| 8.15 | Failure                         | 440 |
| 8.16 | Adhesion                        | 442 |
| 8.17 | Thermal deformation             | 444 |
| 8.18 | Shrinkage                       | 444 |
| 8.19 | Warpage                         | 448 |
| 8.20 | Compression set                 | 449 |
| 8.21 | Load transfer                   | 451 |
| 8.22 | Residual stress                 | 453 |
| 8.23 | Creep                           | 454 |
|      | <i>References</i>               | 455 |

## **9 THE EFFECT OF FILLERS ON RHEOLOGICAL PROPERTIES OF FILLED MATERIALS 461**

|     |                                 |     |
|-----|---------------------------------|-----|
| 9.1 | Viscosity                       | 461 |
| 9.2 | Flow                            | 465 |
| 9.3 | Flow induced filler orientation | 468 |



|           |                                                   |            |
|-----------|---------------------------------------------------|------------|
| 9.4       | Torque                                            | 470        |
| 9.5       | Viscoelasticity                                   | 471        |
| 9.6       | Dynamic mechanical behavior                       | 472        |
| 9.7       | Complex viscosity                                 | 474        |
| 9.8       | Shear viscosity                                   | 478        |
| 9.9       | Elongational viscosity                            | 478        |
| 9.10      | Melt rheology                                     | 481        |
| 9.11      | Yield value                                       | 481        |
|           | <i>References</i>                                 | 483        |
| <b>10</b> | <b>MORPHOLOGY OF FILLED SYSTEMS</b>               | <b>485</b> |
| 10.1      | Crystallinity                                     | 485        |
| 10.2      | Crystallization behavior                          | 487        |
| 10.3      | Nucleation                                        | 490        |
| 10.4      | Crystal size                                      | 492        |
| 10.5      | Spherulites                                       | 493        |
| 10.6      | Transcrystallinity                                | 495        |
| 10.7      | Orientation                                       | 497        |
|           | <i>References</i>                                 | 498        |
| <b>11</b> | <b>EFFECT OF FILLERS ON DEGRADATIVE PROCESSES</b> | <b>501</b> |
| 11.1      | Irradiation                                       | 501        |
| 11.2      | UV radiation                                      | 505        |
| 11.3      | Temperature                                       | 510        |
| 11.4      | Liquids and vapors                                | 513        |
| 11.5      | Stabilization                                     | 516        |
| 11.6      | Degradable materials                              | 517        |
|           | <i>References</i>                                 | 518        |
| <b>12</b> | <b>ENVIRONMENTAL IMPACT OF FILLERS</b>            | <b>521</b> |
| 12.1      | Definitions                                       | 521        |
| 12.2      | Limiting oxygen index                             | 522        |
| 12.3      | Ignition and flame spread rate                    | 523        |
| 12.4      | Heat transmission rate                            | 527        |
| 12.5      | Decomposition and combustion                      | 527        |
| 12.6      | Emission of gaseous components and heavy metals   | 530        |
| 12.7      | Smoke                                             | 531        |
| 12.8      | Char                                              | 531        |
| 12.9      | Recycling                                         | 531        |
|           | <i>References</i>                                 | 536        |

|                                                                                 |            |
|---------------------------------------------------------------------------------|------------|
| <b>13 INFLUENCE OF FILLERS ON PERFORMANCE OF OTHER ADDITIVES AND VICE VERSA</b> | <b>539</b> |
| 13.1 Adhesion promoters                                                         | 539        |
| 13.2 Antistatics                                                                | 541        |
| 13.3 Blowing agents                                                             | 541        |
| 13.4 Catalysts                                                                  | 543        |
| 13.5 Compatibilizers                                                            | 544        |
| 13.6 Coupling agents                                                            | 545        |
| 13.7 Dispersing agents and surface active agents                                | 547        |
| 13.8 Flame retardants                                                           | 549        |
| 13.9 Impact modifiers                                                           | 551        |
| 13.10 UV stabilizers                                                            | 552        |
| 13.11 Other additives                                                           | 554        |
| <i>References</i>                                                               | 555        |
| <b>14 TESTING METHODS IN FILLED SYSTEMS</b>                                     | <b>559</b> |
| 14.1 Physical methods                                                           | 559        |
| 14.1.1 Atomic force microscopy                                                  | 559        |
| 14.1.2 Autoignition test                                                        | 560        |
| 14.1.3 Bound rubber                                                             | 560        |
| 14.1.4 Char formation                                                           | 561        |
| 14.1.5 Cone calorimetry                                                         | 562        |
| 14.1.6 Contact angle                                                            | 563        |
| 14.1.7 Dispersing agent requirement                                             | 565        |
| 14.1.8 Dispersion tests                                                         | 566        |
| 14.1.9 Dripping test                                                            | 567        |
| 14.1.10 Dynamic mechanical analysis                                             | 568        |
| 14.1.11 Electrical constants determination                                      | 568        |
| 14.1.12 Electron microscopy                                                     | 571        |
| 14.1.13 Fiber orientation                                                       | 572        |
| 14.1.14 Flame propagation test                                                  | 572        |
| 14.1.15 Glow wire test                                                          | 574        |
| 14.1.16 Image analysis                                                          | 574        |
| 14.1.17 Limiting oxygen index                                                   | 577        |
| 14.1.18 Magnetic properties                                                     | 578        |
| 14.1.19 Optical microscopy                                                      | 579        |
| 14.1.20 Particle size analysis                                                  | 580        |
| 14.1.21 Radiant panel test                                                      | 580        |
| 14.1.22 Rate of combustion                                                      | 580        |
| 14.1.23 Scanning acoustic microscopy                                            | 581        |
| 14.1.24 Smoke chamber                                                           | 581        |
| 14.1.25 Sonic methods                                                           | 582        |



|         |                                             |     |
|---------|---------------------------------------------|-----|
| 14.1.26 | Specific surface area                       | 584 |
| 14.1.27 | Thermal analysis                            | 585 |
| 14.2    | Chemical and instrumental analysis          | 586 |
| 14.2.1  | Electron spin resonance                     | 586 |
| 14.2.2  | Electron spectroscopy for chemical analysis | 587 |
| 14.2.3  | Inverse gas chromatography                  | 588 |
| 14.2.4  | Gas chromatography                          | 592 |
| 14.2.5  | Gel content                                 | 592 |
| 14.2.6  | Infrared and Raman spectroscopy             | 593 |
| 14.2.7  | Nuclear magnetic resonance spectroscopy     | 594 |
| 14.2.8  | UV and visible spectrophotometry            | 597 |
| 14.2.9  | X-ray analysis                              | 598 |
| 14.2.10 | X-ray photoelectron Spectroscopy            | 598 |
|         | <i>References</i>                           | 599 |

## **15 FILLERS IN COMMERCIAL POLYMERS 605**

|       |                                           |     |
|-------|-------------------------------------------|-----|
| 15.1  | Acrylics                                  | 606 |
| 15.2  | Acrylonitrile-butadiene-styrene copolymer | 608 |
| 15.3  | Acrylonitrile-styrene-acrylate            | 610 |
| 15.4  | Aliphatic polyketone                      | 611 |
| 15.5  | Alkyd resins                              | 612 |
| 15.6  | Elastomers                                | 613 |
| 15.7  | Epoxy resins                              | 614 |
| 15.8  | Ethylene vinyl acetate copolymers         | 619 |
| 15.9  | Ethylene ethyl acetate copolymer          | 620 |
| 15.10 | Ethylene propylene copolymers             | 621 |
| 15.11 | Ionomers                                  | 622 |
| 15.12 | Liquid crystalline polymers               | 623 |
| 15.13 | Perfluoroalkoxy resin                     | 624 |
| 15.14 | Phenolic resins                           | 625 |
| 15.15 | Poly(acrylic acid)                        | 628 |
| 15.16 | Polyamides                                | 629 |
| 15.17 | Polyamide imide                           | 633 |
| 15.18 | Polyamines                                | 634 |
| 15.19 | Polyaniline                               | 635 |
| 15.20 | Polyarylether ketone                      | 636 |
| 15.21 | Poly(butylene terephthalate)              | 638 |
| 15.22 | Polycarbonate                             | 639 |
| 15.23 | Polyetheretherketone                      | 642 |
| 15.24 | Polyetherimide                            | 644 |
| 15.25 | Polyether sulfone                         | 645 |
| 15.26 | Polyethylene                              | 646 |

|                                                   |            |
|---------------------------------------------------|------------|
| 15.27 Polyethylene, chlorinated                   | 651        |
| 15.28 Polyethylene, chlorosulfonated              | 652        |
| 15.29 Poly(ethylene oxide)                        | 653        |
| 15.30 Poly(ethylene terephthalate)                | 655        |
| 15.31 Polyimide                                   | 656        |
| 15.32 Polymethylmethacrylate                      | 658        |
| 15.33 Polyoxymethylene                            | 660        |
| 15.34 Poly(phenylene ether)                       | 661        |
| 15.35 Poly(phenylene sulfide)                     | 662        |
| 15.36 Polypropylene                               | 663        |
| 15.37 Polypyrrole                                 | 668        |
| 15.38 Polystyrene & high impact                   | 669        |
| 15.39 Polysulfides                                | 672        |
| 15.40 Polysulfone                                 | 673        |
| 15.41 Polytetrafluoroethylene                     | 674        |
| 15.42 Polyurethanes                               | 676        |
| 15.43 Poly(vinyl acetate)                         | 679        |
| 15.44 Poly(vinyl alcohol)                         | 680        |
| 15.45 Poly(vinyl butyral)                         | 681        |
| 15.46 Poly(vinyl chloride)                        | 682        |
| 15.47 Rubbers                                     | 684        |
| 15.47.1 Natural rubber                            | 685        |
| 15.47.2 Nitrile rubber                            | 687        |
| 15.47.3 Polybutadiene rubber                      | 690        |
| 15.47.4 Polybutyl rubber                          | 691        |
| 15.47.5 Polychloroprene                           | 692        |
| 15.47.6 Polyisobutylene                           | 694        |
| 15.47.7 Polyisoprene                              | 695        |
| 15.47.8 Styrene-butadiene rubber                  | 696        |
| 15.48 Silicones                                   | 698        |
| 15.49 Styrene acrylonitrile copolymer             | 700        |
| 15.50 Tetrafluoroethylene-perfluoropropylene      | 701        |
| 15.51 Unsaturated polyesters                      | 702        |
| 15.52 Vinylidene-fluoride terpolymers             | 704        |
| <i>References</i>                                 | 705        |
| <b>16 FILLER IN MATERIALS COMBINATIONS</b>        | <b>717</b> |
| 16.1 Blends, alloys and interpenetrating networks | 717        |
| 16.2 Composites                                   | 726        |
| 16.3 Nanocomposites                               | 730        |
| 16.4 Laminates                                    | 736        |
| <i>References</i>                                 | 737        |

|                                                   |            |
|---------------------------------------------------|------------|
| <b>17 FORMULATION WITH FILLERS</b>                | <b>741</b> |
| <i>References</i>                                 | 746        |
| <b>18 FILLERS IN DIFFERENT PROCESSING METHODS</b> | <b>749</b> |
| 18.1 Blow molding                                 | 749        |
| 18.2 Calendering and hot-melt coating             | 751        |
| 18.3 Compression molding                          | 752        |
| 18.4 Dip coating                                  | 754        |
| 18.5 Dispersion                                   | 755        |
| 18.6 Extrusion                                    | 757        |
| 18.7 Foaming                                      | 760        |
| 18.8 Injection molding                            | 761        |
| 18.9 Knife coating                                | 763        |
| 18.10 Mixing                                      | 764        |
| 18.11 Pultrusion                                  | 769        |
| 18.12 Reaction injection molding                  | 769        |
| 18.13 Rotational molding                          | 771        |
| 18.14 Sheet molding                               | 772        |
| 18.15 Thermoforming                               | 773        |
| 18.16 Welding and machining                       | 773        |
| <i>References</i>                                 | 774        |
| <b>19 FILLERS IN DIFFERENT PRODUCTS</b>           | <b>779</b> |
| 19.1 Adhesives                                    | 779        |
| 19.2 Agriculture                                  | 782        |
| 19.3 Aerospace                                    | 782        |
| 19.4 Appliances                                   | 783        |
| 19.5 Automotive materials                         | 784        |
| 19.6 Bottles and containers                       | 785        |
| 19.7 Building components                          | 786        |
| 19.8 Business machines                            | 786        |
| 19.9 Cables and wires                             | 787        |
| 19.10 Coated fabrics                              | 788        |
| 19.11 Coatings and paints                         | 788        |
| 19.12 Cosmetics and pharmaceutical products       | 793        |
| 19.13 Dental restorative composites               | 795        |
| 19.14 Electrical and electronic materials         | 796        |
| 19.15 Electromagnetic interference shielding      | 797        |
| 19.16 Fibers                                      | 799        |
| 19.17 Film                                        | 799        |
| 19.18 Foam                                        | 802        |
| 19.19 Food and feed                               | 802        |

|                                                           |            |
|-----------------------------------------------------------|------------|
| 19.20 Friction materials                                  | 803        |
| 19.21 Geosynthetics                                       | 803        |
| 19.22 Hoses and pipes                                     | 803        |
| 19.23 Magnetic devices                                    | 804        |
| 19.24 Medical applications                                | 804        |
| 19.25 Membranes                                           | 807        |
| 19.26 Noise damping                                       | 807        |
| 19.27 Optical devices                                     | 807        |
| 19.28 Paper                                               | 809        |
| 19.29 Radiation shields                                   | 812        |
| 19.30 Rail transportation                                 | 813        |
| 19.31 Roofing                                             | 814        |
| 19.32 Telecommunication                                   | 814        |
| 19.33 Tires                                               | 815        |
| 19.34 Sealants                                            | 817        |
| 19.35 Siding                                              | 818        |
| 19.36 Sports equipment                                    | 819        |
| 19.37 Waterproofing                                       | 819        |
| 19.38 Windows                                             | 820        |
| <i>References</i>                                         | 821        |
| <b>20 HAZARDS IN FILLER USE</b>                           | <b>825</b> |
| <i>References</i>                                         | 831        |
| <b>INDEX OF ABBREVIATIONS</b>                             | <b>833</b> |
| <b>DIRECTORY OF FILLER MANUFACTURERS AND DISTRIBUTORS</b> | <b>837</b> |
| <b>DIRECTORY OF EQUIPMENT MANUFACTURERS</b>               | <b>877</b> |
| <b>INDEX</b>                                              | <b>881</b> |