
Contents

Preface.....xi

Author Bioxv

1. Introduction.....1

1.1 Scope of the Book.....1

1.2 Filled Polymers vs. Polymer Nanocomposites.....3

References.....8

2. Types of Fillers.....11

3. Concept of Reinforcement.....15

Reference.....19

4. Typical Fillers for Polymers21

4.1 Carbon Black.....21

4.1.1 Usages of Carbon Blacks.....21

4.1.2 Carbon Black Fabrication Processes.....21

4.1.3 Structural Aspects and Characterization
of Carbon Blacks24

4.1.4 Carbon Black Aggregates as Mass Fractal Objects30

4.1.5 Surface Energy Aspects of Carbon Black44

4.2 White Fillers.....49

4.2.1 A Few Typical White Fillers49

4.2.1.1 Silicates49

4.2.1.2 Natural Silica52

4.2.1.3 Synthetic Silica53

4.2.1.4 Carbonates54

4.2.1.5 Miscellaneous Mineral Fillers.....56

4.2.2 Silica Fabrication Processes56

4.2.2.1 Fumed Silica.....56

4.2.2.2 Precipitated Silica58

4.2.3 Characterization and Structural Aspects of
Synthetic Silica62

4.2.4 Surface Energy Aspects of Silica68

4.3 Short Synthetic Fibers.....69

4.4 Short Fibers of Natural Origin72

References.....79

Appendix 4.....	82
A4.1 Carbon Black Data	82
A4.1.1 Source of Data for Table 4.5	82
A4.1.2 Relationships between Carbon Black Characterization Data	84
A4.2 Medalia's Floc Simulation for Carbon Black Aggregate	85
A4.3 Medalia's Aggregate Morphology Approach.....	86
A4.4 Carbon Black: Number of Particles/Aggregate.....	89
5. Polymers and Carbon Black.....	91
5.1 Elastomers and Carbon Black (CB).....	91
5.1.1 Generalities	91
5.1.2 Effects of Carbon Black on Rheological Properties	95
5.1.3 Concept of Bound Rubber (BdR)	108
5.1.4 Bound Rubber at the Origin of Singular Flow Properties of Rubber Compounds.....	112
5.1.5 Factors Affecting Bound Rubber.....	114
5.1.6 Viscosity and Carbon Black Level.....	121
5.1.7 Effect of Carbon Black on Mechanical Properties.....	125
5.1.8 Effect of Carbon Black on Dynamic Properties.....	140
5.1.8.1 Variation of Dynamic Moduli with Strain Amplitude (at Constant Frequency and Temperature).....	141
5.1.8.2 Variation of $\tan \delta$ with Strain Amplitude and Temperature (at Constant Frequency)	142
5.1.8.3 Variation of Dynamic Moduli with Temperature (at Constant Frequency and Strain Amplitude).....	142
5.1.8.4 Effect of Carbon Black Type on G' and $\tan \delta$	144
5.1.8.5 Effect of Carbon Black Dispersion on Dynamic Properties	146
5.1.9 Origin of Rubber Reinforcement by Carbon Black.....	148
5.1.10 Dynamic Stress Softening Effect.....	151
5.1.10.1 Physical Considerations.....	151
5.1.10.2 Modeling Dynamic Stress Softening as a "Filler Network" Effect.....	152
5.1.10.3 Modeling Dynamic Stress Softening as a "Filler-Polymer Network" Effect.....	168
5.2 Thermoplastics and Carbon Black.....	172
5.2.1 Generalities	172
5.2.2 Effect of Carbon Black on Rheological Properties of Thermoplastics	173

5.2.3	Effect of Carbon Black on Electrical Conductivity of Thermoplastics	175
	References	179
	Appendix 5	185
A5.1	Network Junction Theory	185
A5.1.1	Developing the Model	185
A5.1.2	Typical Calculations with the Network Junction Model	188
A5.1.3	Strain Amplification Factor from the Network Junction Theory	190
A5.1.3.1	Modeling the Elastic Behavior of a Rubber Layer between Two Rigid Spheres	190
A5.1.3.2	Experimental Results vs. Calculated Data	191
A5.1.3.3	Comparing the Theoretical Model with the Approximate Fitted Equation	192
A5.1.3.4	Strain Amplification Factor	193
A5.1.4	Comparing the Network Junction Strain Amplification Factor with Experimental Data	194
A5.2	Kraus Deagglomeration–Reagglomeration Model for Dynamic Strain Softening	196
A5.2.1	Soft Spheres Interactions	196
A5.2.2	Modeling G' vs. γ_0	197
A5.2.3	Modeling G'' vs. γ_0	198
A5.2.4	Modeling $\tan \delta$ vs. γ_0	200
A5.2.5	Complex Modulus G^* vs. γ_0	202
A5.2.6	A Few Mathematical Aspects of the Kraus Model	204
A5.2.7	Fitting Model to Experimental Data	206
A5.2.7.1	Modeling G' vs. Strain	207
A5.2.7.2	Modeling G'' vs. Strain	209
A5.3	Ulmer Modification of the Kraus Model for Dynamic Strain Softening: Fitting the Model	212
A5.3.1	Modeling G' vs. Strain (same as Kraus)	213
A5.3.2	Modeling G'' vs. Strain	215
A5.4	Aggregates Flocculation/Entanglement Model (Cluster–Cluster Aggregation Model, Klüppel et al.)	218
A5.4.1	Mechanically Effective Solid Fraction of Aggregate	219
A5.4.2	Modulus as Function of Filler Volume Fraction	220
A5.4.3	Strain Dependence of Storage Modulus	221
A5.5	Lion et al. Model for Dynamic Strain Softening	222
A5.5.1	Fractional Linear Solid Model	222

A5.5.2	Modeling the Dynamic Strain Softening Effect	223
A5.5.3	A Few Mathematical Aspects of the Model	226
A5.6	Maier and Göritz Model for Dynamic Strain Softening	227
A5.6.1	Developing the Model	227
A5.6.2	A Few Mathematical Aspects of the Model	229
A5.6.3	Fitting the Model to Experimental Data	230
A5.6.3.1	Modeling G' vs. Strain	231
A5.6.3.2	Modeling G'' vs. Strain	232
6.	Polymers and White Fillers	235
6.1	Elastomers and White Fillers	235
6.1.1	Elastomers and Silica	235
6.1.1.1	Generalities	235
6.1.1.2	Surface Chemistry of Silica	236
6.1.1.3	Comparing Carbon Black and (Untreated) Silica in Diene Elastomers	237
6.1.1.4	Silanisation of Silica and Reinforcement of Diene Elastomers	239
6.1.1.5	Silica and Polydimethylsiloxane	246
6.1.2	Elastomers and Clays (Kaolins)	257
6.1.3	Elastomers and Talc	260
6.2	Thermoplastics and White Fillers	262
6.2.1	Generalities	262
6.2.2	Typical White Filler Effects and the Concept of Maximum Volume Fraction	266
6.2.3	Thermoplastics and Calcium Carbonates	280
6.2.4	Thermoplastics and Talc	291
6.2.5	Thermoplastics and Mica	297
6.2.6	Thermoplastics and Clay(s)	300
	References	302
	Appendix 6	308
A6.1	Adsorption Kinetics of Silica on Silicone Polymers	308
A6.1.1	Effect of Polymer Molecular Weight	308
A6.1.2	Effect of Silica Weight Fraction	310
A6.2	Modeling the Shear Viscosity Function of Filled Polymer Systems	312
A6.3	Models for the Rheology of Suspensions of Rigid Particles, Involving the Maximum Packing Fraction Φ_m	315
A6.4	Assessing the Capabilities of Model for the Shear Viscosity Function of Filled Polymers	319
A6.4.1	Effect of Filler Fraction	320
A6.4.2	Effect of Characteristic Time λ_0	320
A6.4.3	Effect of Yasuda Exponent a	321
A6.4.4	Effect of Yield Stress σ_c	321

A6.4.5	Fitting Experimental Data for Filled Polymer Systems.....	322
A6.4.6	Observations on Experimental Data	323
A6.4.7	Extracting and Arranging Shear Viscosity Data	324
A6.4.8	Fitting the Virgin Polystyrene Data with the Carreau–Yasuda Model	324
A6.4.9	Fitting the Filled Polystyrene Shear Viscosity Data	326
A6.4.10	Assembling and Analyzing all Results.....	332
A6.5	Expanding the Krieger–Dougherty Relationship	335
7.	Polymers and Short Fibers	339
7.1	Generalities	339
7.2	Micromechanic Models for Short Fibers-Filled Polymer Composites.....	344
7.2.1	Minimum Fiber Length	344
7.2.2	Halpin–Tsai Equations	345
7.2.3	Mori–Tanaka’s Averaging Hypothesis and Derived Models	351
7.2.4	Shear Lag Models.....	353
7.3	Thermoplastics and Short Glass Fibers.....	358
7.4	Typical Rheological Aspect of Short Fiber-Filled Thermoplastic Melts	368
7.5	Thermoplastics and Short Fibers of Natural Origin	370
7.6	Elastomers and Short Fibers	375
	References	383
	Appendix 7	389
A7.1	Short Fiber-Reinforced Composites: Minimum Fiber Aspect Ratio.....	389
A7.1.1	Effect of Volume Fraction on Effective Fiber Length.....	389
A7.1.2	Effect of Matrix Modulus on Effective Fiber Length.....	390
A7.1.3	Effect of Fiber-to-Matrix Modulus Ratio on Effective Fiber Length/Diameter Ratio	391
A7.2	Halpin–Tsai Equations for Short Fibers Filled Systems: Numerical Illustration.....	391
A7.2.1	Longitudinal (Tensile) Modulus E_{11}	392
A7.2.2	Transversal (Tensile) Modulus E_{22}	393
A7.2.3	Shear Modulus G_{12}	393
A7.2.4	Modulus for Random Fiber Orientation.....	394
A7.2.5	Fiber Orientation as an Adjustable Parameter	394

A7.2.6	Average Orientation Parameters from Halpin–Tsai Equations for Short Fibers Filled Systems.....	394
A7.2.6.1	Longitudinal (Tensile) Modulus E_{11}	395
A7.2.6.2	Transversal (Tensile) Modulus E_{22}	396
A7.2.6.3	Orientation Parameter X	396
A7.3	Nielsen Modification of Halpin–Tsai Equations with Respect to the Maximum Packing Fraction: Numerical Illustration.....	396
A7.3.1	Maximum Packing Functions.....	397
A7.3.2	Longitudinal (Tensile) Modulus E_{11}	398
A7.3.3	Transverse (Tensile) Modulus E_y	398
A7.3.4	Shear Modulus G	398
A7.4	Mori–Tanaka’s Average Stress Concept: Tandon–Weng Expressions for Randomly Distributed Ellipsoidal (Fiber-Like) Particles: Numerical Illustration.....	399
A7.4.1	Eshelby’s Tensor (Depending on Matrix Poisson’s Ratio and Fibers Aspect Ratio Only).....	399
A7.4.2	Materials’ Constants (i.e., Not Depending on Fiber Volume Fraction).....	400
A7.4.3	Materials and Volume Fraction Depending Constants.....	401
A7.4.4	Calculating the Longitudinal (Tensile) Modulus E_{11}	402
A7.4.5	Calculating the Transverse (Tensile) Modulus E_{22}	402
A7.4.6	Calculating the (In-Plane) Shear Modulus G_{12}	403
A7.4.7	Calculating the (Out-Plane) Shear Modulus G_{23}	404
A7.4.8	Comparing with Experimental Data.....	404
A7.4.9	Tandon–Weng Expressions for Randomly Distributed Spherical Particles: Numerical illustration.....	406
A7.4.9.1	Eshelby’s Tensor (Depending on Matrix Poisson’s Ratio Only).....	406
A7.4.9.2	Materials’ Constants (i.e., Not Depending on Filler Volume Fraction).....	406
A7.4.9.3	Materials and Volume Fraction Depending Constants.....	407
A7.4.9.4	Calculating the Tensile Modulus E	408
A7.4.9.5	Calculating the Shear Modulus G	408
A7.5	Shear Lag Model: Numerical illustration.....	409

Index.....	411
------------	-----