

# Contents

---

|                                                                           |             |
|---------------------------------------------------------------------------|-------------|
| <b>Preface</b>                                                            | <b>xiii</b> |
| <b>1 Fundamentals of Ferrochrome (FeCr) Alloy and Its Slag</b>            | <b>1</b>    |
| <i>Muktikanta Panigrahi, Ratan Indu Ganguly<br/>and Radha Raman Dash</i>  |             |
| 1.1 Introduction                                                          | 2           |
| 1.2 Chromite Smelting Technologies                                        | 3           |
| 1.2.1 Conventional Smelting Process                                       | 3           |
| 1.2.2 Outokumpu Process                                                   | 4           |
| 1.2.3 DC-Arc Process                                                      | 4           |
| 1.2.4 Premus Process                                                      | 6           |
| 1.3 Ferrochrome Production                                                | 7           |
| 1.4 Chemical and Physical Properties of Ferrochrome                       | 7           |
| 1.4.1 Characteristics of Ferrochrome                                      | 8           |
| 1.5 Ferrochrome Uses                                                      | 9           |
| 1.5.1 Low-Carbon Ferrochrome Alloy                                        | 9           |
| 1.5.1.1 Low-Carbon Ferrochrome – Chemical Analysis                        | 10          |
| 1.5.2 Problems of Carbon in FeCr                                          | 10          |
| 1.5.2.1 Refining of Ferrochrome by Chromium Ore                           | 11          |
| 1.5.2.2 Refining of Ferrochrome by Blowing Oxygen                         | 12          |
| 1.5.2.3 Refining of Ferrochrome in Presence of Silicon                    | 12          |
| 1.5.2.4 Silicothermic Process (Production of<br>Low-Carbon Ferrochrome)   | 12          |
| 1.5.2.5 Production of Carbon-Free Ferrochrome<br>(Aluminothermic Process) | 12          |
| 1.5.3 Non-Conventional Techniques                                         | 13          |
| 1.5.3.1 Decarburization of Solid Ferrochrome                              | 13          |
| 1.5.3.2 Decarburization Using Oxidizing Gas Mixture                       | 13          |
| 1.5.3.3 Production of Low-Carbon Ferrochrome<br>from Chromite Ore         | 14          |

|         |                                                          |    |
|---------|----------------------------------------------------------|----|
| 1.5.3.4 | Khalafalla Method                                        | 14 |
| 1.5.3.5 | Other Methods                                            | 14 |
| 1.5.4   | High-Carbon Ferrochrome Alloy                            | 15 |
| 1.6     | Waste Generation During Ferrochrome Production           | 16 |
| 1.6.1   | Ferrochrome Slag                                         | 17 |
| 1.6.2   | Ferrochrome Slag Products                                | 18 |
| 1.6.2.1 | Petrographic Analysis of Low-Carbon Ferrochrome Slag     | 19 |
| 1.6.2.2 | Description of Crystalline Phases in Ferrochrome Slag    | 19 |
| 1.6.2.3 | Slag Properties                                          | 21 |
| 1.6.3   | Reactivity of Slag with Container (Metal and Atmosphere) | 21 |
| 1.6.3.1 | Slag/Container Reactions                                 | 22 |
| 1.6.3.2 | Slag/Metal Reactions                                     | 22 |
| 1.6.3.3 | Slag/Atmosphere Reactions                                | 22 |
| 1.6.4   | Corrosion and Erosion of Refractories                    | 23 |
| 1.6.4.1 | Mechanism of Slag Line Erosion                           | 24 |
| 1.6.4.2 | Mechanism of Erosion in Carbon/Oxide Refractories        | 25 |
| 1.6.5   | Thermophysical Properties                                | 27 |
| 1.6.5.1 | Estimation of Thermophysical Properties                  | 28 |
| 1.7     | Structure of Slags and Glasses                           | 28 |
| 1.7.1   | Parameters Used to Represent Structure                   | 30 |
| 1.7.1.1 | NBO/T and Q                                              | 30 |
| 1.7.1.2 | Optical Basicity ( $\Lambda$ )                           | 31 |
| 1.7.2   | Structural Changes in Glasses and Slags with Temperature | 32 |
| 1.7.3   | Effect of Structure on Properties                        | 33 |
| 1.7.3.1 | Effect of Structure (Q or (NBO/T)) on Properties         | 33 |
| 1.7.4   | Factors Affecting Property                               | 37 |
| 1.7.4.1 | Size of Cations                                          | 38 |
| 1.7.5   | Factors Affecting Measurements                           | 39 |
| 1.7.6   | Measurement Methods                                      | 39 |
| 1.7.6.1 | Methods of Estimating Electrical Conductivity            | 39 |
| 1.7.7   | Factors Affecting Surface Tension ( $\gamma$ )           | 41 |
| 1.7.8   | Interfacial Tension ( $\gamma_{MS}$ )                    | 42 |
| 1.7.9   | Factors Affecting Thermal Conductivity                   | 42 |
| 1.7.9.1 | Thermal Conductivity of Crystalline Slags                | 43 |

|          |                                                                      |           |
|----------|----------------------------------------------------------------------|-----------|
| 1.8      | Physical and Mechanical Properties of the Ferrochrome Slag Aggregate | 43        |
| 1.9      | Characterizations of Ferrochrome (FeCr) Slag                         | 44        |
| 1.9.1    | Physical Characterization                                            | 44        |
| 1.10     | Environmental Aspects of Ferrochrome Production                      | 47        |
| 1.10.1   | Raw Material Preparation                                             | 48        |
| 1.10.1.1 | Smelting                                                             | 48        |
| 1.10.2   | Environmental Management Program                                     | 50        |
| 1.10.2.1 | Geohydrological Survey                                               | 50        |
| 1.10.3   | Remediation                                                          | 51        |
| 1.10.3.1 | Environmental Impact Assessment                                      | 51        |
| 1.10.3.2 | Chemical Reduction of Cr(VI)                                         | 52        |
| 1.10.3.3 | Bacterial Reduction of Cr(VI)                                        | 52        |
| 1.10.3.4 | Solidification/Stabilization                                         | 53        |
| 1.10.3.5 | Other Methods of Remediation                                         | 53        |
| 1.11     | Conclusions                                                          | 54        |
|          | Acknowledgments                                                      | 55        |
|          | References                                                           | 55        |
| <b>2</b> | <b>Production and Test Methods of Waste-Based Ceramics</b>           | <b>63</b> |
|          | <i>Muktikanta Panigrahi, Ratan Indu Ganguly and Radha Raman Dash</i> |           |
| 2.1      | Introduction                                                         | 64        |
| 2.2      | Ceramic Process Parameters                                           | 68        |
| 2.2.1    | Parameters During Mixing                                             | 68        |
| 2.2.2    | Parameters During Compaction                                         | 68        |
| 2.2.3    | Parameters During Sintering                                          | 69        |
| 2.3      | Characterization Techniques                                          | 70        |
| 2.3.1    | X-Ray Diffraction (XRD) Technique                                    | 71        |
| 2.3.2    | Fourier Transform Infrared (FTIR) Spectroscopy                       | 72        |
| 2.3.3    | Scanning Electron Microscopy (SEM)                                   | 72        |
| 2.3.4    | Two-Probe Electrical Resistance Measurement (at Room Temperature)    | 73        |
| 2.4      | Conclusion                                                           | 74        |
|          | Acknowledgments                                                      | 74        |
|          | References                                                           | 74        |
| <b>3</b> | <b>High Resistance HCFC Slag Ceramic Materials</b>                   | <b>83</b> |
|          | <i>Muktikanta Panigrahi, Ratan Indu Ganguly and Radha Raman Dash</i> |           |
| 3.1      | Introduction                                                         | 84        |

|          |                                                                      |            |
|----------|----------------------------------------------------------------------|------------|
| 3.2      | Experiment Details                                                   | 85         |
| 3.2.1    | Materials and Chemicals                                              | 85         |
| 3.2.2    | Sintered HCFC Slag Preparation                                       | 86         |
| 3.2.3    | Test Methods                                                         | 87         |
| 3.2.4    | Results and Discussion                                               | 88         |
| 3.2.5    | Conclusions                                                          | 93         |
|          | Acknowledgments                                                      | 94         |
|          | References                                                           | 94         |
| <b>4</b> | <b>High Resistant HCFC Slag/Kaolin Ceramics</b>                      | <b>97</b>  |
|          | <i>Muktikanta Panigrahi, Ratan Indu Ganguly and Radha Raman Dash</i> |            |
| 4.1      | Introduction                                                         | 98         |
| 4.2      | Experiment Details                                                   | 100        |
| 4.2.1    | Materials and Chemicals                                              | 100        |
| 4.2.2    | HCFC Slag/Kaolin Composite Preparation                               | 102        |
| 4.2.3    | Test Methods                                                         | 104        |
| 4.2.4    | Results and Discussion                                               | 105        |
| 4.3      | Conclusions                                                          | 112        |
|          | Acknowledgments                                                      | 113        |
|          | References                                                           | 113        |
| <b>5</b> | <b>High Resistant HCFC Slag/K-Feldspar Ceramics</b>                  | <b>117</b> |
|          | <i>Muktikanta Panigrahi, Ratan Indu Ganguly and Radha Raman Dash</i> |            |
| 5.1      | Introduction                                                         | 118        |
| 5.2      | Experiment Details                                                   | 121        |
| 5.2.1    | Materials and Chemicals                                              | 121        |
| 5.2.2    | Materials Preparation                                                | 121        |
| 5.2.2.1  | HCFC Slag-Sintered Materials                                         | 121        |
| 5.2.2.2  | Preparation of HCFC Slag/K-Feldspar-Based Sintered Composite         | 124        |
| 5.2.3    | Test Methods                                                         | 125        |
| 5.2.4    | Results and Discussion                                               | 126        |
| 5.3      | Conclusions                                                          | 133        |
|          | Acknowledgments                                                      | 134        |
|          | References                                                           | 134        |
| <b>6</b> | <b>High Resistant HCFC Slag-Based Geopolymer Materials</b>           | <b>139</b> |
|          | <i>Muktikanta Panigrahi, Ratan Indu Ganguly and Radha Raman Dash</i> |            |
| 6.1      | Introduction                                                         | 140        |

|          |                                                                      |            |
|----------|----------------------------------------------------------------------|------------|
| 6.2      | Experiment Details                                                   | 142        |
| 6.2.1    | Chemicals and Materials                                              | 142        |
| 6.2.2    | Synthesis of Geopolymer from HCFC Slag                               | 142        |
| 6.2.3    | Characterization Techniques                                          | 144        |
| 6.2.4    | Results and Discussion                                               | 145        |
| 6.3      | Conclusions                                                          | 152        |
|          | Acknowledgments                                                      | 153        |
|          | References                                                           | 153        |
| <b>7</b> | <b>High Resistant PA/HCFC Slag Geopolymer Materials</b>              | <b>159</b> |
|          | <i>Muktikanta Panigrahi, Ratan Indu Ganguly and Radha Raman Dash</i> |            |
| 7.1      | Introduction                                                         | 160        |
| 7.2      | Experiment Details                                                   | 163        |
| 7.2.1    | Source of Materials                                                  | 163        |
| 7.2.2    | PA/HCFC Slag Geopolymer (GP) Preparation                             | 163        |
| 7.2.3    | Test Methods                                                         | 164        |
| 7.2.4    | Results and Discussion                                               | 165        |
| 7.3      | Conclusions                                                          | 172        |
|          | Acknowledgments                                                      | 173        |
|          | References                                                           | 173        |
| <b>8</b> | <b>High Resistant Exposed HCFC Slag Geopolymer</b>                   | <b>177</b> |
|          | <i>Muktikanta Panigrahi, Ratan Indu Ganguly and Radha Raman Dash</i> |            |
| 8.1      | Introduction                                                         | 178        |
| 8.2      | Experiment Details                                                   | 180        |
| 8.2.1    | Chemicals and Materials                                              | 180        |
| 8.2.2    | Geopolymer Synthesis                                                 | 181        |
| 8.2.3    | Test Methods                                                         | 182        |
| 8.2.4    | Results and Discussion                                               | 183        |
| 8.3      | Conclusions                                                          | 190        |
|          | Acknowledgments                                                      | 190        |
|          | References                                                           | 191        |
| <b>9</b> | <b>High Resistant HCFC Slag/Fly Ash Hybrid Ceramics</b>              | <b>197</b> |
|          | <i>M. K. Panigrahi, R. I. Ganguly and R. R. Dash</i>                 |            |
| 9.1      | Introduction                                                         | 198        |
| 9.2      | Experiment Details                                                   | 199        |
| 9.2.1    | Materials and Chemicals                                              | 199        |
| 9.2.2    | FA/HCFC Slag/CC/PY/k-FD/BC Sintered Hybrid Materials Reparation      | 201        |

|           |                                                                                          |            |
|-----------|------------------------------------------------------------------------------------------|------------|
| 9.2.3     | Test Methods                                                                             | 203        |
| 9.2.4     | Results and Discussion                                                                   | 204        |
| 9.3       | Conclusions                                                                              | 211        |
|           | Acknowledgements                                                                         | 212        |
|           | References                                                                               | 212        |
| <b>10</b> | <b>High Resistant HCFC Slag/Pond Ash Hybrid Ceramics</b>                                 | <b>217</b> |
|           | <i>M. K. Panigrahi, R.I. Ganguly and R.R. Dash</i>                                       |            |
| 10.1      | Introduction                                                                             | 218        |
| 10.2      | Experiment Details                                                                       | 221        |
|           | 10.2.1 Materials and Chemicals                                                           | 221        |
|           | 10.2.2 PA/HCFC Slag Hybrid Materials Preparation                                         | 221        |
|           | 10.2.3 Test Methods                                                                      | 224        |
|           | 10.2.4 Results and Discussion                                                            | 226        |
| 10.3      | Conclusions                                                                              | 232        |
|           | Acknowledgments                                                                          | 232        |
|           | References                                                                               | 233        |
| <b>11</b> | <b>Applications, Challenges and Opportunities of Industrial Waste Resources Ceramics</b> | <b>241</b> |
|           | <i>Muktikanta Panigrahi, Ratan Indu Ganguly and Radha Raman Dash</i>                     |            |
| 11.1      | Introduction                                                                             | 242        |
| 11.2      | Different Ways of Utilizing FeCr Slag Waste                                              | 242        |
|           | 11.2.1 Ferrochromium Slag for Ceramic and Refractory Application                         | 242        |
|           | 11.2.2 Ferrochrome Slag in Road/Building Construction Applications                       | 244        |
|           | 11.2.2.1 Ferrochrome Slag Concrete                                                       | 245        |
|           | 11.2.3 Hazardous Hexavalent Cr Treatment                                                 | 245        |
|           | 11.2.4 Manufacture of Cost-Effective High-Strength MMCs                                  | 246        |
|           | 11.2.5 Valuable Metals Recovery from FeCr Slag                                           | 246        |
|           | 11.2.5.1 Recovery of Iron                                                                | 247        |
|           | 11.2.5.2 Recovery of Chromium                                                            | 247        |
|           | 11.2.5.3 Recovery of Mg                                                                  | 248        |
|           | 11.2.5.4 Recovery of Aluminum, Sodium and Potassium                                      | 248        |
|           | 11.2.6 Rip Rap Application                                                               | 249        |
|           | 11.2.7 Stone Column Application                                                          | 249        |
| 11.3      | Challenges                                                                               | 250        |
| 11.4      | Opportunity                                                                              | 251        |

|      |                 |            |
|------|-----------------|------------|
| 11.5 | Conclusions     | 251        |
|      | Acknowledgments | 252        |
|      | References      | 252        |
|      | <b>Index</b>    | <b>257</b> |